





VALUES

WE ARE WHAT WE DO

Since 1972, CONSISTENCY, TRANSPARENCY and LOYALTY have been the VALUES which guide us to achieve

CUSTOMER SATISFACTION.



IMPROVE and offer our customers

the BEST PPE so they can

BEST

CARRY OUT THEIR WORK.





QUALITY

ALL IN HAND.

The **QUALITY** of our products comes from ATTENTIVE ANALYSIS OF THE PRODUCTION PROCESS, which

is continuously evolving, guaranteeing complete control over the entire supply chain, right up to the logistics and aftersales support.

PRODUCT CONSTANT EVOLUTION.

WE MONITOR the MARKET WITH GREAT

care, in order to PRODUCE A COMPLETE RANGE OF PPE which meets applicable legislative requirements in order to cover

specific PROTECTION RE-**OUIREMENTS** for any type of work.

ENVIRONMENT

We protect the health of people while they work, BUT THE ENVIRONMENT WHICH SURROUNDS ALL OF US IS EQUALLY IMPORTANT.

Solar PV system **2,100** m 225 kWp

-90 t reduction in CO₂ emissions




















Over the years, our company has developed in-depth knowledge of the various safety requirements of every work sector. This experience has led to the development of solutions designed to meet the needs of every professional in that sector. Thanks to our continuous research and technological innovation, Neri Spa has been guaranteeing the highest levels of safety, performance and comfort to workers since 1972, offering cutting-edge solutions and the highest quality standards. Innovation, performance technologies able to make the workplace ever safer. We have always carefully monitored the market, offering a complete range of PPE which is in step with the times.












ALWAYS AND WHERE










Neri S.p.A. provides a unique portal to help you quickly and simply identify the most suitable products to meet your customers' needs. Register at www.nerispa.com for ac-

cess to:

- CONSTANTLY CONNECTED CATALOGUE
- INDEPENDENT ORDER ENTRY
- IMMEDIATE CONFIRMATION OF WAREHOUSE AVAILABILITY
- **CHECK DELIVERY DATES**

Registering is easy! You can request information from your sales contact person, or by emailing

sales@nerispa.com











Code

BOXED CLOTHING DISPLAY UNIT

- Floor-standing display unit with
- Polypropylene structure
- 5 reinforced shelves dimensions 64x35x25 h cm
- Dedicated to Neri's line of boxed clothing

Dimensions: 69x39x154 h cm



NERI W

Code

FLOOR-STANDING **DISPLAY UNIT CLOTHING EVO STRETCH PLUS**

- In paperboard
- 1 display compartment for hangers
- 9 compartments (36 boxes)

Dimensions: 60 x 34 x 179h cm

MAGNET DISPLAY UNIT

- Metal display
- Two bars for hangers
- Magnetic graphic sheet

Dimensions: 108 x 37 x 205h cm





NERI METAL DISPLAY
WALL

- Material: metal
- With accessories kit (1 large shelf, 1 bar with 2 clothing brackets and 9 hooks for jackets)

Dimensions: 100x50x200 h cm



Code SOURS
FLOOR-STANDING DISPLAY
UNIT MULTIUSE

- In black painted metal
- Customisable column on
 4 sides at different heights, with:
 6 shelves for footwear
 6 dual glove hooks
 1 inclined rack
 1 L-hanger

Dimensions with accessories: 80 x 60 x 218h cm

SPACES





Code 130033 FLOOR-STANDING DISPLAY UNIT FOOTWEAR

- · In black painted metal
- 6 shelves for footwear

Dimensions: 49 x 35 x 180h cm

Code 1

PLEXIGLASS UNIT FOR FOOTWEAR

- Transparent plexiglass unit with customised NERI sticker
- Suitable for displaying shoes on shelves



FLOOR-STANDING DISPLAY UNIT MONKEY GLOVES

- In paperboard
- 4 container shelves
- Removable container drawer

Dimensions: 58 x 35 x 215h cm

FLOOR-STANDING DISPLAY UNIT **HANGING GLOVES**

- In paperboard
- 16 single glove hooksCustomisable with adhesive strips specifying the fields of use

Dimensions: 60 x 41 x 215h cm





Code 157 **HOOKSTRIP**

- Practical blister holder strip, suitable for all sales spaces
- Can be hung on shelves, walls, columns etc.
- Sold in pack of 5 pcs. with dedicated "S" hooks to hang them

A COMPLETE RANGE OF DISPLAY UNITS FOR CUSTOMIS-ING THE POINT OF **SALE**

Extremely functional, easy to assemble and use, they are made to guarantee excellent display capacity even in limited space. They also represent the ideal solution for offering customers the best in-store purchase experience.

Ask for information from your area representative, or call our sales department on +39 0522 948111, or via email at sales@nerispa.com



SPACES





G	L	0	V	Ε	S

22 Standards & Info

24 Work gloves

32 Greenbay

34 Leather

48 Cotton

56 Synthetic

60 Coated: Polyurethane

67 Coated: Nitrile

78 Nitran Series

84 Air Nit Series

86 Coated: Dyneema

92 Coated: Kyorene®

96 Coated: Latex

104 Cotton/Latex

108 Jersey/NBR

114 Industrial/Household: Latex

120 Industrial/Household: Neoprene

122 Industrial/Household: Nitrile

126 Industrial/Household: PVC

127 Supported PVC

130 Disposable: Latex

132 Disposable: Nitrile

135 Disposable: Polyethylene

136 Kevlar®

139 Aramid fiber

141 Stainless steel gloves

143 HexArmor®

146 Cryogenic

147 Anti-vibration gloves

148 Dielectric gloves

198 Shirts

202 Trousers

208 Jeans

210 Headgears

214 Technical/Professional

246 Medical

248 Aprons

252 Split leather garments

254 High visibility

266 Rainproof

275 Forestry

278 Flameproof

282 Isothermal

284 Cooling

286 Disposable garments

FOOTWEAR

304 Standards & Info

310 Street series

314 Rush 998

316 Fuego

318 300 series

320 212 Evolution

322 500 series

330 Free time and others

332 Insoles

334 Service shoes

340 Protective boots

354 Socks

CLOTHING

152 Standards & Info

158 Jackets

166 Light jackets

172 Softshell

176 Vests

182 Sweatshirt/Fleece

190 T-Shirt/Polo

194 Underwear

• ACCESSORIES

360 Standards & Info

364 First aid

375 Roadworks

382 Respiratory protection

400 Hearing protection

414 Face/eye protection

430 Head protection

436 Fall protection systems

INDEX

GLOVES



EN ISO 21420 EN 420

Protective gloves -General requirements and test methods

For the design and manufacture of protective gloves, the innocuousness, comfort, effectiveness, marking and information provided by the manufacturer. Cannot be used alone, only in combination with the appropriate specific standard.

Gloves "for minimal risks only"

Gloves designed to protect the user solely from one or more of the following risks:

- SURFACE INJURIES CAUSED BYMECHANICAL TRAUMA
 CONTACT WITHHOT SURFACES AT TEMPERATURES NOT EXCEEDING 50°C
- CONTACT WITH MILD CLEANING PRODUCTS OR PRO-LONGED CONTACT WITH WATER
 WEATHER CONDITIONS THAT ARE NOT EXTREME IN



EN 388

Mechanical Hazards
Protective gloves providing resistance to abrasion, cut, tear, puncture and, where applicable, impact.

abcdeP			LEVELS					
	TESTS	1	2	3	4	5		
а	Abrasion resistance (cycles)	100	500	2000	8000	-		
b	Cut resistance (index)	1.2	2.5	5	10	20		
С	Tear resistance (N)	10	25	50	75	-		
d	Puncture resistance (N)	20	60	100	150	-		

If the glove is tested for impact protection and meets the requirements of level 1, the letter "P" is added after the other performance levels in the marking.

Level 0: the glove has not reached the minimum level \mathbf{X} : test not carried out or not applicable

		Α	В	C	D	E	F
е	TDM - Cut resistance (N)	2	5	10	15	22	30

X: Cut resistance according to ISO 13997:1999.
The glove has not been tested for this characteristic, as it is not applicable. (if there is "x" in place of the e)



EN 1082-1

Gloves and arm guards protecting

against cuts and stabs by hand knives Used particularly when using hand knives in slaugh-terhouses, meat, fish and mollusc processing industries, large-scale catering, and in manual deboning of meat. They can also offer adequate protection to those working with hand knives in the plastic, leather fabric and paper industry, for flooring installation and similar activities.



EN 407

Protective gloves against thermal

risks (Heat and/or fire)
Gloves providing protection against the risks caused by radiant heat, contact heat, convective heat, molten metal

splashes and flame.		PERFORMANCE LEVELS				
			1	2	3	4
а	Limited flame spread test	After-flame time and after glow- time	≤20s	≤10s	≤3s	≤2s
b	Contact heat	Threshold time ≥ 15 seconds at:	100°C	250°C	350°C	500°C

			1	2	3	4
С	Convective heat	Heat transfer index HTI	≥4s	≥7s	≥10s	≥18s
d	Radiant heat	Heat transfer t24 (s)	7 s	20 s	50 s	95 s
е	Small splash- es of molten metal	Number of droplets which produce a temperature rise of 40°C	≥10	≥15	≥25	≥35
f	Large quantities of molten metal	Mass (in g) of molten iron nec- essary to cause surface burning	30 g	60 g	120 g	200 g

X: the glove did not undergo testing



EN 407:2020

This symbol must be used if a glove certified to EN 407:2020 has not been subject to testing or has not achieved at least level I limited flame spread (value a - will always be marked X).

EN 12477

Protective gloves for welders
Protective gloves for use in manual metal welding,
cutting and allied processes. The standard incorporates two different types:

ТҮРЕ А	lower dexterity with higher other performance compared to type B. Suitable for other welding processes, MIG-MAG and arc welding.
ТҮРЕ В	higher dexterity with lower other performance compared to Type A. Suitable for TIG welding.



abc

EN 511

Protection against cold
Protective gloves providing protection against
convective and contact cold down to -50° C. These
gloves are made from thermally insulating material,
able to prevent dispersion of heat from hands. They
are generally used for work in very cold environments
such as in cold stores, or in jobs involving contact
with very cold objects and liquids.

С	Water permeability (no water penetration after 30 min) level 0 - 1
b	Contact cold resistance (thermal insulation) level 0 - 4
а	Convective cold resistance (thermal insulation) level 0 - 4

Level 0: the glove has not passed the specific test **X**: the glove did not undergo testing



EN ISO 11393-4 EN 381-7

Protection from hand-held chain saws

Protective gloves for users of hand-held chain saws. The standard envisages two types of gloves: Type A: the protector is only present at the back of the metacarpus; Type B: the protector also covers the back of the individual fingers except for the thumb. There are four protection classes, on the basis of the chain

CLASS	0	1	2	3
Chain speed (m/s)	16	20	24	28

STANDARDS & INFO

EN 421

Protective gloves against ionizing radiation and radioactive contamination

Gloves offering protection to the hand and various parts of the arm and shoulder against ionizing radiation and radioactive contamination



Protection against ionizing radiation



Protection against radioactive contamination



EN ISO 374-1

Chemical Hazards

Protective gloves against dangerous chemicals and micro-organisms. The latest revision of the standard has added 6 new chemical substances to the list of chemical products (which now numbers 18 in total). The new marking incorporates a symbol where the letters listed specify the substance which the gloves provide protection from.

NEW CLASSIFICATION

EN ISO 374-1/



EN ISO 374-1 / Type A

- · Penetration resistance
- Permeation resistance of at least 30 min. for at least six test chemicals from the updated list

EN ISO 374-1/ Type B



EN ISO 374-1 / Type B

- · Permeation resistance
- Permeation resistance of at least 30 min. for at least three test chemicals from the updated list

FN ISO 374-1/



EN ISO 374-1 / Type C

- Permeation resistance
- Permeation resistance of at least 10 min. for at least one test chemicals from the updated list

	CHEMICAL PRODUCTS TESTED	CLASS	
Α	Methanol	Primary alcohol	
В	Acetone	Ketone	
С	Acetonitrile	Nitrile compound	
D	Dichloromethane	Chlorinated hydrocarbon	
E	Carbon disulphide Sulphur with organic compou		
F	Toluene Aromatic hydrocarbon		
G	Diethylamine Amine		
Н	Tetrahydrofuran	Cyclic ether	
	Ethyl acetate	Ester	
J	n-heptane	Saturated hydrocarbon	
К	Sodium hydroxide, 40%	Inorganic base	
L	Sulphuric acid, 96%	Inorganic acid	
М	Nitric acid, 65%	Inorganic acid	
N	Acetic acid, 99%	Organic acid	
0	Ammonium hydroxide, 25%	Organic base	
Р	Hydrogen peroxide, 30%	Peroxide	
S	Hydrofluoric acid, 40%	Inorganic acid	
T	Formaldehyde, 37%	Aldehyde	

PERMEATION INDEX	1	2	3	4	5	6
Breakthrough time (min)	→ 10	→ 30	→ 60	→ 120	> 240	› 480



EN ISO 374-5

Protection against micro-organisms

The gloves must pass the penetration test according to standard EN ISO 374-2. Protection against viruses can be added and declared if the glove passes ISO 16604 (procedure B).

EN ISO 374-5



EN ISO 374-5

Protective gloves against dangerous chemicals and micro-organisms (bacteria and fungi)

· Penetration resistance

FN ISO 374-5



EN 374-5 Virus

Protective gloves against dangerous chemicals and micro-organisms (viruses, bacteria and fungi)

- · Penetration resistance
- Tested in accordance with procedure B of ISO 16604

EN 455

Medical Devices

Regulation (EU) 2017/745.

Gloves compliant for use as CLASS 1 - NON STERILE SINGLE-USE MEDICAL DEVICES for general hygiene, medical and exploration use (including within healthcare structures).



IEC 60903 EN 60903

Electrical hazards

Protective gloves in insulating material with dielectric properties sufficient to safeguard operatives who may accidentally come into contact with live parts. The field of use is manual work on primary and secondary LV-MV distribution systems only accidentally presenting live voltages. Emergency work on live electrical systems which must be rapidly isolated by emergency teams.

Class	Test volt- age	Maximum voltage (AC)	Special properties	Resistant to
00	2500 V	500V	Α	Acids
0	5000 V	1000 V	Н	Oil
1	10000 V	7500 V	Z	Ozone
2	20000 V	17000 V	R	Acids, Oil, Ozone
3	30000 V	26500 V	_	Very low tem-
4	40000 V	36000 V	С	peratures



Gloves intended to come into contact with food

In order to regulate handling of foods in the food sector, the European Union drafted Regulation (EC) 1935/2004 and (where applicable) Regulation (EU) 10/2011. In Italy, Ministerial Decree of 21 March 1973 also applies to rubber gloves. These regulations guarantee that gloves intended to come into contact with food products, directly or indirectly, do not release components into the foodstuffs in quantities such as to represent a hazard to human health or to represent an unacceptable modification to its composition, taste and smell. The evidence that the product is suitable for food contact is given by the application of the symbol or the wording "Food Safe/for food contact". This marking is applied to the packaging alongside the name and address of the manufacturer. All Neri gloves bearing the Food Safe logo are provided with documentation attesting to their suitability for food use.

WORK GLOVES

OUTER • FINISHES

SMOOTH No textured finish.



GRANITE Light finish normally present on disposable gloves without support.



KNURLED
Medium-light
finish with lozenge-pattern relief,
primarily found
on gloves without
support.



Medium finish with dots or checkering applied to a material which differs to the support.



ROUGH
Medium-strong
finish used on gloves
with support, which
improves the grip
and durability.



RIPPLED Strong finish used on gloves with support, which further improves the grip and cut resistance.



INNER FINISHES

POWDERED

Inserted during production of the glove, powdering generally uses products of plant origin (corn starch, talc or potato starch). It facilitates donning and doffing of the gloves, reducing the risk of inadvertent breakage. Recommended for uses where frequent changing of gloves is required.

POWDER-FREE

Powder-free gloves are widely used in the food sector, where there is the possibility of contact with products which must not be contaminated. Ideal for those who suffer from irritation caused by powder.

FLOCK LINING

Light inner finish based on soft cotton textile fibres. Provides better absorption of perspiration, facilitates donning and doffing, and offers greater comfort.


CHLORINATION

Process by which the gloves are washed with chlorinated water in order to eliminate traces of production dust, impurities and bacteria in order to obtain a product which is almost completely non-allergenic. Reduces the risk of allergies with rubber gloves, also making them slightly tougher and thicker.

WITH TEXTILE FINISH

Thin inner textile lining made from knitted cotton. Soft, elastic and free of stitching, it helps protect the hands from irritation. It makes the gloves tougher, more comfortable and longer lasting. It also limits hand perspiration.







TYPES/PRODUCTION

Production using machines which allow an extremely elastic glove which is completely free of stitching. Continuous filament gloves can also be used as inner gloves or supports for lined gloves.

COVERED/IMPREGNATED
These are continuous-filament gloves, or cut and stitched, which are partially or totally immersed in coating material following production. The finished product is tough and versatile, with the base fabric directly in contact with the hand, improving comfort. Depending on the materials used and their thicknesses, products suitable for delicate, high-precision uses requiring excellent tactile sensitivity, or else much more structured products, suitable for more demanding and high-risk uses, can be created.



Gloves with fabric base construction coated to increase the mechanical protection. Good sweat absorption and increased wearing comfort for extend-

WITHOUT SUPPORTS
The former on which the glove is constructed is directly immersed in the base material without the insertion of internal fabric supports.

DISPOSABLE

Made using the same process as gloves without supports, but using "ambidextrous" formers. The former is covered with a homogeneous layer of base material, which determines the thickness of the glove, which is generally thinner than traditional supported gloves.

STITCHED

These are gloves manufactured starting out with a base material (leather, cotton, synthetic and/or coated fabrics) which synthetic and/or coated fabrics) which undergo an initial cutting (or shearing, depending on the material used) phase, which is followed by a manual stitching phase. In some models there can also be an inner liner or padding, as well as outer reinforcements at specific points, which make the gloves tougher and more comfortable. Depending on the material and fortable. Depending on the material and design chosen, different types of gloves for different uses are obtained: from very thin and sensitive ones to thicker ones used for more demanding operations.











COATINGS+ MATERIALS

LATEX

Resistant to water-based chemicals (acids, alcohols, bases, ketones, alcohols, salt solutions).

Not suitable for use with hydrocarbons, oils, greases, lubricants and organic solvents. Excellent flexibility and softness. Can be allergenic. Excellent non-slip grip and comfort.



Resistant to solvents, hydrocarbons and derivatives, oils and greases. Excellent abrasion resistance.



NEOPRENE

Resistant to inorganic acids, hydrocarbons and derivatives, organic solvents, oils and caustic substances. Excellent grip on both dry and wet/oily surfaces. Good abrasion resistance.



NEOPRENE

NITRILI

Resistant to oily and aggressive chemical substances (hydrocarbons and derivatives, solvents, greases, oils, paint and varnish). Excellent grip on both dry and wet/oily surfaces. Not suitable for use with ketones and strong oxidising acids. Excellent abrasion resistance.



PVC

Resistant to acids, bases, alcohols and caustic substances, cutting oils, petroleum and derivatives. Not suitable for use with ketones and many solvents. Excellent grip on both dry and wet surfaces. Excellent abrasion and tear resistance.

POLYURETHANE (PU)

A porous, flexible and elastic polymer, which is highly breathable and offers excellent grip and durability characteristics. Guarantees excellent tactile sensitivity. Resistant to oils and greases, but has low chemical resistance.



PVC

SYNTHETIC

FIBRES

DYNEEMA®

A fibre made from ultra-high molecular weight polyethylene, which ensures excellent cut resistance while maintaining excellent dexterity and wearer comfort. **DYNEEMA®** is a registered trademark.

ARAMID FABRIC

Lightweight synthetic fibre with excellent strength/weight properties. Offers excellent mechanical strength, cut resistance, tear resistance and resistance to contact heat. The fabric also withstands high temperatures well.

KEVLAR[®]

Synthetic, lightweight fabric which offers extraordinary cut resistance and resistance to contact heat. In does not lose its performance in the presence of organic solvents and bases.

KEVLAR® is a registered trademark of DuPont™

LYCRA®

An elastomeric fibre with excellent elastic properties, always combined with other natural or synthetic fibres. Fabrics made with Lycra are soft, breathable and lightweight, with excellent shape retention.

LYCRA® is a registered trademark of Invista

MICROFIBRE

A lightweight, soft and breathable synthetic fabric, obtained through processing and fragmentation of polyester, polyamide and polypropylene, which creates very small fibres. It is tough, flexible and offers excellent tactile sensitivity and excellent wearability.

POLYESTER

Strong and tough synthetic fibre. Good abrasion and tear resistance.

POLYAMIDE/NYLON

Tough and lightweight synthetic fibre. Does not leave residue, fibres or marks on the product. Good abrasion, tear and wear resistance.

THERMOLITE®

Super-lightweight, hollow-core fibres which trap air, ensuring the highest levels of thermal insulation and excellent breathability, helping keep heat in the hand. Makes for a particularly comfortable glove which is therefore also suitable for extended use.

THERMOLITE® is a registered trademark of Invista



NATURAL FIBRES

A soft, breathable and absorbent natural fibre which provides good thermal insulation and excellent comfort.

The oldest natural material used to make gloves. Tough, flexible, breathable and durable, it offers excellent dexterity and excellent mechanical strength. There are two main types: Top-grain leather and crust leather. **Top-grain** leather is the outer part of the hide, the most valued, elastic and tough. Crust leather is the inner part of the hide, and is generally thicker and tougher. It offers good abrasion and heat resistance.

CHOOSING THE SIZE

Choosing the size of your gloves is very important to guarantee the highest levels of dexterity.

The glove should be extremely comfortable and adapt perfectly to your hand when worn.

The effective size of the gloves must be determined by the manufacturer, taking into account the glove material and intended use.

6 7 8 9 10 11 Size

Minimum length in mm (according

220 230 240 250 260 270


to standard EN 420 / EN ISO Circumference

Length

160 171 182 192 204 215

MEASURING THE CIRCUMFERENCE

The choice of size should be made on the basis of the circumference of the hand (measured on the part of the hand above the thumb and below the fingers) and the length of the hand (distance between wrist and the tip of the middle finaer).



QUICK SIZE GUIDE · Position your right hand as shown in the dia-• Read the size to the right of your hand 6 7 10 11 Glove size Warning The scale and tables provide rough guides to help choose the size of your Neri® gloves. It is nevertheless always recommended to try the gloves on.

TYPES OF CUFF

ELASTICATED CUFF

- Keeps the glove tight against the wrist
- Prevents accidental doffing
- · Prevents dirt, dust and other materials from entering the interior of the glove

STRAIGHT OVERSLEEVE

- Standard cuff used with most immersion gloves
- Greater protection from liquids of wrist and fore-
- Folds easily, allowing for good ventilation

SAFETY OVERSLEEVE

- Facilitates ventilation
- Facilitates donning and doffing Provides wide freedom
- of movement to the wrist



OVERSLEEVE WITH SER-RATED EDGE

- of the edge
- Facilitates ventilation of the hand
- fabric support

· Reduces fraying of the

NON-DRIP ROLLED CUFF EDGE

- Protects against ingress of drips and liquids
- Makes the glove more resistant to tears when



CUT PROTECTION

POLYURETHANE

550

Code 337050

Seamless glove 13-gauge with cut-resistant fibers + Lycra® / polyurethane

Cut level



Page 63



NITRILE_

332 Nitcut

Code 353134

Seamless glove 18 gauge high density polyethylene / Micro foam nitrile

Cut level



Page 82



Air Nit Cut3

Code 353129

Seamless glove 15 gauge cut-resistant fibers-nylon / nitrile + ORRA COMFORT technology

Cut level



Page 85



Air Nit Winter

Code 353136

Seamless glove acrylic-nylon / nitrile + ORRA COMFORT technology

Cut level



Page 85



**

Driver Winter

Code 353115

Seamless technical glove nylon / nitrile

Cut level



Page 71



*

Ţ

334 Nitcut

Code 353132

Seamless glove 13 gauge high density polyethylene / Micro foam nitrile

Cut level



Page 82



Saffron

Code 353137

Seamless glove 13 gauge made of HPPE fiber / foam nitrile

Cut level



Page 83



Air Nit Cut5

Code 353123

Seamless glove 15 gauge cut-resistant fibers-nylon / nitrile + ORRA COMFORT technology

Cut level



Page 85



Tungsteno

Code 337044

Cut level



Page 82



Seamless cut resistant glove with tungsten / T-Touch composite compound

LATEX



Page 33



Cut level

Cut

Cut

level

level

Code 355121

Planet Raw

Seamless glove 13 gauge in recycled cotton-polyester / crinkle latex coating

Code 355119

Planet Winter

Seamless glove 15+10 gauge cotton-polyester-viscose / crinkle latex coating

Code 355163

ColdTek

Seamless acrylic-polyester / latex glove



FOOD CONTACT

Saffron

Code 353137

Seamless glove 13 gauge made of HPPE fiber / foam nitrile

Page 83





Ginger

Code 353138

Seamless glove 15 gauge polyamide / foamed nitrile

Page 83



Code 353139

Seamless glove 15 gauge polyamide / rubberized nitrile

Page 72



Coriander

Code 346052

Fully latex crinkle coated glove

Page 118



Code 337110

Seamless glove 13 gauge in DuPont™ ThermaStat® fabric

Page 59





Warmtec

Code 310080

Polyester/Cotton glove with nitrile coating

Page 140

COMPATIBILITY TABLE

	NITRILE	NEOPRENE	NATURAL LATEX	PVC
Acetaldehyde	_	*	*	_
Acetophenone (methyl phenyl ketone)	-	-	-	-
Acetone (2-propanone)	-	-	*	-
Acetonitrile	-	*	*	-
Acetic acid, 10%	*	**	*	*
Acetic acid, 50%	-	*	*	*
Concentrated acetic acid	-	*	-	*
Saturated boric acid	**	**	**	*
Saturated citric acid	**	**	**	**
Chromosulphuric acid, 10%	-	**	**	*
Concentrated chromosulphuric acid	-	-	-	*
Hydrofluoric acid, 10%	*	**	*	*
Hydrofluoric acid, 40%	*	**	*	*
Formic acid, 10%	-	**	*	**
Formic acid, 50%	-	**	*	**
Formic acid, 98%	-	*	*	**
Phosphoric acid, 10%	**	**	**	**
Phosphoric acid, 50%	**	**	**	**
Saturated phosphoric acid	**	**	**	**
Saturated fumaric acid	**	**	**	*
Lactic acid, 90%	**	**	**	**
Saturated maleic acid	**	**	**	**
Malonic acid	**	**	**	*
Muriatic acid, 10%	**	**	**	**
Muriatic acid, 20%	**	**	*	**
Muriatic acid, 32%	**	**	*	**
Nitric acid	-	_	-	-
Nitric acid, 10%	**	*	**	*
Nitric acid, 50%	-	*	*	*
Nitric acid, 65%	-	-	-	*
Fuming nitric acid	-	-	-	-
Saturated oxalic acid	*	**	**	**
Acid for welding 103	**	**	**	*
Perchloric acid, 60%	*	**	*	**
Sulphuric acid	**	**	**	*
Sulphuric acid, 10%	**	**	**	**
Sulphuric acid, 50%	**	**	-	**
Sulphuric acid, 96%	-	-	-	*
Tannic acid, 10%	**	**	**	**
Saturated tannic acid (tannin)	*	**	**	*
Water	*	**	**	**
Hydrogen peroxide solution, 3%	*	**	**	**
Hydrogen peroxide solution, 30% (peridrol)	*	**	**	**
Turpentine	*	**	*	*
Isobutanol	**	**	**	-
Isopropyl alcohol (isopropanol)	*	**	**	-
Methyl alcohol (methanol)	-	*	**	**
Propanol (Propan-1-ol)	*	**	*	*

		NITRILE	NEOPRENE	NATURAL LATEX	PVC
	Amyl alcohol (1-pentanol)	**	*	*	*
	Butanol	*	**	*	**
	Ethyl alcohol (ethanol)	-	**	**	**
	Propionaldehyde	-	-	-	-
	Ammonia, 10%	*	**	**	*
	Ammonia, 25%	*	*	**	*
	Aniline	-	-	*	*
	Aral Kaltreininger (cold deter.)	**	-	-	-
	ASTM OIL n. 1	**	*	-	-
	ASTM OIL n. 2	**	*	-	-
	ASTM OIL n. 3	**	-	-	-
В	Benzaldehyde	-	-	-	-
	Normal unleaded petrol	**	-	-	-
	Four-star leaded petrol	**	-	-	-
	High-octane unloaded petrol	**	-	-	-
	Extra-high octane petrol	**	-	-	-
	Benzene	-	-	-	_
	Butyl acetate	-	-	-	_
	Butylamine	-	-	-	-
C	Carbolineum	-	-	-	-
	Carbon Chlor. Hydrogen Nitrogen Calcium sulph.	**	**	**	-
	Carbon Chlor. Hydrogen Nitrogen Ammonium sulph.	**	**	**	-
	Carbon Chlor. Hydrogen Nitrogen Potassium sulph.	**	**	**	-
	Carbon Chlor. Hydrogen Nitrogen Sodium sulph.	**	**	**	-
	Kerosene	**	-	-	*
	Saturated sodium cyanide	**	**	**	-
E	Cyclohexane	**	-	-	-
	Cyclohexanone	-	-	-	-
	Cyclohexylamine	-	-	-	-
	Chlorobenzene	-	-	-	-
	Chloroform	-	-	-	-
	Chloroethane	-	-	-	-
	Iron(III) chloride	**	**	**	-
D	Degreaser (e.g. Aral 4005)	**	-	-	-
	Dibutylamine	*	-	-	-
	Dichloromethane	-	-	-	-
	Diethyl ketone (3-pentanone)	-	-	-	-
	Diethyl ether (ether)	-	-	-	-
	Diethyl phthalate	*	-	**	-
	Dimethylformamide (DMFA)	-	-	*	-
	Dimethyl sulphate	_	**	**	-
	Dimethyl sulphoxide (DMSO)	_	-	*	-
	1,4-Dioxane	-	-	-	_
	Bis(2-ethylhexyl) phthalate	**	-	-	_
	Saturated sodium dithionite	**	**	**	_

BETWEEN GLOVES AND CHEMICAL PRODUCTS

		NITRILE	NEOPRENE	NATURAL LATEX	PVC
E	Hexane	**	_	_	_
	Hexyl acetate	_	_	_	-
	Ethanolamine	**	**	**	_
	Petroleum Ether 40-60 C	_	_	_	_
	Ethyl chloro(hydroxyimino)acetate	_	_	_	_
	Ethyl acetate	_	_	_	_
	Ethylamine (70% aqueous solution)	_	*	*	_
	Ethylene glycol monobutyl ether	_	_	_	_
	Ethylene glycol monoisopropyl ether	_	_	*	_
	Ethylenediamine	_	_	*	_
E	Phenol (10% aqueous solution)	_	*	*	**
_ Г	Phenol (85% aqueous solution)		*	*	**
	·	*	**	**	**
C	Formaldehyde, 37% (formalin)				
G	Glycerol	**	**	**	**
	Glycol (ethylene glycol)	**	**	**	**
	Diethylene glycol	**	**	**	
	Diethylene glycol monobutylether	*		*	
	Propylene glycol (1,2 propandiol)	**	**	**	
	Animal fats	**	**	*	**
	Vegetable fats	**	**	*	**
1	Calcium hydroxide (lime)	**	**	**	-
	Potassium iodide, saturated	**	**	**	-
	Sodium hypochlorite (12% active chlorine)	**	**	**	-
	Methyl isobutyl ketone	-	-	-	-
	Isophorone	-	-	-	-
	Iso-octane	**	-	-	-
L	Lanolin	**	**	*	-
	Brake fluid (Bosch)	-	*	*	-
M	Dichlorobenzene	-	-	-	-
	Methyl ethyl ketone (butanone)	-	-	-	-
	lodomethane (methyl iodide)	-	-	_	-
	Methyl methacrylate	-	_	-	_
	Methyl acetate	_	_	-	_
	Methyl chloroacetate	_	_	_	-
N	N-heptane	**	_	_	-
	Tetramethylethylenediamine	_	_	_	-
	Diesel fuel	**	_	_	*
	Naphtha benzene	**	_	_	_
	Nitrobenzene	_	_	_	_
n	2,4-Dichlorobenzyl alcohol	_	_	_	_
	Animal oils	**	**	*	**
	Vegetable oils	**	**	*	**
	Boric acid	**	_	_	**
	Fuel oil	**	_	_	**
	Rapeseed oil	**	**	*	**
	Cod liver oil	**	**	*	**
	Castor oil	**	**	*	**
	Shale oil, 10% (aq)	**	**	*	**
	(wq)				

	NITRILE	NEOPRENE	NATURAL LATEX	PVC
Concentrated shale oil	**	*	-	**
Hydraulic oil	**	*	*	**
Lubricant oil	**	*	-	**
Spindle oil	**	**	*	**
P P3 saturated	**	**	**	-
Liquid paraffin	**	**	-	**
Potassium permanganate, satu- rated	**	**	**	-
Petroleum (180/220)	**	-	-	-
Pyridine	-	-	-	-
Potassium hydroxide, 10%	**	**	**	**
Potassium hydroxide, saturated	**	**	**	**
Potassium chromate, saturated	**	**	**	-
Propyl acetate (propyl ester acetic acid)	-	-	-	-
Propylamine (1-aminopropane)	-	-	-	-
S Aluminium sulphate, saturated	**	**	**	-
Copper sulphate, saturated	*	*	*	-
Carbon disulphide	-	-	-	-
Sodium hydroxide, 10%	**	**	**	**
Sodium hydroxide, saturated	**	**	**	**
Nitro solvent	-	-	-	-
Turpentine substitute	-	-	-	-
Tert-butylamine	-	-	-	-
Tetrachloroethylene (perchloroethylene)	-	-	-	-
Carbon tetrachloride	*	-	-	*
Tetrahydrofuran	-	-	-	-
Sodium thiosulphate	**	**	**	-
Toluene	-	-	-	-
Tributylphosphate	-	-	-	-
Trichloroethylene	-	-	-	-
Tricresyl phosphate	**	*	*	*
V Waterglass	**	**	**	-
Xylamon	*	-	-	-
Xylene	-	-	-	-
3-Hexanone	-	-	-	-
4-Heptanone	-	-	-	-
4-Methylpyridine	-	-	-	-
4-Methoxy-1-butanol	-	-	-	-
Methylene diphenyl diisocyanate	*	**	**	-

KEY:

** RESISTANT



- NON RESISTANT

This table provides only general indications regarding these materials. It should be remembered that the resistance of a glove is influenced by factors such as the exact nature of the chemical product, the concentration, the thickness of the glove, the duration of immersion, etc. It is recommended to refer to the chemical resistance information for each glove (present in the information), and to carry out a preliminary test to determine whether the glove is suitable for the actual conditions of use.



PLANET LIGHT

Seamless glove recycled polyester/PU

recycled polyester Gauge 13

Coating

- Polyurethane coating with non-slip feature that ensures excellent grip on all types of surfaces
- Excellent dexterity and tactile sensitivity, suitable for work of extreme precision
- Good mechanical abrasion and tear protection
- · Protection for short instants to heat by contact up to 100°C
- Realized through production process careful to water saving and respect for the environment
- Antibacterial treatment Sanitized[®]

Code 337152 Colour white / grey Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







Field of use:

Assembly and precision engeneering Electrical industry Automotive industry Handling of small objects General maintenance



greenbay

PLANET RAW

Seamless glove in cotton-recycled polyester / crinkle latex

Liner cotton Gauge 13 recycled polyester

Coating crinkle latex

- Crinkle latex coating that guarantees excellent grip in dry and humid environments
- Breathable fabric, allows the hand to stay dry and comfortable
- Good mechanical, cut-resistant (B) and antiabrasion protection
- Protection, for short moments, from heat by contact up to 250°C
- Realized through production process careful to water saving and respect for the environment
- Antibacterial treatment Sanitized[®]

Code 355121 Colour beige / olive green **Sizes** 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MANTEINANCE







Field of use:

General maintenance Constructions Gardening Storage and warehouse

NEW



PLANET WINTER

Seamless glove in cotton-recycled polyesterviscose / crinkle latex

Liner cotton Gauge 15+10

> recycled polyester regenerated viscose

Coating crinkle latex

- Natural crinkle latex coating that guarantees excellent grip in dry and humid environments
- Effective cold contact protection and, for short moments, from contact heat up to 250°C
- Good mechanical protection with tamper (B) and anti-abrasion
- Realized through production process careful to water saving and respect for the environment
- Antibacterial treatment Sanitized[®]

Code 355119 Colour white / olive green Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 6 Pairs



GENERAL MAINTENANCE





Field of use:

Outdoor and low temperatures activities Storage and warehouse Constructions Gardening General maintenance





greenbay



Classic and reliable

Always used for their high mechanical strength, leather work gloves are widely used in different sectors, from construction to storage, from industry to crafts.

Depending on the quality and the part of the leather used, the gloves are divided into Grain and Split leather.





HANGTAG



SINGLE PAIR BAG



GRAIN LEATHER

Soft and elastic

The grain leather glove is mainly characterized by its softness and elasticity.

Durable and strong, these gloves are still among the most used in industry and heavy machinery.







GENERAL MAINTENANCE

EN 388:2016 +A1:2018 **C** € 🗐

Field of use:

General maintenance Construction Storage and warehouse Automotive industry

Cow grain leather glove

Material cow grain leather

- Wing thumb
- Internal elastic cuff
- · Hemmed wrist

Code 366034 Colour white Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





214 TOP

Cow grain leather glove

Material cow grain leather

- · Reinforced thumb and index finger
- · Internal elastic cuff
- · Hemmed wrist

Code 366042 Colour white Sizes 7, 8, 9, 10, 11

Code 366054 Colour white Sizes 8, 9, 10, 11 214 SPECIAL

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE





Field of use:

General maintenance Constructions Storage / warehouse DIY





212

Cow grain leather glove

Material cow grain leather

- · Extra quality
- Reinforced wing thumb
- · Internal elastic cuff
- · Hemmed wrist

Code 366032 Colour white Sizes 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE







General maintenance Constructions Storage / warehouse Light engineering





216

Cow grain leather glove

Material cow grain leather

- Extra quality
- Reinforced thumb & index finger
- · Internal elastic cuff
- · Hemmed wrist

Code 366016 Colour white Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE



Field of use:

General maintenance Constructions Storage / warehouse Automotive industry







GENERAL MAINTENANCE

EN 388:2016 +A1:2018

Field of use:

General and outdoor maintenance Constructions Storage / warehouse Automotive industry DIY

218

Cow grain leather glove

Material cow grain leather

- Fleece on the inside for superior comfort when used in cold conditions
- Wing thumb
- · Internal elastic cuff
- Hemmed wrist

Code 320025 Colour yellow

Sizes 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs









EN 388:2016 EN 511: +A1:2018 2006









Field of use:

Maintenance Constructions Warehouse Transports Street works DIY

ARTICO

Cow grain leather glove

cow grain leather Thinsulate®

· Extra-quality

Material

- Thinsulate® internal padding for superior protection and comfort when used in cold conditions
- · Wing thumb
- · Internal elastic cuff
- Hemmed wrist

Code 315025 Colour yellow Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







SPECIAL PROTECTION

EN 388:2016 +A1:2018

Field of use: Beekeeping Agriculture

· Wing thumb

Material

API

· Internal elastic cuff

Cow grain leather glove

cotton

Hemmed safety canvas cuff 28 cm, with elastic band on the cuff

Code 367010 Colour yellow / white Sizes 8, 9, 10, 11

cow grain leather

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs





MONTONE P/M

Sheepskin-cotton glove

Material sheep skin cotton

- Sheepskin palm
- Grain leather thumb and fingertips
- Cotton canvas back
- · Knitwrist cuff

Code 380021 Colour white Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

Field of use:

Assembly General maintenance Warehouse Light engineering





BALL

Goat grain leather / cotton glove

Material goat grain leather cotton

- · Sheep grain leather palm
- Stretch cotton back
- · Cuff adjustable with hook and loop

Code 376050 Colour green / white Size 7 Colour blue /white Size 8 Colour yellow / white Size 9 Colour red / white **Size** 10 Colour black / white Size 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE



Field of use:

Assembly General maintenance Warehouse Light engineering DIY





BALL WINTER

Goat grain leather / cotton glove

goat grain leather cotton

Material

- · Sheep grain leather palm
- Stretch cotton back
- · Fleece inside for greater comfort when used in the cold
- Cuff adjustable with hook and loop

Code 316035 Colour red / white Size 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 (<u>I</u>

Field of use:

Assembly General and outdoor maintenance Warehouse Light engineering





GRAIN/SPLIT LEATHER

Excellent resistance and protection

The glove in bloom/ crust is particularly suitable for medium/ heavy maintenance operations where good mechanical resistance, abrasion and puncture is required.

Versatile and comfortable, its use is recommended in heavy carpentry, for handling slippery objects, in transport and in loading and unloading operations.



GENERAL MAINTENANCE

Cat. II 2142X

201

Cow grain/split leather glove

Material grain leather split leather

- · Cow grain leather palm and cow split leather back
- · Wing thumb
- · Internal elastic cuff
- · Hemmed wrist

Code 368036 Colour white Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

Field of use:

Heavy maintenance operations Metallurgy without liquids, oils and greases Carpentry





GENERAL MAINTENANCE

Field of use:

operations Metallurgy without

Carpentry

Heavy maintenance

liquids, oils and greases







203

Cow grain/split leather glove

grain leather Material split leather

- Extra-quality
- · Reinforced thumb and index finger
- Cow grain leather palm, cow split back
- · Internal elastic cuff and hemmed wrist

Code 368014 Colour white Sizes 7, 8, 9, 10, 11 203 TOP



Code 368008 Colour white Sizes 7, 8, 9, 10, 11 203 SPECIAL



Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



204 TOP

Cow grain/split leather glove

Material grain leather split leather

- · Reinforced thumb and index finger
- Fine leather palm and index, split leather back
- · With vein protection
- · Safety split leather cuff long 7 cm

Code	Colour	Sizes	
368019	white	7, 8, 9, 10	
Pcs. x Box 12	0 Pairs	Min. Ord. 12 Pairs	

GENERAL MAINTENANCE

EN 388:2016 +A1:2018 € 🖭

Field of use:

Heavy maintenance operations Metallurgy without liquids, oils and greases Heavy metal carpentry





204 CM14

Cow grain/split leather glove

Material grain leather split leather

- Reinforced thumb and index finger
- Fine leather palm and index, split leather back
- · With vein protection
- Safety split leather cuff long 14 cm

Code	Colour	Sizes	
368021	white	10	
Pcs. x Box 12	0 Pairs	Min. Ord. 12 Pairs	

GENERAL MAINTENANCE

EN 388:2016 +A1:2018 € 🖭

Field of use:

Heavy maintenance operations Metallurgy without liquids, oils and greases Heavy metal carpentry





208 TOP

Cow grain/split leather glove

Material grain leather split leather

- · Cow grain leather palm, thumb and index
- Split leather back
- Reinforced thumb and palm
- Wing thumb
- With vein protection
- · Safety split leather cuff long 7 cm

Code 368025 Colour white Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018



Field of use:

Heavy maintenance operations Metallurgy without liquids, oils and greases Heavy metal carpentry





SPLIT LEATHER

High resistance

The split leather glove ensures excellent resistance to abrasion, tear and puncture.

Due to its characteristics of strength and robustness it is recommended for all kinds of heavy maintenance, in foundries, in the handling of hot and sharp objects and in various industrial fields.

The crust, thanks to its thickness and resistance, is often used for welding operations.





GENERAL MAINTENANCE

EN 388:2016

Field of use:

Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry

18

Cow split leather glove

Material cow split leather

- · Wing thumb
- Internal elastic cuff
- Hemmed wrist

Code 361023 Colour grey Sizes 7 9 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



EN 388:2016 +A1:2018







Field of use:

Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry

Cow split leather glove

Material cow split leather

- · Reinforced palm and thumb
- · Wing thumb
- · Cow split leather 7 cm safety cuff

Code 362016 Colour grey Sizes 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



4TH

Cow split leather glove

Material cow split leather

- Wing thumb
- With vein protection
- · Cow split leather 7 cm safety cuff

Code 361013 Colour grey Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018





Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry

GENERAL MAINTENANCE EN 388:2016 +A1:2018

€ 🕒

Cat. II 2142X





9EC

Cow split leather glove

Material cow split leather

- · Wing thumb
- · Cow split leather 7 cm safety cuff

Code 362012 Colour grey Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

Field of use:

Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry





TITAN MICRO

Microfiber-acrylic technical glove

Material microfiber acrylic

- · Soft and lightweight microfiber palm
- Acrylic back
- Internal elastic cuff
- Hemmed wrist
- · Alternative to real leather

Code 386062 Colour blue / grey Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018







Field of use:

Handling of dry objects Assembly Packaging Light engineering General maintenance DIY Gardening







GENERAL MAINTENANCE

EN 388:2016 +A1:2018

C € 4143X

Field of use:

Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry

22

Rump split leather glove

Material rump split leather

- Reinforced palm and thumb
- Wing thumb
- Cow split leather 7 cm safety cuff

Code 362018 Colour grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs





GENERAL MAINTENANCE

EN 388:2016 +A1:2018

C €

Field of use:

Industrial and general maintenance Handling of hot objects Light welding operations Metallurgy without liquids, oils and greases Heavy metal carpentry

41

Rump split leather glove

Material rump split leather

- · Wing thumb
- · With vein protection
- Cow split leather 14 cm safety cuff

Code 361039 Colour grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs





GENERAL MAINTENANCE

EN 388:2016 +A1:2018

CE

Field of use:

Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry

28

Rump split leather glove

Material rump split leather

- Completely reinforced palm on the inside
- · With vein protection
- Cow split leather 7 cm safety cuff

Code 362040 Colour grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs



42

Rump split leather glove

Material rump split leather

- Reinforced palm and thumb
- · Wing thumb
- Cow split leather 14 cm safety cuff

Code 362035 Colour grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 4143X





Industrial and general maintenance Handling of hot objects Light welding operations Metallurgy without liquids, oils and greases Heavy metal carpentry





Rump split leather glove

Material rump split leather

- · Completely reinforced palm and thumb
- Extra-quality
- With vein protection
- Cow split leather 7 cm safety cuff

Code 362020 Colour grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018





Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry





043

Rump split leather glove

Material rump split leather

- Palm and fingers reinforced on the inside
- Extra-quality
- Excellent grip
- · Cow split leather 7 cm safety cuff

Code 362048 Colour grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018









Industrial and general maintenance Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry





SPLIT LEATHER/ CANVAS

Excellent abrasion resistance

The gloves made with leather crust and fabric combine excellent mechanical characteristics (resistance to abrasion and tearing) with a high dexterity during use. These characteristics make them very versatile and usable in different working sectors and suitable for general maintenance and heavy operations.





GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 3233X

Field of use:

Industrial and general maintenance Metallurgy without liquids, oils and greases Metal carpentry

88CBS

Cow split leather / canvas glove

Material cow split leather cotton

- Cow split leather palm, knukle protection and fingertips
- Cotton canvas back
- Split leather wing thumb
- With vein protection
- Internal elastic cuff
- Cotton canvas safety cuff

Code 360014 Colour striped / yellow Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







Field of use:

Industrial and general maintenance Metallurgy without liquids, oils and greases Metal carpentry

P 84

Rump split leather / canvas jeans glove

Material rump split leather cotton

- Extra quality
- Cow rump split leather palm, knukle protection and fingertips
- Canvas jeans back
- · Completely lined on palm
- Cow split leather thumb and index
- Wing thumb
- With vein protection
- · Internal elastic cuff
- Cotton canvas safety cuff

Code 360021 Colour blue / grey / Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





P85

Rump split leather / canvas glove

Material rump split leather cotton

- Extra quality
- Cow rump split leather palm, knukle protection and fingertips
- Canvas back
- · Completely lined on palm
- Cow split leather thumb and index
- · Wing thumb
- With vein protection
- · Internal elastic cuff
- · Cotton canvas safety cuff

Code 360018 Colour yellow / grey Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 CE Cat. II 3133A



Field of use:

Industrial and general maintenance Metallurgy without liquids, oils and greases Metal carpentry





275 RJ

Cow split leather / canvas jeans glove

Material cow split leather cotton

- Reinforced cow split leather palm
- · Split leather knukle protection and fingertips
- Canvas jeans back
- Completely lined on palm
- Cow split leather thumb and index
- Wing thumb
- · With vein protection
- · Internal elastic cuff
- · Cotton canvas safety cuff

Code 360022 Colour blue / grey Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018







Field of use:

Industrial and general maintenance Metallurgy without liquids, oils and greases Metal carpentry





32 TOP

Rump split leather / canvas glove

Material rump split leather cotton

- Reinforced cow rump split leather palm
- Cow split leather knukle protection and fingertips
- Canvas back
- Completely lined on palm
- Cow split leather reinforced thumb and index
- Wing thumb
- · With vein protection
- · Internal elastic cuff
- · Cotton canvas safety cuff

Code 360025 Colour white / grey / green Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018 CE



Cat. II 3143X

Field of use:

Industrial and general maintenance Handling abrasive objects Metallurgy without liquids, oils and greases Metal carpentry





WELDING GLOVES

Maximum protection for heavy works

The rump crust represents one of the thickest parts of the skin, a feature that allows it to reach the highest levels of mechanical protection.

Perfect for welding operations, the glove is extremely effective when used in manipulating Sizesnti and/or high-temperature objects, in foundries and heavy carpentry.



44 TOP

Rump split leather glove american shape

Material

rump split leather

Sizes 10

- Fully lined with soft fabric
- · Wing thumb
- Seam-protecting borders
- · Cow split leather 14 cm safety cuff

Code 361045 Colour green

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

WELDING GLOVE

EN 388:2016 +A1:2018



Field of use:

12

Heavy maintenance operations Handling of hot objects Handling of metal sheets and sharp objects Light welding operations Metallurgy without liquids, oils and greases Heavy metal carpentry





45 TOP

Rump split leather glove american shape

Material

rump split leather

- · Extra-quality
- · Fireproof fabric inside
- · Kevlar seams and threads to save seams
- · Wing thumb
- Cow split leather 14 cm safety cuff with canvas on the inside
- Short-time contact heat protection (max. 250°C)
- Ideal for welders (compliant to EN 12477 Type

Sizes 10

Code 361047 Colour red

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs



WELDING GLOVE

EN 388:2016 EN 407: +A1:2018 2020







Field of use:

Welding operations Heavy maintenance operations Handling of hot objects Handling of heavy sheets, with sharp or jagged edges Metallurgy without

liquids, oils and greases Heavy metal carpentry Foudries





46 TOP

Sheep grain/cow split leather glove for TIG welding

Material

sheep grain cow split leather

- · Sheep grain leather glove used for soldering with cow split sleeve
- Kevlar seams and threads to save seams
- Wing thumb
- · Provides protection in welding and related processes
- Reduced thickness, it allows to have both a good sensitivity and protection
- Heat resistance by contact (up to 100°C)
- Resistant to convective heat and small splashes of molten metal

Code 361048 Colour white Sizes 10, 11

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs

WELDING GLOVE

EN 388:2016 EN 407:







Field of use:

TIG precision welding operations Heavy maintenance operations Handling of hot objects Metallurgy without liquids, oils and greases Heavy metal carpentry

NEW





COTTON

Natural and breathable

KNITTED COTTON

For delicate jobs

- Thick and delicate
- Maximum tactile sensitivity
- Recommended where you need dexterity and to change frequently your gloves

SEAMLESS COTTON

Comfort e simplicity

- Elastic and seamless, excellent flexibility, resistance and dexterity
- Can be worn under other gloves or for light maintenance work

COTTON FABRIC

Dry jobs resistance

- More resistant than other cotton gloves
- PVC dotting improves durability and grip

COTTON BOUCLÉ

Heat protection

- Seamless tightly woven cotton
- Thermal resistance and mechanical (contact heat)
- Can be used over waterproof gloves









BUNDLE



DELICATE HANDLING



Cat.

Field of use:

Bricolage Small refinements Photographic labs without acids Watchmakers Jewellery Archive

COTONE ECO BIANCO

Cotton glove

Material cotton Weight 105 g/m²

- Wing thumb
- Hemmed wrist
- Suitable for delicate operations or under other gloves

Code 335014 Colour white Sizes 7, 9

Pcs. x Box 600 Pairs Min. Ord. 12 Pairs





DELICATE HANDLING



Cat. I

Field of use:

Bricolage Small refinements Photographic labs without acids Watchmakers Jewellery Archive

COTTON WHITE

Knitted cotton glove

Material cotton Weight 135 g/m²

· Wing thumb

SPECIAL

- Hemmed wrist
- Suitable for delicate operations or under other gloves

Code 335021 Colour white **Sizes** 6, 7, 9 COTTON WHITE

Code 335020 Colour white Sizes 6, 7, 9
COTTON WHITE

7, 9

Pcs. x Box 600 Pairs Min. Ord. 12 Pairs



COTONE **BIANCO M/L**

Knitted cotton glove

Material	cotton	Weight 144 g/m ²
Wing thu	mb	

- Hemmed wrist
- Long sleeve 35 cm

Code 335019 Colour white Sizes 10 . 12

Pcs. x Box 300 Pairs Min. Ord. 12 Pairs

(E

Field of use:

Bricolage Small refinements Photographic labs without acids Watchmakers Jewellery Archive





GA 2027

Knitted cotton glove

Material cotton Weight 140 g/m²

- Waiter model
- · Internal elastic wrist on palm
- · Lenght: 25 cm

Code 335024 Colour white Sizes S , M , L

Pcs. x Box 600 Pairs Min. Ord. 12 Pairs

DELICATE HANDLING

CE Cat. I

Field of use:

Restaurant Bricolage Small refinements Photographic labs without acids Watchmakers Jewellery Archive





CAMERIERE

Knitted cotton glove

Material Weight 188 g/m² cotton • Waiter model · Hemmed wrist Code 335026 Colour white Sizes S. M. L

Pcs. x Box 600 Pairs Min. Ord. 12 Pairs

 ϵ

Field of use:

Restaurant Bricolage Small refinements Photographic labs without acids Watchmakers Jewellery Archive







C E Cat. I

47703

Knitted cotton glove

Material	cotton	Weight 144 g/m²
Hemmed of	cuff	
Code 335016	Colour raw	Sizes 7, 9
Pcs. x Box 600 F	Pairs Min. (Ord. 12 Pairs

Field of use:

Archive

Bricolage Small refinements Photographic labs without acids

DELICATE HANDLING

CE Cat. I

66125

Knitted cotton glove

Material	cotton	Weight 135 g/r	n²
Hemmed of	cuff		
Code 335010	Colour raw	Sizes M , L , XL	
Pcs. x Box 1200	Pairs Min. (Ord. 12 Pairs	12





Bricolage Small refinements Photographic labs without acids

DELICATE HANDLING



COTONE P/M

Knitted cotton glove

Material	cotton	Weight 132 g	ı/m²
Knitwrist c	uff		
Code 335017	Colour raw	Sizes 7, 9	
Pcs. x Box 600 F	Pairs Min. (Ord. 12 Pairs	



Field of use:

Bricolage Small refinements Photographic labs without acids

FILO ECO

Seamless glove 100% cotton

Material 100% cotton

- 2 threads
- Breathable and comfortable
- · Ergonomic design
- It can be used under the other gloves for long time works
- · Knitwrist cuff

Code 335034 Colour raw Sizes woman, man

Pcs. x Box 600 Pairs Min. Ord. 12 Pairs 12

Sizes	woman	man	
Weight g/pc.	13 ca.	15 ca.	

DELICATE HANDLING

CE

Cat. I

Field of use:

Assembly / Dry parts maintenance Packaging / Shipping Watchmakers / Jewellery / Opticians Delicate handling of dry and clean objects DIY



FILO TOP

Seamless glove 100% cotton

Material 100% cotton

- Extra quality 3 threads
- · Breathable and comfortable
- · Ergonomic design
- It can be used under the other gloves for long time works
- Knitwrist cuff

Weight g/pc.

20 ca.

DELICATE HANDLING



Cat. I

Field of use:

Assembly / Dry parts maintenance Packaging / Shipping Watchmakers / Jewellery / Opticians Delicate handling of dry and clean objects DIY





FILO PK / BIANCO

Seamless glove 100% cotton

18 ca.

Material 100% cotton

- 3 threads
- Breathable and comfortable
- · Good dexterity
- Ergonomic design
- It can be used under the other gloves for long time works
- · Knitwrist cuff

 Code 335037
 Colour raw
 Sizes 7, 9

 FILO PK
 12

 Code 335035
 Colour raw
 Sizes 7, 9

 FILO BIANCO
 IIII

Pcs. x Box 300 Pairs Min. Ord. 12 Pairs

SizeswomanmanWeight g/pc.19 ca.20 ca.

DELICATE HANDLING

CE

Field of use:

Assembly / Dry parts maintenance Packaging / Shipping Watchmakers / Jewellery / Opticians Delicate handling of dry and clean objects DIY







C E Cat. I

Field of use:

Assembly / Dry parts maintenance Packaging / Shipping Watchmakers / Jewellery / Opticians Delicate handling of dry and clean objects DIY

320

Seamless cotton/polyester glove

Weight 25 g approx/pc Material cotton polyester

- 3 threads
- It can be used under other gloves
- Breathable and comfotable
- · Elastic cuff

Code 337012 Colour white Sizes 10

Pcs. x Box 480 Pairs

Min. Ord. 12 Pairs





C E Cat. I

Field of use:

Assembly / Dry parts maintenance Packaging / Shipping Watchmakers / Jewellery / Opticians Delicate handling of dry and clean objects

FILO BLU

Seamless cotton glove

Material	cotton	Weight 25 g	approx/pc
3 threads Elastic cu			
Code 335040	Colore blue	Taglie 7, 9	
Pcs. x Box 144	Pairs Min. (Ord. 12 Pairs	12

Sizes

Weight g/pc. 21 approx. 23 approx.



C E 🕒



Assembly / Dry parts maintenance Packaging / Shipping Watchmakers / Jewellery / Opticians Delicate handling of dry and clean objects

328

Seamless cotton glove

Material cotton PVC Dots

- Brown PVC dots on the palm
- · Breathable and comfortable
- · Elastic cuff

Code 335029 Colour raw Sizes 8, 9, 10

Pcs. x Box 240 Pairs Min. Ord. 12 Pairs

Sizes 9 Weight g/pc. 24 approx. 28 approx. 31 approx.







POLKA

Cotton fabric glove

Liner	cotton	Weight 140 g/m²	
Dots	PVC		
3 threads Elastic cut	ff		
Code 338041 POLKA	Colour raw	Sizes 8½, 9½, 10, 11	12
Code 338042 POLKA SPECIAL		Sizes 81/2, 91/2, 10, 11	

Pcs. x Box 300 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE



Field of use: Packaging Gardening

DIY Storage





69250

Cotton fabric glove

Material	cotton	Weight 225 g/m ²	
• Elastic cu	ıff		
Code 336009	Colour raw	Sizes 6, 9	_
Pcs. x Box 300	Pairs Min.	Ord. 12 Pairs	12

GENERAL MAINTENANCE



Field of use:

Packaging Gardening DIY Storage





P91

Thick flannel glove

Material	cotton	Weight 65 g a	pprox/pc
• Canvas ba			
• 7 cm can	as safety cuff		
Code 310101	Colour white	Sizes 10	
Pcs. x Box 120 F	Pairs Min. 0	rd. 12 Pairs	

GENERAL MAINTENANCE

EN 388:2016 +A1:2018 C E 1322X









GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 1321X



015

Double-weaving cotton fabric glove

Material	cotton	Weight 372 g/m ²
	otectin borders nvas safety cu	
Code 33602	O Colour raw	Sizes 11
Dec v Roy 120	Daire Min (1rd 19 Daire

Field of use:

DIY

Packaging / Shipping Storage





HEAT RESISTANT





BOUCLÉ 215

Seamless cotton bouclé glove

Material	cotton	Weight 59	g approx/pc
3 threads			
Elastic cu	ff		
Code 310012	Colour raw	Sizes L	
Pcs. x Box 120	Pairs Min. (Ord. 6 Pairs	

Field of use:

Plastic industry Metal industry Automotive industry Handling of hot objects Mechanical sheet metal stamping

THERMAL PROTECTION







Seamless cotton bouclé glove

Material cotton Weight 111 g approx/pc

SUPERBOUCLÉ

- Ambidextrous
- Short-time contact heat protection (max. 250°C)
- Contact cold protection
- Elastic cuff

Code 310020 Colour raw Sizes 10

Pcs. x Box 72 Pairs Min. Ord. 6 Pairs





Field of use:

Glass industry Plastic industry Metal industry Automotive industry Handling of hot objects Mechanical sheet metal stamping






SYNTHETIC

Resistance and dexterity

The gloves in synthetic yarn (nylon, polyester) offer a comfort similar to the cotton glove, together with greater mechanical strength.

The continuous wire processing ensures excellent adherence to the hand and the presence of any pitting or PVC finishes improves the durability and grip.





Nylon yarn (polyamide) gives the glove greater abrasion, tear and wear resistance.

It does not release fibres or residues either on the hand or on the work surface, it does not release prints on handled objects.

Comfort, dexterity, elasticity and sensitivity are the characteristics that distinguish Nylon gloves.

NYLON 40

Filanca® glove

Material Filanca® Weight 65 g/m² • Nylon density 40 denim

• Ergonomic design for comfortable fit

· Hemmed cuff

Code 337040 Colour white Sizes S, M, L, XL

Pcs. x Box 1200 Pairs

Min. Ord. 12 Pairs

DELICATE HANDLING

 ϵ

Field of use:

Assembly and precision maintenance Delicate handling Watchmakers / Jewellery / Manufacturers of glass lenses Finishing / Decorations



FILANCA

Filanca® glove

Material Filanca® Weight 210 g/m²

• Nylon density 70 denim

• Ergonomic design for comfortable fit

· Hemmed cuff

Code 337020 Colour black **Sizes** 7, 8 Code 337022 Colour white **Sizes** 7, 8

Pcs. x Box 600 Pairs

Min. Ord. 12 Pairs



Field of use:

Assembly and precision maintenance Delicate handling Watchmakers / Jewellery / Manufacturers of glass lenses Finishing / Decorations





FILANCA EXTRA

Seamless Filanca® glove

Material Filanca® Gauge 10

- Nylon density 70 denim
- · Knitting process
- · Extra quality
- It perfectly fit the hand
- · Elastic cuff

Code 337021 Colour white **Sizes** 7, 9

Pcs. x Box 288 Pairs

Min. Ord. 12 Pairs

EN 388:2016 +A1:2018





Cat. II 2141X

Field of use:

Assembly and dry parts maintenance Delicate and precision handling Watchmakers / Jewellery / Manufacturers of glass lenses Finishing / Decorations







GENERAL MAINTENANCE

EN 388:2016 +A1:2018 **C € ⊕**

310

Seamless cotton /polyester glove

Liner Gauge 10 cotton polyester Dots PVC

- 3 threads
- PVC dots on palm and back for better grip and protection
- Ambidextrous
- Excellent tear resistance
- · Elastic cuff

Code 337037 Colour white / blue Sizes 9, 10, 11

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs







GENERAL MAINTENANCE

Dry part manteinance Packaging / Storage

EN 388:2016 +A1:2018 (E 🕒

Field of use:

Assembly

NEWTEX

Seamless nylon glove

Liner nylon Gauge 10 Dots PVC

- 3 threads
- PVC dots on palm for better grip and protection
- High mechanical protection levels
- Elastic cuff

Code 337026 Colour white / light blue Sizes 6, 7, 8, 9, 10

Pcs. x Box 240 Pairs Min. Ord. 12 Pairs





GENERAL MAINTENANCE EN 388:2016 +A1:2018

Dry part manteinance Packaging / Storage



Field of use: Assembly



Field of use:

Assembly Dry parts materials Packaging Handling of dry abrasive parts

NEW PIK

Seamless Filanca® glove

Liner Filanca® Gauge 13 PVC Dots

- PVC dots on palm for better grip and protection
- Good abrasion resistance
- Excellent adhesion
- Elastic cuff
- Antibacterial treatment Sanitized®

Code 337067 Colour white / blue Sizes 7, 8, 9, 10

Pcs. x Box 240 Pairs Min. Ord. 12 Pairs





317

Seamless nylon glove

Liner Nylon Gauge 7 PVC Dots

- PVC dots on palm for better grip
- Excellent tear resistance
- Ergonomic shape, without seams
- · High dexterity and comfort
- Elastic cuff

Code 337011 Colour green / black Sizes woman, man

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 2142X

Field of use:

Assembly and dry parts maintenance Packaging Storage





THERMO-COOL

Seamless glove DuPont™ ThermaStat® fabric

Material

ThermaStat®

Gauge 13

- · Ambidextrous, without seams
- Suitable for short duration handling of hot objects (max. 100°C), but no scorching hot
- Cold by contact protection for limited times
- · Suitable for food contact
- · Elastic cuff
- It can be used under other gloves to increase cold protection

Code 337110 Colour blue

Sizes M, L

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs

THERMAL PROTECTION





Field of use:

Mechanical dry objects handling Cold industry Outdoor maintenance activities Food industry





THERMO-COOL

High heating insulation

The special super-lightweight core DuPont™ fiber Thermastat® has an air lock inside, ensuring maximum thermal insulation with minimum weight. It guarantees very high transpiration levels, removing moisture from the skin to the outside of the fabric, where it can evaporate quickly and maintain the warmth of the hand.





SYNTHETIC COATED

Precision and dexterity

Starting from the base of the glove in polyamide (nylon) worked with continuous thread and adding a coating (polyurethane, nitrile, latex etc.), total or partial, you get what many consider the gloves of the new millennium.

The advanced technologies applied to the materials, the durability, comfort, aesthetics and continuity of production, make them the most valid substitutes to traditional gloves in most dry or with little presence of liquids.





POLYURETHANE COATING

Extremely sensible

Polymer porous, **lightweight**, **flexible** and **elastic**, breathable and equipped with excellent grip properties and resistance to use, but low chemical resistance.

Guarantees excellent **tactile sensitivity**. A film of a few hundredths of a millimeter gives the glove excellent mechanical characteristics while maintaining the elasticity, comfort and sensitivity offered by the base yarn.

They leave no residue and do not stain the objects and surfaces handled.

They are **breathable** and suitable for work in dry environments. Due to their thickness, they are suitable for specific jobs.

5 strong points

- 1 Light
- 2 Breathable
- 3 Tactile sensitivity
- 4 Good mechanical resistance
- 5 Excellent dry grip

13 ECO-PU

Seamless glove polyester / PU

100% polyester Liner Gauge 13 Coating PU

- Palm coated with polyurethane · Superior dexterity and tactile sensitivity
- · Lightweight, flexible, with excellent abrasion and wear resistance
- Ergonomic design for a comfortable fit
- Knitwrist cuff and breathable back

Code 337064 Colour white Sizes 7, 8, 9, 10

Pcs. x Box 240 Pairs

Min. Ord. 12 Pairs



EN 388:2016 +A1:2018 (<u>a</u> 2031X

Field of use:

Assembly and precision mechanic operations Electric industry Automotive industry Small objects handling General maintenance DIY





ECO-LITE

Seamless glove polyester / PU

Liner 100% polyester Gauge 13

Coating PU

- Palm coated with polyurethane
- · Lightweight, elastic, with excellent tactile sensitivity
- Suggested for delicate and precision jobs
- Excellent abrasion and wear resistance
- Ergonomic design for a comfortable fit
- · Knitwrist cuff and breathable back

Code 337063 Colour black Sizes 6, 7, 8, 9, 10, 11 Code 337068 Colour grey Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



CEL



Field of use:

Assembly and precision mechanic operations Electric industry Automotive industry Small objects handling General maintenance DIY





PLANET LIGHT

Seamless glove recycled polyester/PU

Liner recycled Gauge 13 polyester

ΡU Coating

- · Polyurethane coating with non-slip feature that ensures excellent grip on all types of surfaces
- Excellent dexterity and tactile sensitivity, suitable for work of extreme precision
- Good mechanical abrasion and tear protection
- Protection for short instants to heat by contact up to 100°C
- · Realized through production process careful to water saving and respect for the environment
- Antibacterial treatment Sanitized®

Code 337152 Colour white / grey Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pair



PRECISION WORK

EN 388:2016 +<u>A1:201</u>8 EN <u>407:20</u>20







Field of use:

Assembly and precision mechanic operations Electric industry Automotive industry Small objects handling General maintenance





COATED - PU



EN 388:2016 +A1:2018



Field of use:

Assembly and precision mechanic operations . Electric industry Automotive industry Small objects handling General maintenance

NYLON 888

Seamless glove nylon / PU

nylon Gauge 13 Coating ΡU

- · Palm coated with polyurethane
- Lightweight, elastic, with excellent tactile sensitivity
- Suggested for delicate and precision jobs
- Ergonomic design for a comfortable fit
- · Knitwrist cuff and breathable back

Code 337060 Colour white

Sizes S, M, L, XL, XXL

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







EN 388:2016 € 🕒

Cat. II 4131X

Field of use:

Assembly and precision mechanic operations Electric industry Automotive industry Small objects handling General maintenance DIY

NYLON 888 BLU

Seamless glove nylon / PU

Liner nylon Gauge 13 Coating ΡU

- · Palm coated with polyurethane
- Lightweight, elastic, with excellent tactile sensitivity
- Suggested for delicate and precision job
- Ergonomic design for a comfortable fit
- · Knitwrist cuff and breathable back

Code 337058 Colour white / blue Sizes M, L, XL, XXL

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







PRECISION WORK

EN 388:2016

Field of use:

Assembly and precision mechanic operations Electric industry Automotive industry Small objects handling General maintenance DIY

NYLON 885

Seamless glove nylon / PU

Liner nylon Gauge 13 Coating PU

- Palm coated with polyurethane
- · Lightweight, elastic, with excellent tactile sensitivity
- Suggested for delicate and precision job
- Ergonomic design for a comfortable fit
- Knitwrist cuff and breathable back

Code 337062 Colour black / grey Sizes M, L, XL, XXL,

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs





SPARK ESD

Seamless glove carbon fiber - elastan / PU

Liner carbon fiber elastan

Gauge 13

Coating

- Professional glove with ESD protection (antistatic) against the accumulation of electrostatic charges
- Polyurethane coating for good tactile sensitivity
- · Good abrasion resistance
- · Ergonomic shape, no seams, great fit comfort

Code 337121 Colour white/grey Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



ESD PROTECTION

EN 388:2016 EN 16385: A1:2018





Field of use:

Storage Electric industry Automotive industry Mechanical industry Maintenance of machinery and equipment







888 TOUCH

Seamless glove nylon / PU

Liner nylon Gauge 13 PU Coating

- Palm coated with polyurethane
- Touch screen
- · Ergonomic design, no seams, excellent comfort
- · Knitwrist cuff and breathable back

Code 337085 Colour grey / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



PRECISION WORK

EN 388:2016 +A1:2018





Field of use:

Touch Screen

Assembly and precision mechanic operations Electric industry Automotive industry Small objects handling General maintenance





550

Seamless gloves with cut resistant fibers -Lycra® / PU

Liner cut resistant fibers Gauge 13 Lycra®

PU Coating

- Polyurethane palm coated
- Elastic liner made with high performance cut resistant fibers and Lycra®, for high cut resistant levels and excellent flexibility
- Good cut protection
- Excellent levels of mechanical resistance
- Ergonomic shape, no seams
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 337050 Colour white / grey Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



EN 388:2016 +A1:2018

Cat. II





Field of use:

Manipulations of small sharp objects Assembly / Dry components assembly Photography labs Automotive industry







ESD PROTECTION











Field of use:

Electric industry Automotive industry Mechanical industry Maintenance of machinery and equipment

THUNDER ESD

Seamless glove nylon - steel fiber - carbon elastan / PU

Gauge 18

Liner nvlon

steel fiber carbon elastan

Coating PU

- · Professional glove with ESD protection (antistatic) against the accumulation of electrostatic charges
- Polyurethane coating for good tactile sensitivity
- Good abrasion resistance
- Contact heat protection (up to 100°C)
- Ergonomic shape, no seams, excellent fit comfort
- Can be used with any touch screen device
- Antibacterial treatment Sanitized®

Code 337125 Colour grey / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs





PRECISION WORK

EN 388:2016 +A1:2018 (<u>1</u> 3121X



Field of use:

Assembly and precision mechanical operations Electric industry Automotive industry Small objects handling General maintenance

NINJA LITE

Seamless glove nylon / PU

Liner nylon Gauge 18

Coating ΡU

- Palm coated with a special ultralight polyurethane compound
- · High tactile sensitivity and dexterity
- Excellent grip, both in dry and wet situations
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back
- Usable with any touch screen device Antibacterial treatment Sanitized®

Code 337122 Colour blue / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







EN 388:2016

Field of use:

Assembly and precision mechanical operations Electric industry Automotive industry Small objects handling General maintenance

ECO ULTRALITE

Seamless glove nylon / PU

Liner nylon Gauge 18 Coating PU

- · Palm coated with polyurethane
- Recommended for delicate and precision jobs
- Lightweight, flexible, with an excellent dexterity
- Ergonomic design, no seams, comfortable fit Knitwrist cuff and breathable back

Code 337087 Colour blue / grey Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





POLI CRINKLE

Seamless glove polyester / polyurethane

polyester Gauge 13 Coating ΡU

- Palm coated with PU with a slightly wrinkled finish due to the texture of the liner for an enhanced grip
- · Ideal for precision tasks requiring dexterity and flexibility
- Excellent tactile touch
- Good abrasion resistance
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 337046 Colour grey Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



EN 388:2016 (<u>1</u>

Field of use:

Assembly and precision mechanical operations Electric industry Automotive industry Small objects handling General maintenance DIY





NINJAX

Seamless glove nylon-elastan / composite blend

Liner nvlon Gauge 15 elastan

Coating nitrile / PU

- · Palm coated with a special blend of nitrile and water based polyurethane (DMF free) that gives the glove lightness and durability
- Excellent abrasion and wear resistance
- Extremely elastic, comfortable and touch sensitive
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back

Antibacterial treatment Sanitized[®]

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

Code 337120 Colour black



EN 388:2016 +A1:2018 (<u>1</u>





Field of use:

Assembly and precision mechanical operations Electric industry Automotive industry Small objects handling General maintenance DIY





NINJAX

Composite blend: double benefits

From the combination of two or more basic materials, a compound is obtained that is more performing because it combines and strengthens the characteristics of individual materials. The glove gains in comfort and resistance, combining the elasticity, breathability and lightness of a polyurethane coating, durability and excellent abrasion resistance offered by nitrile. Better performance in terms of grip also for use on oily surfaces or in the presence of hydrocarbons.

Sizes 8, 9, 10, 11





PRECISION WORK

EN 388:2016 +A1:2018

Field of use:

Precision assembly Mechanical industry Electric industry Automotive industry Small object handling General maintenance DIY

13 ECO DOTS

Seamless glove polyester / PU

Liner polyester Gauge 13

Coating PU

- Palm coated with polyurethane and microdotted, for better grip on all surfaces and higher resistance
- · Superior dexterity and tactile sensitivity
- Lightweight, flexible, with a comfortable fit and good abrasion resistance
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 337155 Colour grey/black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs









€ EN 388

OEKO-TEX®

CONFIDENCE IN TEXTILES

STANDARD 100

Field of use:

Small object handling Handling and assembly of electronic components Cosmetic and pharmaceutical industry Small parts operations

ULTRANE 550

Seamless synthetic glove / PU

Liner synthetic Gauge 13

Coating PU

- · Palm coated with polyurethane foam
- Suggested for delicate and precision jobs in dry conditions
- Excellent abrasion and wear resistance
- Unbeatable for fingertip precision
- Reduced thikness, lightweight, excellent tactile sensitivity and dexterity
- OEKO-TEX® standard 100 compliance
- · Added comfort, due to the seamless knit lining
- Knitwrist cuff and breathable back

Code 349051 Colour white Sizes 7, 8, 9, 10

Pcs. x Box 100 Pairs Min. Ord. 10 Pairs

MAPA* PROFESSIONAL



PRECISION WORK

EN 388:2016 +A1:2018 C E 4131X

OEKO-TEX®
COMPIDENCE IN TEXTILES
STANDARD 100

Field of use:

Small object handling Automotive industry Handling and assembly of electronic components Cosmetic and pharmaceutical industry Packaging Wood industry

ULTRANE 551

Seamless synthetic glove / PU

Liner synthetic Gauge 13

Coating PU

- Palm coated with polyurethane foam
- Suggested for delicate and precision jobs in dry conditions
- Excellent abrasion and wear resistance
- · Unbreatable for fingertip precision
- Reduced thikness, lightweight, excellent tactile sensitivity and dexterity
- OEKO-TEX® standard 100 compliance
- Ergonomic design for a comfortable fit
- Knitwrist cuff and breathable back

Pcs. x Box 100 Pairs Min. Ord. 10 Pairs



Polymer that resists oily and aggressive chemicals (hydrocarbons and derivatives, solvents, greases, oils, paints and varnishes). Excellent grip on both dry and wet/ oily surfaces. Rougher texture that allows you to have a great grip in all conditions.

HCT® Technology

1º layer: nitrile with deep pockets, injected with nitrile compound to give comfort, lightness and strength.

2º layer: rough coating, with high friction particles, oleophobic, excellent grip.

NITRILE COATING

Always the best grip

5 strong points

- 1 Resistance
- **2** Flexibility
- 3 Tactile sensitivity
- 4 Excellent mechanical resistance
- 5 Excellent grip on wet and dry surfaces

13 ECO-NBR

Seamless glove polyester / nitrile

Liner 100% polyester Gauge 13 Coating nitrile

- Palm coated with nitrile for good protection in the presence of liquids, oils and/or grease
- · Excellent abrasion resistance
- Ergonomic design, no seams, comfortable fit
- · Knitwrist cuff and breathable back

Code 353073 Colour white / grey Sizes 7, 8, 9, 10, 11

Pcs. x Box 240 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

+A1:2018





Precision engineering **Transports** Automotive industry assembly in oily and fat environments





13 ECO-NBR

Seamless glove polyester / nitrile

Liner polyester Gauge 13 Coating nitrile

- · Palm coated with nitrile for good protection in the presence of liquids, oils and/or grease
- Excellent abrasion resistance

Pcs. x Box 240 Pairs

- Ergonomic design, no seams, comfortable fit
- · Knitwrist cuff and breathable back


Code 353078 Colour grey / black Sizes 7, 8, 9, 10

Min. Ord. 12 Pairs

Code 353082 Colour grey / black Sizes 7 8 9 10

GENERAL MAINTENANCE





Transports Automotive industry assembly in oily and fat environments





COATED - NITRILE



GENERAL MAINTENANCE

Cat. II 4121X

Field of use:

Precision engineering Transports Automotive industry Automotive industry Assembly in oily and fat environments Mechanical workshop

13 ECO-R

Seamless glove polyester / nitrile

Liner polyester Gauge 13
Coating nitrile

- Fully coated with nitrile for extra protection even in the presence of liquids, oils and/or greases
- Excellent abrasion resistance
- · Ergonomic design for a comfortable fit
- Knitwrist cuff

Code 353065 Colour white / grey **Sizes** 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018

Field of use:

Mechanical industry Automotive industry Transports Automotive industry Assembly in oily and fat environments

GHIBLI

Seamless glove polyester / nitrile

Liner polyester Gauge 13

Coating nitrile

- Palm coated with nitrile offers good protection in the presence of of liquids, oils and/or greases
- Good mechanical protection, excellent dexterity
- Ergonomic shape, no seams, comfortable fitKnitwrist cuff and breathable back

Code 353079 Colour yellow/orange Sizes 7, 8, 9, 10

Pcs. x Box 240 Pairs Min. Ord. 12 Pairs







GARDENING / DIY

EN 388:2016

Cat. II 4121X

Field of use:

General maintenance Gardening DIY

NBR FANCY

Seamless glove polyester / NBR

Liner polyester Gauge 13
Coating NBR

- Palm coated with a special transpirant and transparent nitrile foam (NBR) for excellent grip even in the presence of oil and/or grease and and for increased durability
- Excellent abrasion resistance
- Ergonomic shape, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 353088 Colour assorted Sizes 7, 8

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





16 NBR CRINKLE

Seamless glove polyester / nitrile

Liner	polyester	Gauge 13
Coating	nitrile	

- · Palm coated with nitrile with a slightly wrinkle finish due to the processing of the liner
- Very good grip
- · High flexibility and dexterity
- High abrasion resistance
- Ergonomic shape, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 353084	Colour green / black	Sizes 8, 9, 10
Code 353086	Colour blue / black	Sizes 8, 9, 10, 11
Code 353089	Colour orange / black	Sizes 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE



Field of use:

Mechanical industry Automotive industry Constructions Hydraulic Lithography/Screen printing





NBR 601

Seamless glove nylon / HCT® nitrile

Liner	nylon	Gauge 13
Coating	nitrile	

- Nitrile coating with HCT® technology on palm
- · High abrasion and wear resistance
- Protection against oils, lubricants, grease
- · Ergonomic shape, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 353068 Colour grey / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

CE





Field of use:

Mechanical industry Automotive industry Light metal carpentry Assembly





NBR 998

Seamless glove nylon / nitrile

Liner nylon Gauge 13 Coating nitrile

- · Palm coated with nitrile
- · Excellent abrasion and tear resistance
- · High tactile sensitivity and dexterity
- · Ergonomic shape, no seams, comfortable fit
- · Knitwrist cuff and breathable back

Code 353071 Colour white / light grey **Sizes** 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018



Precision engineering Transports Assembly in oily and fat environments Automotive industry







GENERAL MAINTENANCE

EN 388:2016

Cat. II 4122X

Field of use:

Precision engineering Automotive industry Mechanical workshop Light metallurgic industry Assembly in oily and fat environments

996 TOTAL GRIP

Seamless glove nylon / nitrile

Liner nylon Gauge 13
Coating nitrile

- · Fully coated with nitrile
- Once the glove is dipped into the nitrile, a special process is applied in order to give the glove outstanding grip and anti-slip properties even in the presence of oil and/or grease
- Excellent abrasion resistance and flexibility
- · Knitwrist cuff

Code 353106 Colour yellow / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018



Field of use:

Precision engineering Transports Automotive industry Assembly in oily and fat environments

NIT-FLEX

Seamless glove nylon / nitrile

Liner nylon Gauge 15
Coating nitrile

- · Palm coated with nitrile
- · High abrasion and wear resistance
- Excellent dexterity and flexibility
- Ergonomic shape, no seams, comfortable fit
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 353075 Colour grey **Sizes** 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016

Cat. II 4121X



Field of use:

Precision engineering Transports Automotive industry Assembly in oily and fat environments Light carpentry

NIT-FLEX RICOPERTO

Seamless glove nylon / nitrile

Liner nylon Gauge 15
Coating nitrile


- Palm fingers and knuckles coated with nitrile
- High abrasion and wear resistance
- · Excellent dexterity and flexibility
- Ergonomic shape, no seams, comfortable fit
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 353080 Colour grey **Sizes** 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







DRIVER

The perfect alternative to skin

Technical glove with nylon liner completely coated with a nitrile foam that makes it perfect for use in both dry or wet environments. It does not lose the grip and remains an excellent protection tool. Good protection from mechanical risks and heat by contact resistance for short instants up to 100 °C.

DRIVER

Seamless technical glove nylon/ nitrile

Liner nylon Coating nitrile

- · Internal seamless nylon liner
- · Fully nitrile micro-foam coated that provides excellent dry and wet grip
- Short-time contact heat protection (max. 100°C)
- · Excellent dexterity, abrasion and wear resistance
- · Hemmed elastic cuff with side opening
- Trattamento antibatterico Sanitized[®]

Code 353112 Colour red Sizes 8, 9, 10 Code 353113 Colour yellow Sizes 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 EN 407: 止 SSS , X1XXXX





Excellent grip

nitrile microfoamed offers excellent grip

> High abrasion resistance

Hydro-repellent

Field of use:

Automotive industry Transports Assembly and small parts handling Glass and ceramics handling Mechanical industry and light metallurgic industy injection molding





DRIVER WINTER

Seamless technical glove nylon / nitrile

Liner nylon Coating nitrile

- · Internal seamless nylon liner and fleece
- Fully nitrile micro-foam coated that provides excellent grip
- Suitable to be used in cold environments
- Short-time contact heat protection (max. 250°C)
- · Excellent dexterity, abrasion and wear resistance
- · Hemmed elastic cuff with hook and loop closure
- · Antibacterial treatment Sanitized®

Code 353115 Colour black Sizes 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



THERMAL PROTECTION







Field of use:

Automotive industry Transports Assembly and small parts handling Glass and ceramics handling Mechanical industry and light metallurgic industy Use in cold environments





COATED - NITRILE

SESAME


The coated for food contact

Seamless glove entirely coated with rubberized nitrile foam. This feature makes it a glove with good mechanical properties and high dexterity.

Thanks to the food contact certification it can be use efficiently in food industry for the activities of maintenance, precision assembly, handling of small objects and assembly.







Nitrile coating with rubberized effect

excellent grip on dry surfaces, but also suitable for wet environments



FOOD CONTACT









COMPLIANT WITH: Regulation (EU) N. 10/2011 - Regulation (EC) N. 1935/2004 - Directives 85/572/ EEC and subsequent amendments.

Field of use:

Assembly Food industry or working with food Protection in wet environments

SESAME

Seamless glove nylon / foamed nitrile

Liner nylon Gauge 15 Coating nitrile

- Completely coated in foam nitrile with rubberized effect that guarantees a good grip
- Glove with high dexterity and suitable for precision work
- Effective contact heat protection for short periods of up to 100 °C
- Abrasion and wear resistant
- · Elastic wrist with hemmed edge with side opening

Code 353139 Colour blue Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



ACTIVGRIP ADVANCE KEV-S

Seamless glove in Kevlar® fabric - steel fiber / nitrile

Liner Kevlar® Gauge 15 steel fiber Coating nitrile

- Nitrile coated palm with Microfinish® technology
- · Cut resistant Kevlar® and steel fiber liner light, flexible and breathable
- Effective contact heat protection for short periods (max. 250°C)
- Perfect fit, comfort, dexterity
- · Ergonomic shape, no seams
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 353141 Colour yellow / black

Sizes 8, 9, 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs









MicroFinish[®]

Field of use:

Automotive industry Mechanical industry Assembly Wet and oily objects handling General and industrial maintenance Storage





AIREXDRY®

Seamless glove nylon / nitrile

Liner Gauge 13 Coating nitrile Nitrile coated palm with Microfinish® technology,

- for an excellent grip
- SMART[™] technology applied to the liner gives the glove breathability and freshness
- High dexterity and flexibility
- · Ergonomic shape, no seams, comfortable fit
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized[®]

Code 353130 Colour blue melange/blue Sizes 7, 8, 9, 10

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016





OEKO-TEX®

MicroFinish[™]

Field of use:

Mechanical industry Assembly Storage / Shipping General maintenance Gardening/Agriculture Constructions



ACTIVGRIP 581 ADVANCE

Seamless glove nylon / nitrile

Liner nylon Gauge 13 nitrile Coating

- Palm coated with a soft yet resistant double nitrile layer for excellent protection against oils
- MicroFinish® applyed technology ensures a very good grip on wet and dry surfaces (vacuum effect that allows the dispersion of liquids)
- Nylon liner and breathable back gives the glove high freshness and flexibility favouring a comfortable fit
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized[®]

Code 337091 Colour grey / black Sizes 7, 8, 9, 10

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



EN 388:2016









MicroFinish[™]

Field of use:

Automotive industry Mechanical industry Wet and oily objects handling Assembly General maintenance Storage





SANDY NITRILE

mum abrasion resistance

Thanks to their particular composition these gloves are characterized by a high abrasion resistance. Their sandy finishing makes them non-slip and therefore guarantees an excellent grip on both dry and wet/oily surfaces.





GENERAL MAINTENANCE

Field of use:

Mechanical industry Warehouse Automotive industry Precision operations Painting

997 SANDY

Seamless glove polyester / sandy nitrile

Liner polyester Gauge 13 Coating sandy nitrile

- · Palm coated with sandy nitrile for superior grip and to increase anti-slip effect
- Maximum dexterity, sensitivity and touch
- Good abrasion and wear resistance
- Ergonomic design, excellent comfort
- Knitwrist cuff and breathable back

Code 353083 Colour yellow / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs















OEKO-TEX®

Field of use:

Petrochemical industry Automotive industry Mechanical industry Packaging Handling/Assembly in wet/oily environments

DRY TOUCH

Seamless glove nylon / nitrile compound

Liner nylon Gauge 18 Coating sandy nitrile


- Double-dipped nitrile compound for full protection and higher wear resistance
- Extra sandy nitrile coating on palm provides superior grip and anti-slip effect
- Total lenght 30 cm
- OEKO-TEX® certified
- Flexible, robust and high abrasion resistance
- · Excellent oils, fats and hydrocarbons resistance
- Long pinked cuff

Code 350040 Colour petrol green / black Sizes 8, 9, 10,11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







FOAMED NITRILE

Soft, breathable, strong

Particular production process of nitrile coating, which is mixed with a small amount of water-based polyurethane. It generates small air chambers inside the coating that create a foamed effect.

The particular consistency, makes the glove resistant, soft, light and breathable.

NBR 999 FOAM

Seamless glove nylon / foamed nitrile

Liner nylon Gauge 13

Coating foamed nitrile

- · Palm coated with nitrile foam
- Ergonomic design, no seams, excellent fit comfort
- · Knitwrist cuff and breathable back

Code 353070 Colour grey / white **Sizes** 6, 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388:2016 +A1:2018







Field of use:

Precision operations and quality check Handling of delicate objects Assembly

Warehouse Constructions Storage Transports

Light carpentry



NIT-LITE

Seamless glove nylon / foamed nitrile

Liner nylon Gauge 15

Coating foamed nitrile

- Nitrile foam coating on palm, with a slightly rough finish for better grip
- Ergonomic design, no seams, excellent fit comfort
- · Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 353074 Colour white / grey **Sizes** 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs

GENERAL MAINTENANCE





DIY



Field of use:

Precision operations and quality check Handling of delicate objects Assembly Warehouse Constructions Storage Transports Light carpentry







GENERAL MAINTENANCE



Field of use:

Mechanical industry Working in wet and oily environments Steel industry Automotive industry

994 OIL

Seamless glove nylon / nitrile

Liner nylon Gauge 13 Coating microporous nitrile

- Nitrile coating on palm, fingers and knukles
- Palm coated with an extra microporous nitrile layer that provides excellent grip even in the presence of oil and/or grease
- Anti-pil
- Excellent abrasion and wear resistance
- · Knitwrist cuff

Code 353118 Colour blue/black Sizes 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018 **C €**

Field of use:

Mechanical industry Working in wet and oily environments Steel industry Automotive industry

995 OIL

Seamless glove nylon / nitrile

Liner Gauge 13 nylon Coating microporous nitrile

- · Fully nitrile coated
- · Palm coated with an extra microporous nitrile layer that provides excellent grip even in the presence of oil and/or grease
- Excellent abrasion resistance
- · Knitwrist cuff

Code 353110 Colour blue / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







PRECISION WORK

EN 388:2016 +A1:2018 C E 🕒





Field of use: Storage/Shipping Packaging Precision assembly Automotive industry Hydraulic

NINJA HPT

Seamless glove nylon / composite foam

Liner nylon Gauge 15 Coating composite foam

- Palm coated with a special composite foam mix with HPT $^{\text{\tiny{TM}}}$ (Hydropellent Technology $^{\text{\tiny{TM}}}$) treatment on palm
- · Excellent abrasion resistance
- Soft, flexible e comfortable
- Liner 100% latex-free
- Knitwrist cuff and breathable back
- · Antibacterial treatment Sanitized®

Code 337130 Colour black Sizes 7, 8, 9, 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs





NINJAICE

Seamless double layer glove acrylic-nylon / composite foam

Gauge 15

Liner acrylic nylon

Coating composite foam

- Double lining (external nylon/internal acrylic yarn) and fleece inside
- Palm coated with a special composite foam mix with HPT $^{\text{\tiny{IM}}}$ (Hydropellent Technology $^{\text{\tiny{IM}}}$) treatment on palm
- Flexible and soft up to -50 °C
- · Knitwrist cuff and breathable back
- · Antibacterial treatment Sanitized®

Code 337126 Colour black Sizes 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 6 Pairs



THERMAL PROTECTION







Field of use:

Warehouse Storage/Shipping Cold industry Hydraulic Agriculture Constructions Outdoor and cold environments





NIT-COOL

Seamless glove acrylic-elastan-nylon / foamed nitrile PFT™

Liner acrvlic Gauge 15

> elastan nylon

Coating foamed nitrile

- Nitrile foam palm coated with PFT™ technology for outstanding grip in oily, wet & dry conditions and for increased abrasion resistance
- Cold by contact level 1 protection
- · Effective contact heat protection for short periods (up to 100 °C)
- Light and flexible
- Excellent fit and dexterity
- Ergonomic design and no seams
- Knitwrist cuff and breathable back
- · Antibacterial treatment Sanitized®

Code 353103 Colour blue / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



THERMAL PROTECTION











Field of use:

Outdoor and cold environments Assembly General maintenance Automotive industry Mechanical industry Storage Warehouse





NIT COOL

For low temperature environments

Professional glove perfect to be used even at low temperatures. The special coating technology PFT™ (New Foam Technology) gives the glove better grip and non-slip properties even in humid environments.

Forefinger and thumb touch screen feature, allowing to use touch screen devices without removing the glove. Extremely versatile, it is suitable for all types of work.



SERIE NITRAN

Design and maximum protection: the perfect combination

Thanks to the particular coating applied on the palm (nitrile mixed with a small amount of water-based polyurethane), and the seamless liner in nylon stretch fabric thin and elastic, these gloves are extremely soft, flexible and breathable, with excellent abrasion resistance and excellent tactile sensitivity. Nitran gloves, extremely versatile, give the user comfort, protection and dexterity. Excellent grip on both dry/wet surfaces and environments, both in the presence of oils and/or greases.





DDECISION MODE

EN 388:2016

at. II 4131)

Field of use:

Automotive industry Assembly Storage General maintenance Light metal carpentry Quality check DIY

NITRAN EVO

Seamless glove nylon-elastan / foamed nitrile

Liner nylon Gauge 15 elastan

Coating foamed nitrile

- Palm coated with nitrile foam blend, which offers greater breathability
- Water and oil repellent
- Excellent abrasion resistance and grip
- Superior dexterity, flexibility and tactile sensitivity
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 353097 Colour grey / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





PRECISION WORK

C € (







Field of use:

Automotive industry Assembly Storage General maintenance Light metal carpentry Quality check DIY

NITRAN P

Seamless glove nylon - elastan / foamed nitrile

Liner nylon Gauge 15 elastan

Coating foamed nitrile

- Palm coated with nitrile foam with NFT™ technology, for outstanding grip and non-slip properties in dry and wet conditions, or in contact with oily surfaces and for increased abrasion resistance
- Effective contact heat protection for short periods (up to 100 °C)
- Considerable flexibility and dexterity
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 353096 Colour grey / light blue **Sizes** 7, 8, 9, 10

Pcs. x Box 120 Pairs Min.





NITRAN SOFT

Seamless glove nylon-elastan / foamed nitrile

Liner nylon Gauge 18

Coating foamed nitrile

- Palm coated with a very light and elastic nitrile foam blend which makes the glove very soft, sensitive and offers greater breathability
- Water and oil repellent
- · Good mechanical resistance
- · Excellent tactile sensitivity and grip
- Ergonomic design, no seams, comfortable fit
- · Knitwrist cuff and breathable back

Code 353099 Colour blue / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



PRECISION WORK

EN 388:2016 +A1:2018 Cat. II 2122X

Field of use:

Automotive industry
Assembly
General maintenance
Light metal carpentry
Warehouse
Storage
DIY
Quality check





NITRAN PLUS

Seamless glove nylon - elastan / foamed nitrile

Liner nylon Gauge 15 elastan

Coating foamed nitrile

- Palm coated with nitrile foam
- Dots on palm for better grip
- Excellent abrasion resistance, together with high flexibility and dexterity
- Ergonomic design, no seams, comfortable fit
- · Knitwrist cuff and breathable back

Code 353098 Colour grey / black Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



PRECISION WORK

EN 388:2016 +A1:2018 Cat. II 4131X

Field of use:

Assembly
General maintenance
Light metal carpentry
Constructions
Hydraulic
Storage
Precision handling in
dry environments





NITRAN PLUS-C

Seamless glove nylon - elastan / foamed nitrile

Liner nylon Gauge 15 elastan

Coating foamed nitrile

- Palm, fingers and knuckles coated with nitrile foam for extended protection
- The nitrile foam coating makes the glove soft, light and breathable
- Dots on palm for better grip
- Anti-pilling, water and oil repellent
- Excellent abrasion resistance, together with high flexibility and dexterity
- Knitwrist cuff and breathable liner back

Code 353101 Colour grey / black **Sizes** 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



PRECISION WORK

EN 388:2016

Field of use:

Assembly
General maintenance
Automotive industry
Mechanical industry
Light metal carpentry
Constructions
Hydraulic
Precision handling in
dry environments







PRECISION WORK

EN 388:2016 EN 407: +A1:2018 2020 些 SSS ,





Field of use:

Assembly General maintenance Precision and delicate objects handling

NITRAN GRIP

Seamless glove Ingenia fabric / foamed nitrile

Liner Ingenia Gauge 15 Coating foamed nitrile

- Eco friendly Ingenia liner fabric
- Palm coated with NFT™ nitrile foam (New Foam Technology™); for outstanding grip in dry & wet environments or in contact with oily surfaces and for increased abrasion and tear resistance
- Effective contact heat protection for short periods (up to 100 °C)
- Lightweight, with high dexterity
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 353093 Colour grey / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs









EN 388:2016 EN 407: A1:2018 \$\$\$ X1XXXX





Field of use:

Assembly General maintenance Delicate objects handling Processing of slightly abrasive parts Light metal carpentry Hydraulic DIY

NITRAN GRIP-R

Seamless glove nylon - elastan / foamed nitrile

Liner Gauge 15 nvlon elastan

foamed nitrile Coating

- Palm and back fully coated with NFT™ nitrile foam (New Foam Technology™); for outstanding grip in dry & wet environments or in contact with oily surfaces and for increased abrasion and tear resistance
- Effective contact heat protection for short periods (up to 100 °C)
- Dots on palm for better grip
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 353094 Colour grey / black Sizes 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







A1:2018 SSS ,





X1XXXX

Field of use:

Assembly General maintenance Delicate objects handling Processing of slightly abrasive parts Light metal carpentry Hydraulic DIY

NITRAN TOTAL

Seamless glove nylon - elastan / foamed nitrile

Liner nylon Gauge 15 elastan

foamed nitrile Coating

- Fully coated with NFT™ nitrile foam (New Foam Technology), for outstanding grip in dry & wet environments or in contact with oily surfaces and for increased abrasion and tear resistance
- Effective contact heat protection for short periods (up to 100 °C)
- Dots on palm for better grip
- Ergonomic design, no seams, comfortable fit
- Antibacterial treatment Sanitized®

Code 353091 Colour black Sizes 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







BOLT ESD

The nitrile glove against the electrostatic charges storage

Professional nitrile coated glove, with a particular nylon, carbon and elastane liner, comfortable, ergonomic and in particular with antistatic protection that is able to cancel the accumulation of electrostatic charges during the use of electrical

Innovative and high performance glove, it also protects, for short moments, from contact heat, up to 100°C.

BOLT ESD

Seamless glove nylon-carbon fiber-elastan / micro-foamed nitrile

Liner

nvlon

Gauge 18

carbon fiber elastan

Coating foamed nitrile

- · Professional glove with ESD protection (antistatic) against electrostatic charges
- Palm covered with a particular nitrile microfoam for excellent grip in wet and oily environments and high abrasion and tear resistance
- · Effective contact heat protection for short periods (up to 100 °C)
- Lightweight and maximum dexterity
- Ergonomic design, no seams, comfortable fit
- · Touch screen

Code 353105 Colour blue / black Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs





\$\$\$ X1XXXX

Field of use:

General maintenance Automotive industry Mechanical industry Electric industry Light metal carpentry Constructions

NEW





ESD PROTECTION (ElectroStatic Discharge)

Protective gloves against the electrostatic charges storage

The adjective antistatic defines a product or a material that cannot be charged with static electricity or that drastically reduces it, quickly dissipating it. All our movements generate static electricity, with our body or with the objects/garments we wear.

The general aim is to reduce the accumulation of static electricity in order not to risk electrostatic discharges that can damage the device you are working on (ex: microelectronics), wearing gloves or antistatic clothing.

EN 16350 states additional testing for protective gloves that are worn in possible flammable zones or explosive areas. It specifies a test method and requirements to minimise explosion risks. Electrostatic properties of gloves, test method EN 1149-2.



CUT PROTECTION

C E N 388:2016



Field of use:

Handling of small sharp objects, both dry and oily

Metal carpentry Storage Automotive industry Glass and ceramics handling

334 NITCUT

Seamless glove high density polyethilene / foamed nitrile

Liner polyethilene Gauge 13
Coating foamed nitrile

- Micro-foam nitrile coating on palm
- HDPE fibres liner ensure excellent cut resistance with reduced thickness, for superior dexterity
- Thumb crotch reinforcement for superior cut protection
- Excellent grip both on dry and wet surfaces
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 353132 Colour melange blue / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







CUT PROTECTION

EN 388:2016



Field of use:

Handling of small sharp objects, both dry and oily

Metal carpentry Storage Automotive industry Glass and ceramics handling

332 NITCUT

Seamless glove high density polyethilene / foamed nitrile

Liner polyethilene Gauge 18
Coating foamed nitrile

- · Micro-foam nitrile coating on palm
- HDPE fibres liner ensure excellent cut resistance with reduced thickness, for superior dexterity
- Thumb crotch reinforcement for superior cut protection
- Excellent grip both on dry and wet surfaces
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back

Code 353134 Colour melange green / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







CUT PROTECTION

C € 1388:20



Field of use:

Automotive industry Metallurgic and glass industry Plastic industry Metal carpentry

TUNGSTENO 74

Cut resistant seamless glove with tungsten / composite T-Touch compound

Liner tungsten Gauge 18
nylon
elastan

Coating nitrile / PU


- · Cut resistant glove
- Cut resistant fiber HDPE, Nylon, Tungsteno, elastan liner
- T-touch special nitrile compound coating and water based polyurethane
- Excellent dexterity
- Ergonomic design, no seams, comfortable fit
- · Knitwrist cuff and breathable back

Code 337044 Colour grey / black **Sizes** 7, 8, 9, 10, 11

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs







SAFFRON

Cut resistant and food contact

High quality glove made with anti-cut fiber liner and suitable for food contact. Perfect for precision, assembly and general maintenance work.

Thanks to the foam nitrile coating ensures a great grip on dry surfaces. It is also a glove with excellent abrasion and contact heat protection properties up to a temperature of 100 °C



SAFFRON

Seamless glove in HPPE fibers / foamed nitrile

Liner HPPE fibers Gauge 13 Coating foamed nitrile

- Foamed nitrile coating, for an excellent grip on all the surfaces
- Suitable for works where high dexterity is needed, from assembly to maintenance
- · Good cut and abrasion resistance
- Effective contact heat protection for short periods (up to 100 °C)
- Certified for food contact

Code 353137 Colour light blue/ Sizes 6, 7, 8, 9, 10, 11 blue

Pcs. x Box 120 Pairs


Min. Ord. 12 Pairs



FOOD CONTACT

EN 388:2016 EN 407: A1:2018 2020 CE (\$\$\$, X1XXXX





Field of use:

Food industry and working with food General maintenance Assembly





GINGER

Seamless glove nylon / foamed nitrile

Liner nylon Gauge 15 Coating foamed nitrile

- Foamed nitrile coating, for an excellent grip on dry surfaces
- Cut and abrasion protection
- · High dexterity and flexibility
- Suitable for precision works, assembly and small objects handling
- Certification for food contact

Code 353138 Colour grey/blue Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





FOOD CONTACT



3132A





Field of use:

Assembly Light mechanical works Precision operations Food industry

NEW



AIR NIT

Totally breathable

Professional seamless glove with excellent breathability, to ensure dry hands all day long. The unique microporous coating with patented ORRATM WELL technology, on the thin nylon/spandex liner, allows for 360-degree breathability, giving the hands the feeling of unparalleled well-being and therefore facilitating the use of the glove even for extended periods of time, without the need to take it off.

Elastic and sensitive, this glove delivers superior dexterity, second-skin comfort and also excellent dry & wet grip.

AIR NIT WITH ORRA™ WELL TECHNOLOGY

360-degree breathability to ensure dry hands all day long. High well-being sensations. Excellent tactile sensitivity. OEKO-TEX® STANDARD 100 certi-

Antibacterial treatment Sanitized®.

AIR NIT WITH ORRA™ COMFORT TECHNOLOGY

Excellent abrasion resistance. 360-degree breathability to ensure dry hands all day long. Resistant and strong glove. Excellent fit and sensitivity. Antibacterial treatment Sanitized®.



PRECISION WORK

EN 388:2016 EN 407:



OEKO-TEX®

Field of use:

Automotive industry Delicate handling Small objects assembly Packaging Assembly line

AIR NIT

Seamless glove nylon / nitrile + ORRA™WELL technology

Liner nylon Gauge 15 nitrile Coating

- Microporous nitrile palm coating for excellent 360-degree breathability, with ORRA™ WELL technology which delivers second-skin comfort and effortless dexterity
- Excellent grip both on wet and dry surfaces
- Effective contact heat protection for short periods (up to 100 °C)
- Excellent finger sensitivity and dexterity
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 353125 Colour grey Sizes 6, 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







PRECISION WORK

EN 388:2016 EN 407:



OFKO-TFX®

Field of use:

Automotive industry Delicate handling Small objects assembly Packaging Assembly line

AIR NIT C

Seamless glove nylon / nitrile + ORRA™WELL technology

Liner nylon Gauge 15 Coating nitrile

- Microporous nitrile coating on palm, fingers and knuckles for excellent 360-degree breathability, with ORRA™ WELL technology which delivers second-skin comfort and effortless dexterity
- Excellent grip both on wet and dry surfaces
- Effective contact heat protection for short periods (up to 100 °C)
- Excellent finger sensitivity and dexterity
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 353127 Colour grey Sizes 7. 8. 9. 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





AIR NIT CUT3

Seamless glove in cut-resistant fibers - nylon / nitrile ORRA™ COMFORT technology

Liner cut-resistant fiber Gauge 15

nylon

Coating nitrile

- Microporous nitrile palm coating with ORRA™
 COMFORT technology provides maximum dexterity,
 high abrasion, grip and breathability
- Effective contact heat protection for short periods (up to 100 °C)

Sizes 6, 7, 8, 9, 10

- · Excellent grip both on wet and dry surfaces
- · Excellent finger sensitivity and dexterity
- Knitwrist cuff
- · Antibacterial treatment Sanitized®

Code 353129 Colour grey

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



CUT PROTECTION







Field of use:

Automotive industry
Complex assembly
Injection molding
operations
Plastic / glass / ceramic handling





AIR NIT CUT5

Seamless glove in cut-resistant fibers - nylon / nitrile ORRA™ COMFORT technology

Liner cut-resistant fiber Gauge 15

nylon

Coating nitrile

- Microporous nitrile palm coating with ORRA™
 COMFORT technology provides maximum dexterity,
 high abrasion, grip and breathability
- Effective contact heat protection for short periods (up to 100 °C)
- Excellent grip both on wet and dry surfaces
- Excellent finger sensitivity and dexterity
- Knitwrist cuff
- · Antibacterial treatment Sanitized®

Code 353123 Colour green / black Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



CUT PROTECTION

EN 388:2016 EN 407:

-A1:2018 2020

4X42F XIXXXXX





Field of use:

Glass and ceramics handling Proessing sheet Metallurgic industry Automotive industry Injection molding operations





AIR NIT WINTER

Seamless glove acrylic-nylon / nitrile ORRA™ COMFORT technology

Liner acrylic-nylon Gauge 15
Coating nitrile

- Seamless stretch acrylic-nylon liner, internal spongy foam liner for excellent protection against the cold
- Fully microporous nitrile coated with the newest ORRA™ COMFORT technology providing excellent grip
- Effective cold protection and contact heat protection for short periods (up to 100 °C)

Min. Ord. 12 Pairs

- More comfortable, flexible and softer than traditional winter working gloves
- Ergonomic design, no seams, comfortable fit
- Yellow fluo colour to increase visibility
- Knitwrist cuff with hem

Pcs. x Box 120 Pairs

· Antibacterial treatment Sanitized®

Code 353136 Colour yellow fluo Sizes 7, 8, 9, 10



THERMAL PROTECTION

EN 388: EI 2016 :









Field of use:

Cold environments Cold industry Glass and ceramics handling











EN 388:2016 +A1:2018

Cat. II







Field of use: Assembly Metal carpentry Photography labs Handling small sharp-edged objects

555 LIME

Seamless glove with Dyneema® - elastan / PU

Liner Dyneema® elastan

eema® **Gauge** 10 an

Coating PU

- Polyurethane palm coated
- Dyneema® fiber increases the cut resistance while enhancing wearer comfort and dexterity
- Excellent levels of mechanical resistance
- Excellent cut protection level
- High breathability
- · Ergonomic design, no seams, comfortable fit
- · Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Pcs. x Box 120 Pairs





D39 LIME

Seamless sleeve Dyneema® + Lycra® fabric

Liner Dyneema® Gauge 10 Lycra® Coating ΡU

- Lenght 39 cm
- Dyneema® fiber increases the cut resistance while enhancing wearer comfort and dexterity
- The stretch weave promotes adherence and fit
- · Maximum cut protection level
- · Forearm protection

Code 337057 Colour lime green/white Size one

Pcs. x Box 1 Pairs Min. Ord. 1 Pairs

EN 388:2016 +A1:2018 C E 🖭 Dyneema^e

Field of use:

Assembly Metal carpentry Photography labs Handling small sharp-edged objects





555

Seamless glove Dyneema® - elastan / PU

Liner Dyneema® Gauge 13 elastan Coating PU

- Polyurethane palm coated
- Dyneema® fiber increases the cut resistance while enhancing wearer comfort and dexterity
- Excellent levels of mechanical resistance
- · Excellent cut protection level
- · High breathability
- Ergonomic design, no seams, comfortable fit
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 337056 Colour grey melange/grey Sizes XS, S, M, L, XL, XXL

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



EN 388:2016 +A1:2018 C E 🕒







Field of use:

Metal carpentry Assembly Automotive industry Photography labs Handling small sharp-edged objects





556

Seamless glove Dyneema®+ Lycra® fabric / PU

Liner Dvneema® Gauge 13 Lycra® Coating · Palm, fingers and knuckles coated with polyurethane The larger coating guarantees longer product

- life, more resistance to dirt and a higher level of protection from liquids
- With Dyneema® fiber for medium to high cut resistance while enhancing wearer comfort and dexterity
- Excellent levels of mechanical resistance
- Ergonomic design, knitwrist cuff
- Antibacterial treatment Sanitized®

Code 337052 Colour grey melange/grey Sizes M, L, XL

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



EN 388:2016 +A1:2018











Field of use:

Assembly Metal carpentry Dry parts handling Automotive industry Photography labs Cut operations







EN 388:2016 +A1:2018



Dyneema°



Field of use:

Automotive industry Metal carpentry Assembly Handling small sharp-edged objects Plastic/glass industry

NINJA SILVER3 RAZR

Seamless glove con Dyneema® + filato Lycra®

Liner Dyneema®

Lvcra®

ΡU

- · Light and elastic polyurethane palm coated
- Excellent levels of mechanical resistance
- Lycra® yarn offers superior flexibility
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 337128 Colour grey / light blue Sizes 7. 8. 9. 10

Pcs. x Box 144 Pairs

Coating

Min. Ord. 12 Pairs



Gauge 13

Gauge 18







EN 388:2016 +A1:2018 C E 🕒







Field of use:

Assembly Automotive industry Plastic/glass industry Steel industry Handling small sharp-edged objects

543

Coating

Seamless glove with Dyneema® Diamond Technology + Lycra® fabric / PU

Liner Dyneema®

Lycra®

PU

- Light and elastic polyurethane coating for an extremely soft, breathable and flexible glove with high sensitivity and dexterity
- Dyneema® increases the level of cut protection, keeping the glove as light and thin as possible
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 337172 Colour light blue / grey Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



Gauge 13



EN 388:2016 +A1:2018 CE







Field of use:

Paper industry Metal carpentry Assembly Automotive industry Handling small sharp-edged objects Dry parts assembly

573

Seamless glove with Dyneema® Diamond Technology + filato Lycra® / PU

Liner Dyneema®

Lycra®

ΡU

Coating Light and elastic polyurethane coating

- DYNEEMA® increases the level of cut protection, while it enables the glove to remain as comfortable, light and thin as possible.
- Lycra® yarn offers superior flexibility
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 337176 Colour green / grey Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs







The new cut protection level

Designed and engineered to provide high cut protection, the Dyneema® Diamond Technology Series offer the user a level of protection never seen before. Within each filament, special high-tech microparticles significantly increase the defense against the dangers related to cutting without affecting the comfort of the worker and improving its durability. In addition, thanks to the lightness of this fiber (about 40% lighter than aramid fiber), and the excellent thermal conductivity, Dyneema® Diamond Technology has obtained the OEKO-TEX 9001 certification.

DYNEEMA® NITRILE COATING

MAIN USES:

- · Plastic material injection and molding
- · Glass industry
- · Metal working industry
- · Automotive industry
- Metal carpentry



PYTHON

Seamless glove with Dyneema® Diamond Technology /nitrile NFT

Liner

Coating

Dyneema® Diamond Technology

Gauge 18

Lvcra®

foamed nitrile

- Nitrile coating with NFT® technology on palm that provides better grip in all conditions and increases abrasion resistance
- · Short-time contact heat protection (max. 100°C)
- DYNEEMA® Diamond Technology increases the level of cut protection, while it enables the glove to remain as comfortable, light and thin as possible
- · Knitwrist cuff and breathable back
- · Antibacterial treatment Sanitized®

Code 337174 Colour grey melange/black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs















Field of use:

Automotive industry Metallurgic industry Plastic/glass industry Metal carpentry Abrasion objects processing even in oily environment Handling small sharp-edged objects






559 GREY STEEL

Comfort and cut protection

These gloves, designed to offer maximum protection to the cut, are equipped with a comfort for an everyday use, without causing fatigue to the hands of the user.

The particular NFT technology in the coating, ensures an excellent grip to the glove, improving its grip both in dry conditions and in the presence of liquids and/or oils. It also increases the level of resistance to abrasion, and therefore the protection of the user in contact with materials and particularly abrasive and sharpen objects.







EN 388:2016 EN 407: +A1:2018 2020 CE









Field of use:

Use of cutting tools Metal carpentry Assembly Automotive industry

559 GREY STEEL

Seamless glove with Dyneema® / nitrile NFT®

Liner Dvneema® Gauge 10

Coating foamed nitrile

- Nitrile coating with NFT® technology on palm that provides better grip in all conditions and increases abrasion resistance
- · Effective contact heat protection for short periods (up to 100 °C)
- Extra nitrile insert in the hollow between thumb and forefinger for greater cut protection
- Dyneema® fiber increases the cut resistance while enhancing wearer comfort and dexterity
- Knitwrist cuff and breathable back

Antibacterial treatment Sanitized®

Code 337049 Colour black melange/grey Size 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







EN 388:2016



Dyneema®



Field of use:

Handling sharp-edged objects Assembly Automotive industry Tyre dealer Constructions

KING COBRA

Seamless glove with Dyneema® + Lycra® fabric / nitrile microfoamed

Liner Dyneema® Gauge 10 Lvcra® foamed nitrile

- Palm coated with special micro-foam nitrile that offers excellent durability, dexterity and tactile sensitivity
- Special latex inserts on the back offer greater protection
- Lycra® yarn offers superior flexibility
- Maximum cut protection level
- Excellent grip even in oil conditions
- Knitwrist cuff and breathable back Antibacterial treatment Sanitized®

Code 337048 Colour grey melange/black Sizes 9, 10

Pcs. x Box 120 Pairs

Coating







555 CARBONIT

Double coating, more resistance

The peculiarity of this glove is represented by the double nitrile coating. The first is made with a special nitrile compound while the second is made of nitrile foam with NFT technology.

Designed to be particularly robust and resistant to cutting, it offers excellent grip when used in contact with oily substances and maintains a high level of protection when used for heavy handling in harsh environments.

555 CARBONIT

Seamless glove Dyneema® / nitrile compound

LinerDyneema®Gauge 10Coatingnitrile compound

- Double nitrile coating on palm (first coating with nitrilic compound, second coating with NFT * foam nitrile) that provides superior grip in alla conditions
- Dyneema® fiber increases the cut resistance while enhancing wearer comfort and dexterity
- Flexible, strong and wear resistant
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Pcs. x Box 120 Pairs Mi

Min. Ord. 12 Pairs



CUT PROTECTION

EN 388:2016 +A1:2018 C C L L L 4543C







Field of use: Automotive industry Glass industry Mechanical industry Constructions





THE NEWEST GENERATION OF CUT RESISTANT FIBER KYORENE®

The new technology with graphene fiber that guarantees excellent performance

Made of carbon, **graphene** is the lightest, thinnest, hardest and most resistant material known to man. Its density makes it three times harder than the surface of a diamond. For the same weight, graphene is 200 times stronger than steel.

In addition to excellent mechanical resistance, Kyorene® gloves are able to neutralize odors, have a thermoregulatory function and bacteriostatic action



CUT PROTECTION

EN 388:2016
Cat. II 4X42B



OEKO-TEX ®
CONFIDENCE IN TEXTILES
STANDARD 100

Field of use:

Automotive industry Mechanical industry Petrochemical industry Storage / Warehouse Use of machinery and equipment

02-205R

Seamless glove Kyorene® graphene fiber / nitrile

Liner graphene fiber Gauge 13
Coating nitrile

- Graphene fiber liner with excellent cur resistance properties, steel and fiber glass free
- Nano foamed black HCT® nitrile coating
- Extra nitrile insert in the hollow
- Bacteriostatic properties
- Thermal properties to increase comfort
- · Odour neutralisation
- It can be used with touch screen devices
- DFM and silicone free

Code 353142 Colour grey / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



KYORENE



CUT PROTECTION

EN 388:2016

Cat. II 4X42B



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

Field of use:

Automotive industry Mechanical industry Petrochemical industry Storage / warehouse Use of machinery and equipment

04-205R

Seamless glove Kyorene® in graphene fiber / polyurethane

Liner graphene fiber Gauge 13

Coating polyurethane

- Graphene fiber liner with excellent cur
 resistance properties, steel and fiber glass free
- Black polyurethane coating
- Extra insert in the hollow
- Bacteriostatic properties
- Thermal properties to increase comfort
- Odour neutralisation
- It can be used with touch screen devices
- · Silicone free

Code 337039 Colour grey / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



02-405R

Seamless glove Kyorene® in graphene fiber /

Liner graphene fiber Gauge 13 Coating nitrile

- Graphene fiber liner with excellent cur resistance properties, steel and fiber glass free• Micro foamed black HCT® nitrile coating
- · Extra insert in the hollow
- · Bacteriostatic properties
- Thermal properties to increase comfort
- Odour neutralisation
- It can be used with touch screen devices

Code 353131 Colour grey / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



12

. 12

EN 388:2016 CEL



OEKO-TEX®

Field of use:

Automotive industry Mechanical and electronic industry Metal molding Handling sharp-edged objects Constructions Plastic industry

NEW



KYOSENE'

04-405

Seamless glove Kyorene® in graphene fiber / polyurethane

graphene fiber Liner Gauge 13 nitrile Coating

- Graphene fiber liner with excellent cur resistance properties, steel and fiber glass free
- · Black polyurethane coating
- Extra insert in the hollow
- · Bacteriostatic properties
- Thermal properties to increase comfort
- Odour neutralisation
- · It can be used with touch screen devices

Code 337043 Colour grey / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs

EN 388:2016 CEL



OEKO-TEX®

Field of use:

Automotive industry Mechanical and electronic industry Metal molding Handling sharp-edged objects Constructions Plastic industry

NEW



KYORENE'

K01-424

Seamless glove Kyorene®PRO in graphene fiber / nitrile

Liner 100% nylon Gauge 15 Coating latex

- Graphene fiber liner with excellent cur resistance properties, steel and fiber glass free
- Fully coated with blue nitrile and black palm microfoamed HCT® nitrile coating
- Ergonomic design for a better fit
- · Bacteriostatic properties
- Thermal properties to increase comfort
- · Odour neutralisation

Code 353119 Colour blue / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs





OEKO-TEX®

Field of use:

Mechanical and automotive industry Fluid handling Motors assembly General maintenance

NEW







GENERAL MAINTENANCE

EN 388:2016 EN 407: +A1:2018 2020 Cat. III 4121A X1XXXX



Field of use:

Automotive industry Glass industry Mechanical industry Environmental maintenance

GENERAL MAINTENANCE

EN 388:2016 EN 407: +A1:2018 2020

ULTRANE 526 GRIP&PROOF

Seamless synthetic glove / nitrile

Liner synthetic Gauge 13

Coating foamed nitrile

- · Fully nitrile coated
- Glove with special treatment after the nitrile coating, which makes the glove non-slip
- Excellent grip even on wet and oily surfaces
- Excellent abrasion e flexibility resistance
- · Silicone free
- Knitwrist cuff

Code 337088 Colour black **Sizes** 7, 8, 9, 10

Pcs. x Box 96 Pairs Min. Ord. 12 Pairs







Detachable fingerto limit the
entanglement
risk



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

(\$\$\$,

X1XXXX

Field of use:

Handling and assembly of small components Automotive industry Maintenance Mechanical industry Aviation industry Production

ULTRANE 527

Entanglement seamless glove in nylon / nitrile OEKO-TEX $^{\circ}$

LinernylonGauge 15Coatingfoamed nitrile

- Special detachable fingertips with two breaking sections which reduces the risk of entanglement into a rotary instrument
- Palm coated with foamy nitrile for increased breathability
- Short interval contact heat protection (max. 100 °C)
- · Great dexterity, flexibility and durability
- Good abrasion and wear resistance
- · Silicone DMF free
- Knitwrist cuff and breathable back

Code 353114 Colour black / grey **Sizes** 7, 8, 9, 10

Pcs. x Box 96 Pairs Min. Ord. 12 Pairs

<u>___12</u>

ULTRANE 527

Safer thank's to its detachable fingers

Specific glove for protection during maintenance work. Thanks to its special detachable fingers, it greatly limits the risk of hand injuries.

It guarantees maximum comfort even after prolonged use, thanks to the exclusive RESICOMFORT process, which allows the glove to be breathable, flexible and resistant to wear. Silicone free glove and without harmful substances (OEKO-TEX STANDARD 100. - DMF free).



HYFLEX® 11-819

ESD seamless glove in nylon-elastan-carbon / Fortix™ foamed nitrile

Liner nylon Gauge 18 elastan carbon

Coating foamed nitrile

- ESD gloves, to protect the hand agaist the electrostatic discharge
- Palm coating in Fortix[™] foamed nitrile who ensures abrasion resistance and breathability
- Ultralight, excellent sensitivity for precision works
- Good dexterity and flexibility
- OEKO-TEX® certification and Dermatest® dermatological approval
- Touchscreen technology for use on common and industrial screens
- Knitwrist cuff

Code 340049 Colour blue **Sizes** 6, 7, 8, 9, 10, 11

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



EN 388:2016 EN 16350: +A1:2018 2014 EN 388:2016 EN 16350: -41:2018 2014





Field of use: Assembly Maintenance Storage

Storage Automotive industry Engineering industry Electronic industry



Ansell

HYFLEX® 11-842

Seamless glove in recycled nylon - elastan / foamed nitrile

Liner recycled nylon Gauge 15

Coating foamed nitrile

90% recycled nylon liner, to reduce environmental impact

elastan

- Palm coating in Fortix[™] thick nitrile foam which makes the glove resistant to abrasion and extremely breathable
- Contact heat resistant (up to 100 °C)
- OEKO-TEX® certification and Dermatest® dermatological approval
- ZONZ™ Comfort Fit Technology helps improve breathability and dexterity
- Touchscreen technology for use on common and industrial screens

Code 340002 Colour green / black Sizes 6, 7, 8, 9, 10, 11

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



PRECISION WORK





OEKO-TEX®

CONFIDENCE IN TEXTILES

TANDARD 100



COMPLIANT WITH: Regulation (EU) N. 10/2011 - Regulation (EC) N. 1935/2004 - Directives 85/572/ EEC and subsequent amendments.

Field of use:

Automotive industry Metal industry Storage / Warehouse Food industry Mechanical industry Assembly

NEW



Ansell

HYFLEX® 11-561

Seamless glove in nylon-elastan / Fortix™ foamed nitrile

Liner nylon Gauge 15

Coating foamed nitrile

- Palm coating in Fortix™ thik nitrile foam very thin and elastic, which makes the glove soft, sensitive and breathable
- Excellent abrasion resistance
- · Perfect fit and sensitivity
- · Ergonomic design, seamless, comfort fit
- Knitwrist cuff and breathable back
- Suitable for food contact
- It can be used with touch screen devices

Code 340004 Colour blue / grey **Sizes** 6, 7, 8, 9, 10, 11

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs

PRECISION WORK





OEKO-TEX ®
CONFIDENCE IN TEXTILES
STANDARD 100



COMPLIANT WITH: Regulation (EU) N. 10/2011 - Regulation (EC) N. 1935/2004 - Directives 85/572/ EEC and subsequent amendments.

Field of use:

Automotive industry Maintenance Food industry Metal industry Storage / Warehouse

NEW



LATEX COATING

Flexibility, resistance and high periodical

The rubber latex has excellent elastic properties, it is flexible, soft and offers high abrasion and tear resistance. It resists water-based chemicals (acids, alcohols, bases, ketones, alcohol, saline solutions), while it is not suitable in the presence of hydrocarbons, oils, fats, lubricants and organic solvents.

Excellent comfort and excellent non-slip grip on wet surfaces and in the handling of slippery and abrasive objects.



GENERAL MAINTENANCE

EN 388:2016 +A1:2018

€ (♣)

Field of use:

Constructions Transports / Storage Automotive industry

EKO 400

Seamless glove in cotton - polyester / latex

Liner cotton Gauge 10 polyester

Coating latex

- · Palm coated with latex
- · Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back

Code 355115 Colour yellow / orange Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016



Field of use:

Constructions Transports / Storage Automotive industry

SHABU 200

Seamless glove in cotton - polyester / latex

Liner cotton Gauge 10 polyester Coating latex

- · Palm coated with latex
- Thumb fully coated for added protection of a vulnerable area
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Excellent glove when handling slippery and abrasive items
- Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 355107 Colour yellow / orange Sizes S, M, L, XL

Pcs. x Box 120 Pairs





EKO 410

Seamless glove polyester / latex

Liner polyester Gauge 13 Coating latex

- · Palm coated with latex
- · Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back

Code 355116 Colour black / purple Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 CE

Field of use: Constructions

Transports Storage / Warehouse





EKO-THERMO 450

Seamless glove synthetic fabric / latex

Liner synthetic fabric Gauge 10 Coating latex

- · Palm coated with latex
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Suitable for cold environments
- · Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back

Code 355118 Colour grey Sizes 8, 9, 10, 11

Pcs. x Box 120 Pairs

Liner

Min. Ord. 12 Pairs



Gauge 15

THERMAL PROTECTION

EN 388:2016 +A1:2018







Constructions Transports and Storage Outdoor operations





NINJA FLEX

Seamless glove nylon / latex nylon

Coating latex

- Palm coated with ultralight latex for maximum flexibility and durability
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- · Ergonomic design, seamless, comfort fit
- Knitwrist cuff and breathable back
- · Antibacterial treatment Sanitized®

Code 355108 Colour red / grey Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018







Field of use:

Constructions Transports Storage / Warehouse







GENERAL MAINTENANCE

EN 388:2016 EN 407: +A1:2018 2020 () ()





X2XXXX

Field of use:

General maintenance Constructions Gardening Storage e Warehouse

PLANET RAW

Seamless glove in cotton-recycled polyester/ latex crinkle coating

Liner cotton Gauge 13 polyester recycled latex crinkle

Coating

Crinkle latex coating that guarantees excellent

- grip in dry and humid environments Breathable fabric, allows the hand to stay dry and
- comfortable
- Good mechanical, cut-resistant (B) and antiabrasion protection
- Protection, for short moments, from contact heat up to 250°C
- Realized through production process careful to water saving and respect for the environment
- Antibacterial treatment Sanitized®

Code 355121 Colour beige / olive green **Sizes** 7, 8, 9, 10, 11

Pcs. x Box 60 Pairs Min. Ord. 6 Pairs





GENERAL MAINTENANCE

EN 388:2016 +A1:2018

(E 🕒

Field of use:

General maintenance Constructions DIY

SHABU FLEX

Seamless glove nylon / latex

Liner nylon Gauge 13 Coating latex

- Palm coated with a special soft latex foam
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- High wear and tear resistance, exceptional flexibility, good tactile sensitivity
- Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back

Code 355104 Colour grey / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018

Field of use:

General maintenance Constructions DIY

SHABU FLEX HV

Seamless glove nylon / latex

Liner nylon Gauge 13 Coating latex

- Palm coated with a special soft latex foam
- · Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Yellow fluo liner for higher visibility when used in half-light or low visibility conditions
- High wear and tear resistance, exceptional flexibility, good tactile sensitivity
- Knitwrist cuff and breathable back

Code 355103 Colour yellow fluo / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs





480

Seamless glove in polyester - elastan / latex

Liner polyester Gauge 13 elastan

Coating latex

- Palm coated with a special latex foam
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- High flexibility and dexterity
- Ergonomic design, seamless, comfort fit
- Knitwrist cuff and breathable back

Code 355133 Colour camouflage green / **Sizes** 8, 9, 10 black

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GARDENING / DIY

Cat. II 2121X

Field of use:

Gardening General maintenance DIY





450 GARDEN

Seamless glove in polyester / latex

Liner polyester Gauge 13
Coating latex

- Palm coated with a special latex foam
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Box of 12 assorted pairs with 2 differents colour fantasy
- · Knitwrist cuff and breathable back

Code 355131 Colour assorted Sizes 7, 8, 9

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GARDENING / DIY

C E EN 388 2016

Cat. II 2121X

Field of use: Gardening General maintenance





SHABU KIDS

Seamless glove nylon / latex

Liner nylon Gauge 13
Coating latex

- Palm coated with a special and soft latex foam
- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- It's not a working glove but for DIY and hobbies
- Kids' size
- High wear resistance and flexibility
- Knitwrist cuff and breathable back

 Code 355111
 Colour light blue / blue
 Sizes 5, 6

 Code 355112
 Colour pink
 Sizes 5, 6

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs

FOR KIDS

Not PPE

Field of use: School activities Gardening DIY







SPONGY FLEX

Rubberized effect

The rubbery effect of the latex foam applied to the coating makes this glove unique.

Flexible and soft, this particular coating, rubbery to the touch, ensures unique anti-slip properties, allowing a prolonged use in the presence of both wet/oily and dry surfaces. The user's feeling of comfort is enhanced by the total absence of seams and its ergonomics, for an unbeatable benefit of the hand. The fluorescent yellow color, in low light, can help make the glove more visible, increasing the users' safety.

GENERAL MAINTENANCE

CE

EN 388: 2016

Field of use:

Constructions General maintenance Gardening DIY

SPONGY FLEX

Seamless glove in polyester / latex

Liner polyester Gauge 13 Coating latex

- Palm coated with a special soft latex foam with gummy effect and "embossed" finish for extraordinary dry and wet grip
- Yellow fluo liner for higher visibility when used in half-light or low visibility conditions
- High wear resistance and flexibility
- Ergonomic design, seamless, comfort fit
- Knitwrist cuff and breathable back

Code 355150 Colour yellow fluo / black Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018





Field of use:

Constructions General maintenance Gardening DIY

HIVE FLEX

Seamless glove in polyester / latex

Liner polyester Gauge 13 Coating latex

- Lightweight, flexible and breathable polyester liner for perfect fit and comfort
- Foam latex coating with embossed finish on palm, for excellent grip and anti-slipping properties
- Fluo colour to promote use also in conditions of poor visibility
- Good abrasion and wear resistance
- Ergonomic design, seamless, comfort fit
- Knitwrist cuff and breathable back

Code 355156 Colour yellow fluo / blue Sizes 7, 8, 9, 10

Pcs. x Box 120 Pairs





SUPERPROTEC

Seamless glove cotton - polyester / latex

Liner cotton Gauge 7 polyester Coating latex

- Wrinkle finish for extraordinary grip both on dry and wet surfaces
- Excellent abrasion, tear and wear resistance
- · Additional reinforcement on thumb for extra protectionof a vulnerable area
- Back slightly coated with latex to increase protection levels
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 355050 Colour white / orange Sizes L

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs

GENERAL MAINTENANCE

EN 388: 2016 旦



Field of use:

Storage / Warehouse General maintenance Constructions Handling of metal objects





HYDRO-FLEX

Seamless glove in nylon-elastan / latex

Liner nvlon Gauge 15 elastan Coating latex

- Palm coated with NFT™ latex (New Foam Technology™) for superior grip even in the presence of liquids and/or oils
- High flexibility and dexterity
- · Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back
- Antibacterial treatment Sanitized®

Code 355136 Colour green / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:



Field of use: General maintenance Assembly

Storage / Warehouse Transports






HIVE FLEX

Foamed latex coating

Thanks to the particular honeycomb design it guarantees excellent grip and excellent non-slip properties, both on dry and wet surfaces.

Rubber latex has excellent elastic properties and offers good abrasion and tear resistance.

Its characteristic yellow fluo colour allows it to be a very effective product even in low visibility environments, thus increasing the safety level.





GENERAL MAINTENANCE

EN 388:2016 +A1:2018

Field of use:

Constructions General maintenance Gardening General engineering

SQUIDDI AERATO

Seamless glove nylon / latex

Liner nylon Gauge 13 Coating latex

- Palm, fingers and knuckle latex coated
- Additional sandy latex coating on palm for extraordinary grip on all surfaces
- The double coating leaves the hand cleaner for oily material handling and improves the wear resistance
- High dexterity
- Ergonomic design, seamless, comfort fit
- Knitwrist cuff and partially breathable back

Code 355154 Colour grey / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





Breathable back more freshness in the hand

Double coating for an extraordinary grip and an excellent anti-slip effect on both dry and wet surfaces



SQUIDDI AERATO

Sandy latex

Three-quarter coating version of the Squiddi glove. The nylon liner is partially covered (palm, fingers and knuckles) by a latex layer. The coating is flexible, soft and offers excellent abrasion and tear resistance, increasing the life of the glove and improving comfort. This glove also boasts a revolutionary additional latex coating sandblasted on the palm, which optimizes the grip, ensuring an excellent non-slip effect on all surfaces, even in the presence of liquids and/ or oily substances.





Field of use:

Gardening Mechanical industry

Constructions General maintenance





SOUIDDI

Liner nylon Gauge 13 Coating latex

• Fully latex coated for total protection

Seamless glove in nylon / latex

- · Additional sandy latex coating on palm for extraordinary grip on all surfaces
- The double coating lets the hand more dry and improves the wear resistance
- · High dexterity
- Ergonomic design, seamless, comfort fit
- Knitwrist cuff and breathable back

Code 355153 Colour grey / black Sizes 8, 9, 10

Pcs. x Box 120 Pairs







ICE FLEX

Seamless glove acrylic - polyester / latex

Liner acrylic Gauge 15 polyester Coating latex

- Special terry acrylic-polyester heating liner
- Fully smooth latex coating for extended protection and extra sandy latex coating on palm for superior grip and increased anti-slip effect
- · Good resistance to convective and contact cold, suitable for work in cold environments
- Good abrasion and tear resistance
- Excellent comfort and flexibility
- · Ergonomic design, seamless, comfort fit
- · Knitwrist cuff

Code 355162 Colour orange / black Sizes 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



THERMAL PROTECTION

(正)





General maintenance Storage / Warehouse **Transports** Outdoor activies Cold environments works





COLD TEK

Seamless glove in acrylic - polyester / latex

Liner acrvlic Gauge 13+10 polyester Coating latex

- Fine gauge liner with brushed acrylic wool insert keeps hand insulated and warm in cold enviroments
- Fully coated with breathable foam latex and micro-crinkle second knukle coating provieds extra dry and wet grip and water resistance
- Protection, for short moments, from contact heat up to 250°C
- Excellent flexibility and dexterity
- Ergonomic design, extremely soft and comfortable
- Knitwrist cuff and side opening
- Antibacterial treatment Sanitized®

Sizes ${\sf S}$, ${\sf M}$, ${\sf L}$, ${\sf XL}$, ${\sf XXL}$ Code 355163 Colour red / black

Pcs. x Box 72 Pairs Min. Ord. 6 Pairs



THERMAL PROTECTION

EN 388:2016 EN 407: +A1:2018 2020 X2XXXX





Field of use:

General maintenance Mechanical industry Storage / Warehouse Transports Outdoor activies Cold environments works



PLANET WINTER

Seamless glove cotton-polyesterregenerated viscose/latex crinkle

Liner cotton Gauge 15+10 polyester recycled regenerated viscose

Coating latex crinkle

- · Natural crinkle latex coating that guarantees excellent grip in dry and humid environments
- Soft, durable and flexible coating that makes it comfortable to use
- Protection, for short moments, from cold by contact and contact heat up to 250°C
- Good mechanical protection with tamper (B) and anti-abrasion
- Realized through production process careful to water saving and respect for the environment
- Antibacterial treatment Sanitized®

Code 355119 Colour white / olive green **Sizes** 7, 8, 9, 10, 11



THERMAL PROTECTION











Field of use:

Outdoor and cold temperatures works Storage / Warehouse Constructions Gardening General maintenance





LATEX COATED JERSEY GLOVES

Grip and resistance

The base is the most natural that a glove can offer, cotton. The cotton liner promotes the absorption of sweat and optimizes the comfort of fit. The ergonomic shape offers more freedom of movement of the fingers.

The latex coating ensures excellent grip and greater resistance to abrasion and tearing. Thanks to the safety hose, the glove is an excellent tool for protecting the hand during heavy work.





GENERAL MAINTENANCE

EN 388 2016

Field of use:

Constructions General maintenance Ecological operations Agriculture

WORK ORIGINAL

Latex coated cotton canvas glove

Liner cotton Gauge 7
Coating latex

- · Palm, fingers and knuckles coated
- Cut and wear resistant, with crinkle finish for extra grip and strenght
- · Cotton canvas safety cuff

Code 355025 Colour beige / yellow Sizes 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388: 2016

Field of use:

Constructions General maintenance Ecological operations Agriculture

LISA-C

Latex coated cotton Jersey glove

Liner cotton
Coating latex

- Palm, fingers and knuckles coated
- With crinkle finish for extra grip and strenght
- · Cotton canvas safety cuff

Code 355010 Colour beige / yellow Sizes 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs





TOWa **MICROFINISH®**

The smart grip

Microscopic pockets: create a vacuum allowing the dispersion of liquids

Towa gloves have a special feature; the new Microfinish® techology applied to the coating, with a unique glove surfacing process.

The MicroFinish® technology actually takes an opposite approach. A soft and flexible compound is used and is filled with thousands of microscopic pockets which, in contact with a surface, create a vacuum effect (like small suction cups) that disperses fluids and allows the entire grip surface to make clean contact with the object obtaining a secure and better grip on both wet and dry surfaces.



POWERGRAB®

Seamless glove in cotton - polyester / latex

Liner cotton Gauge 10 polyester Coating latex

- · Palm coated with latex
- · Thumb fully coated for added protection of a vulnerable area
- · High dexterity and tear resistance
- · Excellente dry and wet grip
- Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back

Code 355120 Colour yellow / blue Sizes 8, 9, 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE



Field of use:

Storage e Warehouse General maintenance Constructions Handling of metal objects



TOWa

POWERGRAB® PLUS

Seamless glove in cotton-polyester / latex

Liner cotton Gauge 10 polyester Coating latex

- · Palm coated with latex with Microfinish® technology, for outstanding grip both on wet and dry surfaces
- Thumb fully coated for added protection of a vulnerable area
- Excellent dexterity and high puncture and tear resistance
- · Ergonomic design, seamless, comfort fit
- · Knitwrist cuff and breathable back

Code 355123 Colour grey / blue Sizes 9. 10



Code 355126 Colour yellow / blue

Sizes 8, 9, 10

GENERAL MAINTENANCE

FN 388:

(<u>a</u>

Cat. II 3142X

MicroFinish"





Maintenance Constructions







THERMAL PROTECTION







MicroFinish™

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



Field of use:

Constructions Storage Steel handling Maintenance

POWERGRAB® THERMO

Seamless glove in acrylic - polyester / latex

Gauge 10

Liner acrylic polyester Coating latex

- Special acrilic-polyester thermal yarn liner for excellent protection from cold
- Palm coated with latex with Microfinish® technology for outstanding grip on dry surfaces
- Short-time contact heat protection (max. 250°C)
- Thumb fully coated for added protection of a vulnerable area
- · Knitwrist cuff and breathable back

Code 355122 Colour orange / brown Sizes 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 6 Pairs





POWERGRAB

Unique grip, strength and durability

Seamless supports to increase comfort and improve fit.

Fully covered thumb, for greater safety. Special Microfinish® slip technology for an exceptional grip on both dry and wet surfaces.



THERMAL PROTECTION







Cat. II

MicroFinish[™]

OEKO-TEX®



Field of use:

Constructions Storage Steel handling Maintenance

POWERGRAB® THERMO 3/4

Seamless glove in acrylic - polyester / latex

Liner acrylic Gauge 10 polyester

Coating latex

- Special acrilic-polyester thermal yarn liner for excellent protection from cold
- Palm coated with latex with Microfinish® technology for outstanding grip and extra coating back (fingers and knukles) for extended protection against dirt
- Thumb fully coated for added protection of a vulnerable area
- · Knitwrist cuff

Code 355127 Colour yellow / marrone **Sizes** 9, 10

Pcs. x Box 72 Pairs Min. Ord. 6 Pairs



ACTIVGRIP XA 324

Seamless glove 100% nylon / latex

Liner 100% nylon Gauge 13 Coating latex

- · Palm coated with latex with Microfinish® technology for outstanding grip and extra coating back (fingers and knukles) for extended protection against dirt
- · Fully coated thumb provides more safety and protection
- High dexterity
- · Knitwrist cuff and breathable back

Code 355146 Colour black / blue-grey Sizes 8, 9, 10

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE



(<u>1</u> Cat. II

MicroFinish[™]

OEKO-TEX®

CONFIDENCE IN TEXTILES

STANDARD 100



Field of use:

Gardening / Agriculture Packaging / Shipping Maintenance Assembly



ACTIVGRIP

Higher technology grip

Double latex coating with non-slip Microfinish® technology for exceptional grip on both dry and wet surfaces. Ideal for use in gardening and agriculture, packaging, storage, assembly and maintenance activities.



ACTIVGRIP LITE

Seamless glove 100% polyester / latex

Liner 100% nylon Gauge 13 Coating latex

- Palm coated with soft and resistant latex with Microfinish® technology for outstanding grip on dry surfaces
- Lightweight, flexible and breathable polyester lining for a perfect fit and comfort
- Fluo colour to promote use also in conditions of poor visibility
- · Knitwrist cuff and breathable back

Code 355144 Colour yellow fluo / blue Sizes 8, 9, 10

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs









MicroFinish™ OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



Field of use:

Gardening / Agriculture Packaging / Shipping Maintenance Assembly





700 SERIES

longer life.

heav -duty jobs

Ultralight and thin, they offer the

comfort of cotton gloves, light leather

and PVC resin, but with an extremely

The slightly rough surface allows a

better grip and high resistance to

abrasion, oils and/or greases.

longer life.

particular compound make it a high

Legenda Packaging:







900 SERIES

Partially aerated on the back, or completely covered, with a smooth or wrinkled finish, they are still the best alternative to leather gloves, ensuring a

The antibacterial treatment and the quality product.

1000 SERIES

About 10% lighter coating than the 900 series, but with the same compound, the 1000 Series guarantees a greater handling where the use provides mechanical characteristics of slightly lower.

ULTRALITE CEBIN

GENERAL MAINTENANCE

EN 388:2016 +A1:2018





Field of use:

Constructions Light mechanical operations Light metal carpentry General maintenance

700 Series

ULTRALITE

NBR coated cotton jersey glove

Liner cotton Coating NBR

- Palm, fingers and knuckles coated
- Slightly rough outside
- Extralight, excellent comfort
- Good resistance to abrasion, grease and oil, hydrocarbons and dirt
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 350035 Colour white / yellow Sizes 7, 8, 9, 10

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018



(<u>1</u>



Field of use:

Constructions Light mechanical operations Light metal carpentry General maintenance

700 Series

LITE 781

NBR coated cotton jersey glove

Liner cotton Coating NBR

- · Palm, fingers and knuckles coated
- · Slightly rough outside
- Lightweight and durable
- Good resistance to abrasion, grease and oil, hydrocarbons and dirt
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 350033 Colour white / blue Sizes 7, 8, 9, 10

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs





700 Series

FLEXY-LITE

NBR coated cotton jersey glove

Liner cotton Coating NBR

- · Palm, fingers and knuckles coated
- · Slightly rough outside
- Lightweight and flexible
- Good resistance to abrasion, grease and oil, hydrocarbons and dirt
- Knitwrist cuff
- Antibacterial treatment Sanitized®

Code 350042 Colour white / green water Sizes 7, 8, 9, 10

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



EN 388:2016 +A1:2018 **E** 🕒 Field of use:

GENERAL MAINTENANCE

Constructions Light mechanical operations Light metal carpentry General maintenance





700 Series

GOBI

NBR coated cotton jersey glove

Liner cotton **NBR** Coating

- Palm, fingers and knuckles coated
- Slightly rough outside
- · Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- · Knitwrist cuff and partially aerated back
- Antibacterial treatment Sanitized®

Code 350050 Colour white / yellow Sizes 7, 8, 9, 10

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018





Field of use:

Constructions Light mechanical operations Light metal carpentry General maintenance





700 Series

7030

NBR coated cotton jersey glove

Liner cotton Coating NBR

- · Fully coated
- Slightly rough outside
- Extralight
- Excellent resistance to grease and oil, hydrocarbons and dirt
- · Lenght cm 31
- · Pinked, long cuff
- Antibacterial treatment Sanitized[®]

Code 350031 Sizes 7, 8, 9, 10 Colour yellow

Min. Ord. 12 Pairs Pcs. x Box 144 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018









Field of use:

Constructions Light mechanical operations Light metal carpentry General maintenance







GENERAL MAINTENANCE

EN 388:2016 +A1:2018 **(€ (±**)

Field of use:

Maintenance Light mechanical operations Light metal carpentry Warehouse / Storage

700 Series

SONORA

NBR coated cotton jersey glove

Liner cotton Coating NBR

- · Palm, fingers and knuckles coated
- · Knitwrist cuff and partially aerated back

Code 353049 Colour white / yellow Sizes 7, 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018

C €

Field of use:

Maintenance Light mechanical operations Light metal carpentry Warehouse / Storage

Brok Series

BROK 600

NBR coated cotton jersey glove

Liner cotton Coating NBR

- Palm, fingers and knuckles coated
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- Knitwrist cuff
- · Partially aerated back

Code	Colour	Sizes
353043	white / blue	8, 9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018

CE 🖳

Field of use:

Maintenance Light mechanical operations Light metal carpentry Warehouse / Storage

Serie Brok

BROK 650

NBR coated cotton jersey glove

Liner cotton Coating NBR

- Fully coated
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- · Knitwrist cuff

Colour Sizes 353044 white / blue 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs





Serie Brok

BROK 700

NBR coated cotton jersey glove

Liner cotton
Coating NBR

- · Palm, fingers and knuckles coated
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- · Cotton canvas safety cuff

Code	Colour	Sizes
353045	white / blue	9, 10

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 4121X

Field of use:

Maintenance
Light mechanical
operations
Light metal carpentry
Warehouse / Storage





Serie Brok

BROK 800

NBR coated cotton jersey glove

Liner cotton
Coating NBR

- · Fully coated
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- Cotton canvas safety cuff

Code	Colour	Sizes
353047	white / blue	10, 11

Pcs. x Box 120 Pairs **Min. Ord.** 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 4121X

Field of use:

Maintenance Light mechanical operations Light metal carpentry Warehouse / Storage





CACAO

Nitrile coated cotton jersey glove

Liner cotton
Coating NBR

- Palm, thumb and forefinger fully coated
- Cotton canvas back
- · With vein and knuckles protection
- Durable, high protection against abrasion
- Oil-repellent
- Cotton canvas safety cuff

Code 353013 Colour white / brown Sizes 9, 10

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2016 +A1:2018 Cat. II 2110X

Field of use:

Maintenance Light mechanical operations Warehouse / Storage







GENERAL MAINTENANCE

EN 388:2016 EN 407: +A1:2018 2020









Field of use:

General maintenance Mechanical industry Light metal carpentry

900 Series

901 / 902 BOXER

NBR coated cotton jersey glove

Liner cotton Coating **NBR**

- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- · Knitwrist cuff
- Antibacterial treatment Sanitized®

Code	Coating	Colour	Sizes
350010 901 BOXER	palm, fingers, knuckles	white / blue	S, M, L
350011 902 BOXER	full	white / blue	L

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs









GENERAL MAINTENANCE

EN 388:2016 EN 407: +A1:2018 2020 CE (\$\$\$)





Field of use:

General maintenance Mechanical industry Metal carpentry

900 Series

911 / 912 BOXER

NBR coated cotton jersey glove

Liner	cotton	
Coating	NBR	

- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- · Cotton canvas safety cuff
- Antibacterial treatment Sanitized®

Code	Coating	Colour	Sizes
350013 911 BOXER	palm, fingers, knuckles	white / blue	S, M, L
350015 912 BOXER	full	white / blue	M, L

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs







GENERAL MAINTENANCE

EN 388:2016 +A1:2018







Field of use:

General maintenance Mechanical industry Light metal carpentry

900 Series

NBR fully coated cotton jersey glove

Liner cotton Coating NBR

- · Fully coated
- Smooth outside
- · Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- Lenght cm 27
- · Pinked, long cuff
- Antibacterial treatment Sanitized®

Code 350017 Colour blue Sizes 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs





900 Series

935/RG

NBR fully coated cotton jersey glove

Liner cotton
Coating NBR

- Fully coated
- Slightly rough outside for better grip
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- Protection against chemical products and micro-organisms
- · Lenght cm 35
- · Pinked, long cuff
- Antibacterial treatment Sanitized®

 Code 350025
 Colour blue
 Sizes L

 Pcs. x Box 120 Pairs
 Min. Ord. 12 Pairs







900 Series

7032

NBR fully coated cotton jersey glove

Liner cotton
Coating NBR

- Fully coated
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- Lenght cm 27
- · Cotton interlock safety cuff coated with NBR
- Antibacterial treatment Sanitized®

Code 350034 Colour blue Sizes 9, 10

Pcs. x Box 144 Pairs Min. Ord. 12 Pairs



EN 388:2016 +A1:2018



Field of use:

General maintenance Constructions Mechanical industry Light metal carpentry





1000 Series

1012

NBR coated cotton jersey glove

Liner cotton
Coating NBR

- · Fully coated
- Excellent resistance to abrasion, grease and oil, hydrocarbons and dirt
- Approx. 10% lighter than Boxer 900 series
- Cotton canvas safety cuff
- Antibacterial treatment Sanitized®

Code 350064 Colour white / blue Sizes L

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



GENERAL MAINTENANCE

EN 388:2 +A1:20' Cat. II 3111X



Field of use:

General maintenance Constructions Mechanical industry Light metal carpentry





INDUSTRIAL/ HOUSEHOLD LATEX GLOVES

The most elastic and comfortable

Packaging Legend:



HANGTAG



SINGLE PAIR BAG



BUNDLE

The thickness of the glove guarantees the hand exceptional tactile sensitivity and high flexibility, preserving protection and comfort.

The cotton internal flocking facilitates the fit of the glove and allows you to wear it even for prolonged periods of time, thanks to the high breathability. The external knurling allows to have a good grip in case of manipulations of objects and slippery materials.

Latex offers light chemical protection (e.g. detergents, water-based chemicals, salt solutions, etc.). It is not recommended to use in case of handling in contact with hydrocarbons, oils, fats, petroleum derivatives, organic solvents, etc.



CHEMICAL PROTECTION



Cat. I

Field of use:

Home use Light cleaning operations

LISETTA

Natural latex glove

Material latex

Thickness 0,35

mm

Interior chlorinated

- · Chlorinated finish
- Exterior embossed texture on palm and fingers for increased grip
- Rolled cuff for ease of use
- · Lenght 31 cm

Code 345060 Colour yellow

Sizes S, M, L, XL

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs







CHEMICAL PROTECTION



Cat. I

Field of use: Home use Light cleaning operations

BICOLOR

Natural latex glove

Material latex
Interior flocked

Thickness 0,4 mm

• Cotton flocklining absorbs perspiration and improves comfort

- · Exterior non-slip pattern for increased grip
- HypoallergenicConfortable and
- Confortable and durable
- Length 30 cm

Code 345075 Colour yellow / green Sizes S, M, L, XL

Pcs. x Box 120 Pairs

Min. Ord. 12 Pairs





NERO CINA

Natural latex glove

Thickness 0,55 mm Material latex Interior chlorinated

- Smooth inside
- Exterior embossed texture on palm and fingers for increased grip
- Length 33.5 cm

Code 346026 Colour black Sizes M, L, XL

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



EN 388:2016 +A1:2018 **C E**

Field of use:

Home use Light cleaning operations General maintenance



OLIMPIC

Natural latex glove

Material Thickness 0,35 latex mm

Interior chlorinated

- · Smooth inside
- Exterior embossed texture on palm and fingers for increased grip
- Length 30.5 cm

Code 345029 Colour straw Sizes 7, 8, 9

Pcs. x Box 120 Pairs Min. Ord. 12 Pairs



2016 CE







Home use Cleaning operations Pharmaceutical industry General maintenance





INDUSTRIAL

Natural latex glove

Material Thickness 0,9 mm Interior flocked

- Internal latex coating + cotton flocklining which absorbs perspiration and improves comfort
- Exterior non-slip pattern
- External silicone treatment
- · Length 30 cm

Code 346035 Colour arancio Sizes 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 50 Pairs Min. Ord. 10 Pairs



CE Cat. III 3121X AKLMPT

Field of use:

Home use Cleaning operations Pharmaceutical industry General maintenance





INDUSTRIAL/HOUSEHOLD - LATEX



EN 388: 2016





ALTO 258

Natural latex glove

Material Thickness 0,6 mm latex Interior flocked

- · Cotton flocklining absorbs perspiration and improves comfort
- Exterior embossed texture on palm for increased grip
- External silicone treatment
- Good resistance to many diluted acids
- Length 32 cm

Code 345020 Colour yellow Sizes 6-61/2, 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 100 Pairs

Min. Ord. 10 Pairs







Small parts assembly

Aviation industry Chemical industry

Field of use: Mechanical industry

EN 388: 2016











Field of use:

Cat. III

Cleaning operations Cleaners handling Small parts assembly Mechanical industry

VITAL 124

Natural latex glove

Material latex

Thickness 0,35 mm

Interior flocked

- Cotton flocklining absorbs perspiration and improves comfort
- Exterior embossed texture on palm and fingers
- External silicone treatment

Length 31 cm

Code 345072 Colour yellow

Sizes 6-61/2, 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 100 Pairs

Min. Ord. 10 Pairs







(<u>I</u>

0010X











COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

Field of use:

Cleaning operations Cleaners handling Small parts assembly Mechanical industry

VITAL 175

Natural latex glove

Material latex Thickness 0,45 mm

Interior smooth

- · Smooth inside
- Exterior pebbled finish
- Chlorinated finish for better protection of products being handled
- Dexterity and flexibility in light aggressive environments
- Lenght 31 cm

Code 349035 Colour natural

Sizes 6-61/2, 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 100 Pairs Min. Ord. 10 Pairs






GRAP BLU

Maximum comfort in aggressive environments

Thicker and stronger than the natural latex gloves. They offer excellent protection and durability. They protect against liquids and water-based detergents. They are also recommended in case of heavy or intensive handling.

The external knurling allows to have a good grip in case of manipulation of slippery objects.



GRAP BLU

Natural latex glove

Material latex Thickness 1,38 Interior cotton

- 100% cotton flocklining absorbs perspiration and improves comfort
- Exterior pebbled finish
- Short-time contact heat protection (max. 250°C)
- · Lenght 30 cm
- Antibacterial treatment Sanitized®

Code 346050 Colour blue Sizes 8, 9, 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



EN 407: 2004 CE (라 Cat. III

3131X X2XXXX







Field of use:

_ 12

Constructions Aviation industry Mechanical industry Cleaners handling





JERSETTE 301

Natural latex glove

Material latex Thickness 1,15 mm Interior flocked

- · Cotton flocklining absorbs perspiration and improves comfort
- Exterior pebbled finish
- · Maximum comfort for long-term work in aggressive environments
- Lenght 29/33 cm

Code 355040 Colour blue Sizes 5-51/2, 6-61/2, 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 50 Pairs Min. Ord. 5 Pairs





Field of use: Constructions Aviation industry Mechanical industry

Cleaners handling







CORIANDER

New high performance glove for the food industry


Glove with textile support in cotton entirely coated with natural latex. Made with a crickle finish to facilitate grip and increase grip, even in wet and oily environments.

Excellent mechanical strength and good heat resistance by contact, as well as good protection against bacteria and chemical agents. Thanks to the treatment it is suitable for food contact.











EN 388:2016 +A1:2018

3131X



EN 407:2020 (88) X2XXXX

EN ISO 374-1: 2016+A1:2018 EN ISO TYPE B 374-5:2016



Cat. III





N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

Field of use:

Food industry Chemical and petrochemical industry Fishing industry Maintenance Assembly

CORIANDER

Guanti interamente spalmati in latex crinkle

Material Thickness 2,00 mm latex Interior cotton

- · Interior natural latex coating with double finishing for excellent precision
- · Cotton liner for a better comfort and wet absortion
- Crinkle coating for a better grip
- Food contact certified
- Resistant to chemical products and bateria (see legislation)
- Good mechanical and contact heat resistance
- · Lenght: 30 cm

Code 346052 Colour light blue **Sizes** 6,5 - 7,5 - 8,5

Pcs. x Box 60 Pairs Min. Ord. 6 Pairs





PARAZIGRINATO

Natural latex glove

Material latex Interior textile

- · Crinkle finish on palm and back for superior grip
- Smooth inside
- · Rolled cuff for ease of use

Code	Sizes	Leng. cm	Pcs. x Box	Min. Ord.
356010	9, 10, 11	35	72 Pairs	12 Pairs
356012	10, 11	45	72 Pairs	12 Pairs
356015	9, 10	60	36 Pairs	1 Pair



CHEMICAL PROTECTION



Field of use: Constructions Industry Light mechanical operations General maintenance





HARPON 321

Natural latex glove

Material latex Thickness 1,35 mm Interior textile

- Textile lining for better comfort
- Exterior reinforced grip for better handling in wet environments
- Comfort and safety when gripping heavy, rough or slippery objects in highly aggressive environments
- · Length 32 cm

Code 355042 Colour orange

Sizes 6-6½, 7-7½, 8-8½, 9-9½, 10-10½

Pcs. x Box 50 Pairs Min. Ord. 5 Pairs



CHEMICAL PROTECTION



Field of use: Fishing Frozen products handling Paint shops





HARPON 326

Natural latex glove

Material latex Thickness 1,35 mm
Interior textile

- Textile lining for better comfort
- Exterior reinforced grip for better handling in wet environments
- Suitable for food contact (Regulation (EC) nr. 1935/2004)
- · Suitable for meat processing, oily food, fish, etc.
- Length 32 cm


Code 355044 Colour blue Sizes 7-7½, 8-8½, 9-9½, 10-10½

Pcs. x Box 50 Pairs Min. Ord. 5 Pairs



CHEMICAL PROTECTION





Field of use:

Fishing industry Food industry Handling fresh and slippery products Fishing







Flexibility and excellent chemical protection

Being a very flexible material, neoprene gloves are particularly resistant to water and are resistant to sun, chemicals and abrasion.

They are also widely used in the civil field, to perform work in the hydraulic, electronic and mechanical fields.

Neoprene and latex gloves are for all intents and purposes work gloves able to protect the hands of those who work in contact with chemicals, such as acids or caustic substances.



2016 TYPE B CEL

, B

Cat. III 2121X JKLNPT

Field of use:

Agricolture Chemical industry e petrolchimica Refineries Industrial cleaning

NEO ECO

Neoprene glove

Material Thickness 0,67 mm Interior flocked

- Cotton flocklining absorbs perspiration and improves comfort
- · Good grip, due to the embossed texture

· Length 32 cm

Pcs. x Box 120 Pairs

Code 348085 Colour black Sizes M, L, XL

Min. Ord. 12 Pairs







EN ISO 374-1: EN ISO 2016 TYPE B

88



2110X

Field of use:

Chemical industry Industry Light mechanical operations Cleaning operations

NEOLATEX

Natural latex glove/neoprene

Material Thickness 0,7 mm latex neoprene Interior flocked

- Cotton flocklining absorbs perspiration and improves comfort
- · Exterior lozenge motif provides superior dry and wet grip
- · External silicone treatment
- Lenght 30 cm

Code 345040 Colour yellow / blue Sizes 5-51/2, 6-61/2, 7-71/2, 8-81/2, 9-91/2, 10-101/2

Min. Ord. 10 Pairs Pcs. x Box 100 Pairs





CLIPPER

Neoprene glove

Material Thickness 0,75 mm neoprene Interior flocked

- · Cotton flocklining absorbs perspiration and improves comfort
- · Good grip, due to the embossed texture
- · External silicone treatment
- · For light chemical protection
- · Lenght 30 cm

Code 348070 Colour black

Sizes 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 100 Pairs

Min. Ord. 10 Pairs



EN ISO 374-1: EN 388:2016 2016+A1:2018 +A1:2018 TYPE B









Field of use:

Chemical industry Light mechanical operations Industrial cleaning Agricolture





ALTO 415

Natural latex glove / neoprene

Material Thickness 0.6 mm latex neoprene Interior flocked

· Cotton flocklining absorbs perspiration and

- improves comfort · Good grip, due to the non-slip embossing
- Compliant with the legislation F.D.A. for food contact
- Fine touch
- · Length 32 cm

Code 348020 Colour black Sizes 7-71/2, 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 100 Pairs Min. Ord. 10 Pairs



EN ISO 374-1: : 2016 Type B









 $C \in$



Field of use:

Automotive industry Mechanical industry Industrial cleaning Working with composite materials



ULTRANEO 450

Neoprene glove

Material neoprene Thickness 0,75 mm Interior flocked

- Cotton flocklining absorbs perspiration and improves comfort
- · Good grip, due to the embossed texture
- · Extremely flexible
- · Length 41 cm

Code 348050 Colour black Sizes 8-81/2, 9-91/2, 10-101/2

Pcs. x Box 50 Pairs Min. Ord. 10 Pairs



EN ISO 374-1: EN ISO 3: 2016 374-5: Type B 2016 CEL












Automotive industry Mechanical industry Industrial cleaning Chemical industry







Less flexible than latex and neoprene, nitrile offers a good barrier for working with solvents, oil-based chemicals, oils, animal fats, petroleum derivatives and ensures excellent abrasion resistance. Nitrile glove is not recommended for use in cold environments (as it tends to stiffen) and in prolonged contact with strong oxidizing acids and ketones.



EN ISO EN ISO EN 388: 374-1:2016 374-5: 2016 TYPE B 2016

4101X

CEL









Field of use:

Mechanical industry Chemical industry Contact with solvents Assembly

NITECO

Nitrile glove

Material Interior flocked

Thickness 0,40 mm

Sizes 7 8 9 10 11

· Cotton flocklining absorbs perspiration and improves comfort

Min. Ord. 12 Pairs

- · Silicone-free
- External non-slip pattern
- · Length 32 cm

Pcs. x Box 120 Pairs

Code 349026 Colour green







EN ISO EN ISO EN 388: 374-1:2016 374-5: 2016 TYPE B 2016









COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

Field of use:

Mechanical industry Chemical and petrochemical industry Assembly Food industry

NITRALIGHT

Nitrile glove

Material Interior

nitrile chlorinated Thickness 0.22 mm

- Chlorinated
- · External non-slip pattern provides good grip
- · Excellent tactile sensitivity (extremely thin, is a good compromise between a disposable glove and a classic industrial nitrile glove)
- · Suitable for food contact
- Lenght 33 cm

Pcs. x Box 144 Pairs

Code 349018 Colour light blue Sizes 7, 8, 9, 10

Min. Ord. 12 Pairs





RNF-15

Nitrile glove

Material nitrile Thickness 0,40 mm Interior flocked

- · Cotton flocklining absorbs perspiration and improves comfort
- External non-slip pattern
- · Silicone-free
- Comfortable and resistant (excellent abrasion resistance)
- · Suitable for food contact
- · Lenght 33 cm

Code 349024 Colour green Sizes 7, 8, 9, 10, 11

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



EN ISO EN ISO EN 388: 374-1:2016 374-5: 2016 TYPE A 2016 CE (B) 4101X JKLOPT COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

Field of use:

Mechanical industry Chemical and petrochemical industry Food industry Chemical laboratories Pharmaceutical industry



RNF-15

Barrier against chemicals and microorganisms

Thanks to their structure, they are gloves that provide high protection against oily-based chemicals (solvents, oils, animal fats, hydrocarbons and derivatives, paints, paints, etc.) and provide excellent abrasion resistance.

Excellent grip in humid and oily environments, thanks to the knurling on the palm.

Knurling on the palm excellent grip



ULTRANITRIL 480

Nitrile glove

Material nitrile Thickness 0,55 mm Interior chlorinated

- Chlorinated
- · Silicone-free
- External non-slip pattern
- Compliant with the legislation F.D.A. for food contact
- Pesticide protection (ISO 18889/G2)
- Excellent chemical protection
- · Length 46 cm (extended arm protection)

Code 349013 Colour green Sizes 7, 8, 9, 10, 11

Pcs. x Box 12 Pairs Min. Ord. 1 Pairs









VIRUS





ISO 19889:2019

COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

Field of use:

Automotive industry Mechanical industry Chemical industry Handling of aggressive chemicals Agricolture







INDUSTRIAL/HOUSEHOLD - NITRILE











Field of use:

Automotive industry Mechanical industry Handling of aggressive chemicals Constructions Agricolture Treatments with

ULTRANITRIL 492

Nitrile glove

Material nitrile Thickness 0,38 mm Interior flocked

- Cotton flocklining absorbs perspiration and improves comfort
- Silicone-free
- External non-slip pattern
- Good mechanical resistance and long-lasting chemical proteciton
- Pesticide protection (ISO 18889/G2)
- · Length 32 cm

Code 349010 Colour green Sizes 6-61/2, 7-71/2, 8-81/2, 9-91/2, 10-101/2, 11-111/2

Pcs. x Box 100 Pairs

Min. Ord. 10 Pairs







THERMAL PROTECTION



phytosanitary

















COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments

Field of use:

Food industry Catering Canteens

TEMP-COOK 476

Nitrile glove

Material nitrile Liner cotton

- Interior knitted thermal protection (perfect to remove trays, dishes from ovens)
- Effective protection to heat by contact (max 250° C)
- External non-slip and washable pattern
- Excellent mechanical resistance and resistance to oils, greases and main detergent products
- Suitable for food contact (Reg. CE Nr. 1935/2004 - D.M. 21/03/73)
- Long cuff to protect forearms when handling hot dishesi
- Silicone-free
- Lenght: approx. 45 cm

Code 349015 Colour white Sizes 7, 9, 10

Pcs. x Box 6 Pairs Min. Ord. 1 Pair



TEMP-COOK 476

Hygiene, thermal protection and water resistance

Glove with high thermal protection, both against heat and cold, good protection against chemical agents and microorganisms and suitable for food contact.

This glove is particularly suitable for work in the catering, catering and collective catering or food industry.

Long cuff 45 cm Protects the forearm when handling hot objects



ULTRANITRIL 495

Nitrile glove

Material nitrile Thickness 0,41 mm Interior flocked

- · Cotton flocklining absorbs perspiration and improves comfort
- Very good resistance to oils and fats
- Good grip due to the embossed texture
- Waterproof, can be worn alone or or as an outer-glove
- Recommended for persons sensitized to natural rubber proteins
- Suitable for food contact (Reg. CE Nr. 1935/2004 - D.M. 21/03/73)
- · Lenght 32 cm

Code 349034 Colour blue

Sizes 7, 8, 9, 10

Pcs. x Box 100 Pairs

Min. Ord. 10 Pairs











COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

Field of use:

Food industry Handling of aggressive chemicals Light mechanical operations

EN 388: 2016

<u>1</u>

EN ISO 374-1:2016 TYPE A

JKLOPT



ALPHATEC 58-270

Nitrile glove

Material nitrile Fodera nylon

- · Nitrile glove
- Slim finish with double thickness
- · Seamless nylon lining
- Excellent tactility and flexibility
- Retains minimal heat, reducing hand sweating
- Waterproof
- Excellent protection from oils, chemicals and other liquids
- · Safety hose designed to prevent tearing and avoid irritation

Code 340013 Colour light blue/grey Sizes 7, 8, 9, 10, 11

Pcs. x Box 144 Pairs

Min. Ord. 12 Pairs



COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

ISO 1888

Field of use:

Food industry Chemical industry Mechanical industry Automotive industry Metallurgic industry Agricolture





Ansell

ALPHATEC 58-735

Nitrile glove

Material nitrile Fodera nylon

- Industrial glove made of nitrile
- · High visibility lining that highlights if the glove cuts and compromises chemical protection
- Very good chemical protection
- · Ability to fold the wrist, to avoid chemical spills along the arm
- Contact heat protection up to 100 °C
- · Excellent grip on dry and wet surfaces and dexterity
- INTERCEPTTM Cut Resistant Technology offers tear protection
- OEKO-TEX® certification
- · Suitable for food contact

Code 340009 Colour light blue/grey Sizes 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 72 Pairs

EN 388:2016 +A1:2018









AKLPT







_12

COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

Field of use:

Food industry Chemical and petrochemical industry Automotive industry Mechanical industry Emergency medical services





Ansell



INDUSTRIAL / HOUSEHOLD PVC

he soft and protective home glove

PVC industrial gloves are an excellent alternative for people sensitive to latex proteins, as they do not contain allergenic substances. The worker can therefore enjoy the same comfort and softness of the latex glove without worrying about the allergies of their skin. PVC gloves are an excellent barrier to many acids, bases, and caustic substances. While they are not recommended in the presence of ketones and many solvents.



EN ISO 374-1: EN 388:2016 2016 +A1:2018 TYPE







EN ISO 374-5: 2016



Field of use:

Chemical laboratories Chemical and petrochemical industry Light mechanical operations General maintenance

G24

Light PVC glove

PVC Material Thickness 0.55 mm Interior flocked

- · Internally flocked cotton for better comfort and sweat absorption
- Antiallergic
- · Good mechanical resistance
- Non-slip external knurling for better grip even in humid environments
- Length: 30 cm approx.

Code 385063 Colour red Sizes S.M.L.XL

Pcs. x Box 120 Pairs Min. Ord. 10 Pairs

















Field of use:

Chemical laboratories Cleaning operations Chemical and petrochemical industry Light mechanical operations General maintenance

G53

Light PVC glove

Material Thickness 0.55 mm Interior flocked

- Internally flocked cotton for better comfort and sweat absorption
- Transparent PVC hose
- Antiallergic
- Non-slip external knurling for better grip
- Length: 70 cm approx.

Code 385062 Colour black / Sizes S , M , L , XL , XXLclear

Pcs. x Box 100 Pairs Min. Ord. 1 Pair



SUPPORTED rotective and resistant

The PVC glove offers an excellent barrier to many acids, bases, alcohols, cutting oils, as well as excellent resistance to abrasion and tear. It is ideal for applications where good mechanical and chemical protection is required even in a very humid environment. PVC is a wear-resistant material and does not deteriorate easily even at low temperatures, which is why the properties of PVC gloves remain unchanged over time.

PVC STANDARD

PVC coated glove

Material Coating **PVC**

- Internal cotton lining improves comfort
- · External rough non-slip finishing for better grip

Code 385012	Lengh. cm 27	Sizes 10
Code 385014	Lengh. cm 35	Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs











Petrochemical industry Mechanical industry Chemical laboratories Refineries





PVC VERDE

PVC coated glove

Material cotton Coating PVC

- · Internal cotton lining improves comfort
- · External rough non-slip finishing for better grip

Code 385006	Lengh. cm 27	Sizes 10
Code 385008	Lengh. cm 35	Sizes 10

Pcs. x Box 60 Pairs Min. Ord. 12 Pairs









Field of use:

Petrochemical industry Mechanical industry Chemical laboratories Refineries





SANITIZED

Light PVC glove

Material cotton Coating PVC

- Internal cotton lining improves comfort
- Antibacterial treatment Sanitized®

Code	Sizes	Lengh. cm	Pcs. x Box	Min. Ord.
385024	7, 8, 9, 10	27	60 Pairs	12 Pairs
385028	9, 10	35	60 Pairs	12 Pairs
385031	10	45	72 Pairs	12 Pair
385032	10	58	36 Pairs	6 Pair

EN ISO 374-8: 2016 Type A EN ISO 374-5: 2016











Field of use:

Petrochemical industry Mechanical industry Chemical laboratories Refineries Pharmaceutical industry





SUPPORTED PVC



EN ISO 374-1: EN ISO EN 388: 2016 374-5: 2016 TYPE A 2016











Field of use:

Petrochemical industry Mechanical industry Chemical laboratories Refineries Pharmaceutical industry

PUK

PVC coated glove

Material cotton Coating PVC

- Internal cotton lining improves comfort
- External non-slip finishing for a better grip
- Antibacterial treatment Sanitized®
- Colour dark green

Code 385036	Lengh. cm 27	Sizes 9, 10
Code 385038	Lengh. cm 35	Sizes 9, 10
Code 385041	Lengh. cm 45	Sizes 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs







EN 388:2016 +A1:2018 **€** □





Field of use:

Mechanical industry Analysis laboratories

GRAF

Cotton jersey glove/ PVC

Material cotton acrylic Coating PVC

- · Internal cotton lining improves comfort
- Internal seamless acrylic padding
- Rough external finish to ensure a very good grip
- Cotton safety cuff and breathable back
- Lenght: 27 cm
- Antibacterial treatment Sanitized®

Code 385100 Colour white / brown Sizes 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs







THERMAL PROTECTION









VIRUS



Field of use:

Chemical industry Petrochemical industry Cold industry Marine field

3352

Cotton jersey glove/ PVC

Material cotton Coating PVC

- · Internal cotton lining improves comfort
- Internal padding for a good cold protection
- Long cuff for better wrist protection
- Antibacterial treatment Sanitized®

Code 325030 Colour orange Sizes 10

Pcs. x Box 36 Pairs Min. Ord. 6 Pairs





GA 734

Cotton jersey glove/ PVC

Material cotton Coating PVC

- Internal cotton lining improves comfort
- · Internal padding for good protection from the cold
- Ergonomic design for greater comfort and dexterity
- · Lenght approx. cm 26
- · Knitwrist cuff

Code 325025 Colour brown / orange Sizes 10 Pcs. x Box 36 Pairs Min. Ord. 6 Pairs

THERMAL PROTECTION

EN 388:2016 EN 511: +A1:2018 2006





Field of use:

Petrochemical industry Mechanical industry Chemical laboratories Analysis laboratories





FICUS 3835

Cotton jersey glove totally neoprene coated

Material cotton Coating neoprene

- Internal cotton lining improves comfort
- External non-slip pattern for superior grip
- · Resistant and flexible even at low temperatures
- Often used for prickly pears and artichokes picking
- Lenght approx. cm 35
- Long cuff for better wrist protection
- · Antibacterial treatment Sanitized®

Code 348110 Colour black Sizes 11 Pcs. x Box 72 Pairs Min. Ord. 12 Pairs

THERMAL PROTECTION

EN ISO 374-1: 2016 Type B







Field of use:

Agricolture Petrochemical industry Mechanical industry Chemical laboratories Analysis laboratories

Wrinkled antispine finishing for prickly pear harvest

does not allow the thorns of the fruits to pierce the glove

SHOWA 600

Seamless cotton glove PVC coated

Material cotton PVC Coating

- Fully coated + extra coating on the whole hand
- External non-slip wrinkle finish for superior grip
- Good mechanical resistance
- · Soft, flexible with high sensitivity
- Perfect to be used on wet/greasy surfaces (gardening, viticulture, green spaces, etc.)
- · Knitwrist cuff

Code 385070 Sizes S, M, L, XL Colour green

Pcs. x Box 120 Pairs

Min. Ord. 10 Pairs

MULTIPURPOSE

Field of use:

Multipurpose Agricolture / Gardening Maintenance / Cleaning





DISPOSABLE



Made of natural latex, they are available with lubricating powder or with Interior chlorination treatment. Recommended for delicate, precision and short-term operations, or when the glove needs fre-

Ambidextrous, extremely flexible and elastic, they adapt perfectly to the hands offering maximum comfort and tactile sensitivity. Some items are also suitable for food contact.

> **Lubricating powder:** inserted during the production of the glove, is left to his Interior to facilitate the fit, also reducing the risk of unintentional breakage. Generally it is used powder of plant origin because more tolerated in contact with the skin.

> **Chlorination:** process of washing the glove with chlorinated water in order to eliminate the traces of production dust, impurities and bacteria so as to obtain a glove almost completely hypoallergenic and free of contaminants. Reduces the risk of allergies

> > Packaging Legend:



BAG

















This device complies with the use as a Disposable Class I non-sterile Medical
Device (Regulation 5, first indent All. IX
Dir. 93/42/EEC) in Medical use, for general

Field of use:

Laboratories Beauty institutes Food industry Catering / Canteens Light cleaning Health service

LATEX 50C

Natural latex gloves AQL 1.5

Material Finishing

100% latex con polvere

Thickness 0,11 mm

- Disposable and ambidextrous
- External smooth finishing
- Excellent sensitivity and comfort Suitable for food contact
- Medical device
- Box of 100 pieces
- Weight (1 pz Tg. M): 5,4 gr.

Code 390011 Colour white

Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1 Co



LATEX 55S

Natural latex gloves AQL 1.5

Material Thickness 0,11 mm latex **Finishing** powder free

- Disposable and ambidextrous
- External smooth finishing
- · Excellent sensitivity and comfort Medical device
- Suitable for food contact
- Weight (1 pz Tg. M): 5,5 gr.
- Box of 100 pieces

Code 390013 Colour white

Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1 Co



8 VIRIIS KMST

N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

This device complies with the use as a Disposable Class I non-sterile Medical

Device (Regulation 5, first indent All. IX

Dir. 93/42/EEC) in Medical use, for general
purpose exploration and hygiene.

Field of use: Laboratories Beauty institutes Food industry Catering / Canteens Light cleaning Health service





LATEX 58S

Natural latex gloves AQL 1.5

Material

latex

Thickness 0,12 mm

Finishing powder free

- Disposable and ambidextrous
- External smooth finishing
- Excellent sensitivity and comfort
- Medical device
- Suitable for food contact
- Weight (1 pz Tg. M): 5,8 gr.
- Box of 100 pieces

Code 390026 Colour blue Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1 Co













This device complies with the use as a Disposable Class I non-sterile Medical

Device (Regulation 5, first indent All. IX

Dir. 93/42/EEC) in Medical use, for general
purpose exploration and hygiene.

Field of use:

Laboratories Beauty institutes Food industry Catering / Canteens Light cleaning Health service



LATEX PRO

Natural latex gloves AQL 1.5

Material latex Thickness 0,27 mm Finishing powder free

- Disposable and ambidextrous
- · External granitiform finishing
- Extra-quality
- High resistance, dexterity and flexibility
- Long model (30 cm approx. tg. L)
- Suitable for food contact
- Weight (1 pz Tg. M): 15,6 gr.
- · Box of 50 pieces

Code 390040 Colour blue Sizes S. M. L. XL

Pcs. x Box 10 Co Min. Ord. 1 Co













N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

Field of use:

Food industry Catering / Canteens Light cleaning operations General use





DISPOSABLE

NITRILE High. resistance

Packaging Legend:



100 BOX

Thanks to the synthetic polymer they are made of, disposable nitrile gloves offer greater protection and durability than vinyl gloves, ensuring an elasticity and comfort of just under latex. They are by characteristic the most similar alternative to the natural latex, concentrating in a single product, properties of chemical resistance (light), flexibility and adaptability even to the most sensitive hands (as free of latex). Thanks to their resistance they are ideal for working in contact with oily chemicals, solvents, animal fats, etc. In contact with animal fats, they are more resistant than latex or PVC gloves. Some items are also suitable for food contact and/or for use in the medical field (non-sterile medical devices).













N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE



This device complies with the use as a Disposable Class I non-sterile Medical
Device (Regulation 5, first indent All. IX
Dir. 93/42/EEC) in Medical use, for general
purpose exploration and hygiene.

Field of use:

Light cleaning operations Delicate operations Assembly Product inspections Food industry

NITRILE 30S

Nitrile gloves AOL 1.5

Material nitrile

powder free

Thickness 0,06 mm

- **Finishing**
- · Disposable and ambidextrous
- · Completely latex-free · Excellent sensitivity and dexterity
- · Excellent grip on all the surfaces
- · Suitable for food contact
- · Medical device
- Weight (1 pz Tg. M): 3,0 gr.
- · Box of 100 pieces

Code 393050 Colour blue

Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1 Co.

100

NEW



EN ISO 374-1: 2016+A1:2018 EN ISO TYPE B 374-5:2016







COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments



This device complies with the use as a Disposable Class I non-sterile Medical Device (Regulation 5, first indent All. IX Dir. 93/42/EEC) in Medical use, for general

Field of use:

Medical works Health service Pharmaceutical industry Assembly Food industry Catering / Canteens Typography

NITRILE 35S

Nitrile gloves AQL 1.5

Material **Finishing**

Thickness 0,08 mm powder free

- Disposable and ambidextrous
- · Completely latex-free
- Excellent sensitivity and dexterity
- Excellent grip on all the surfaces
- · Suitable for food contact
- · Medical device
- Weight (1 pz Tg. M): 3,5 gr.
- Box of 100 pieces

Code 393056 Colour blue

Sizes S, M, L, XL

100

Code 393057 Colour black

Sizes S, M, L, XL

100

Pcs. x Box 10 Co Min. Ord. 1 Co

NITRILE 40S

Nitrile gloves AQL 1.5

Material Thickness 0,08 mm **Finishing** powder free

- Disposable and ambidextrous
- Completely latex-free
- Excellent sensitivity and dexterity
- Excellent grip on all the surfaces
- Suitable for food contact
- Medical device
- Weight (1 pz Tg. M): 4,0 gr.

100 Code 393058 Colour blue Sizes S, M, L, XL 20 Code 393059 Colour blue Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1Co

8 VIRUS COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments This device complies with the use as a

Disposable Class I non-sterile Medical Device (Regulation 5, first indent AlL IX Dir. 93/42/EEC) in Medical use, for general purpose exploration and hygiene.

Field of use: Product inspections

Food industry Preparation of cosmetics / medicines

Assembly



NITRILE 45S

Nitrile gloves AQL 1.5

Material Thickness 0,09 mm Finishina powder free

- · Disposable and ambidextrous
- Completely latex-free
- Excellent sensitivity and dexterity
- Excellent grip on all the surfaces
- Suitable for food contact
- Medical device
- Weight (1 pz Tg. M): 4,5 gr.
- Box of 100 pieces

Code 393060 Colour blue Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1 Co



<u>&</u> Cat. III



COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

VIRIIS



This device complies with the use as a Disposable Class I non-sterile Medical Device (Regulation 5, first indent All. IX Dir. 93/42/EEC) in Medical use, for general se exploration and hygiene

Field of use:

Laboratiories Beauty institutes Food industry Catering / Canteens Light cleaning operations

NEW



NITRILE 55S

Nitrile gloves AQL 1.5

Material nitrile Thickness 0.10 mm **Finishing** powder free · Disposable and ambidextrous

- · Completely latex-free
- · Excellent sensitivity and dexterity
- Excellent grip on all the surfaces
- Suitable for food contact
- Medical device
- Weight (1 pz Tg. M): 5,5 gr.
- · Box of 100 pieces

Code 393061 Colour blue Sizes S. M. L. XL 100 100

Code 393062 Colour black Sizes S, M, L, XL

Pcs. x Box 10 Co Min. Ord. 1 Co













Disposable Class I non-sterile Medical
Device (Regulation 5, first indent All. IX
Dir. 93/42/EEC) in Medical use, for general
purpose exploration and hygiene.

Field of use:

Laboratiories Beauty institutes Food industry Catering / Canteens Light cleaning operations Health service







Diamond finish for a great grip

The Monkey line is renewed, with two new high performance disposable nitrile gloves. They are characterized by maximum dexterity and excellent fit comfort. Thanks to their resistance, they are ideal for working in contact with oily chemicals and solvents, in the mechanical and precision industries. They provide effective protection against viruses and bacteria.

They can also be used in food, garden and cleaning sectors.

Their texture allows them to ensure excellent grip during work activities.

Packaging Legend:



100 BOX





EN ISO 374-1: 2016+A1:2018 EN ISO TYPE B 374-5:201



COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

Field of use:

Food industry Automotive industry Home cleaning General maintenance Assembly

GARAGE MONKEY

Nitrile gloves

Material nitrile Thickness 0,19 mm
Finishing powder free

- Disposable and ambidextrous
- Completely latex-free
- Original external finish with diamond knurling
- Excellent sensitivity, dexterity and grip
- · Suitable for food contact

Cod. 393052 Colour orange Sizes M , L , XL, XXL 50

Pcs. x Box 10 Co Min. Ord. 1 Co

Cod. 393053 Colour orange Sizes M , L , XL, XXL

10

Pcs. x Box 132 Co Min. Ord. 1 Co



DISPOSABL

2016-41-2018 EN IS TYPE B 374-5:2



COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE and subsequent amendments.

Field of use:

Fled of use:
Food industry
Ho.Re.Ca.
Home cleaning
General maintenance
Assembly

GARAGE MONKEY

Nitrile gloves

Material nitrile Ti Finishing powder free

Thickness 0,19 mm

- Disposable and ambidextrous
- Completely latex-free
- Original external finish with diamond knurling
- Excellent sensitivity, dexterity and grip
- Suitable for food contact

Cod. 393054 Colour black Sizes M , L , XL, XXL 50

Pcs. x Box 10 Co **Min. Ord.** 1 Co

Cod. 393055 Colour black Sizes M , L , XL, XXL 10

Pcs. x Box 132 Co Min. Ord. 1 Co



DISPOSABLE IN PE

Hygene and protection

Polyethylene is the most versatile and economical compound among plastics, used for a wide range of uses. The disposable accessories made with it are lightweight, durable, simple to wear and functional. They protect against dirt and liquids by preventing substances from penetrating the fabric. They offer comfort and perfect hygiene in all areas of use.

POLY

Polyethylene gloves

Material polyethylene Thickness 0,01 mm

- Disposable and ambidextrous
- Lenght 28 cm
- Bag of 100 pieces

Code 391010 Colour clear Sizes one

Pcs. x Box 100 Co Min. Ord. 1 Co

DISPOSABL

Not PPE*

100

25

Field of use: Fruit and vegetables area Backeries Fuel stations Hair & beauty





MANICOTTO

Polyethylene sleeves

Material polyethylene Thickness 0,018 mm

- Dimensions: 40 x 20 cm
- With latex elastics
- Box of 25 Pairs

Code 150055 Colour white Sizes one
Code 150056 Colour light blue Sizes one

Pcs. x Box 40 Co Min. Ord. 1 Co

DISFOSABLE


Not PPE*

Field of use:

Pharmaceutical industry Beauty center Food industry Packaging Inspections







KEVLAR®

High performace and lightweight

The Kevlar® yarn is a synthetic para-aramid fiber very light but offering an extraordinary resistance to cutting and effective protection, for short moments, from heat by contact. With a resistance five times higher than steel at the same weight, it is an ideal fiber to make protective gloves. When washed at a maximum -temperature of 40,- it does not change its characteristics. It maintains a valid grip even in the presence of oils and/or fats.

Kevlar.



HEAT / CUT PROTECTION

4 GA







Field of use:

Glass and ceramic industry Metallurgy Automotive industry Working with cutting objects Assembly

DK3L

Seamless Kevlar® glove

Liner Kevlar®

Gauge 13

- Suitable for sharp and abrasive works Effective protection, for brief instants, from the heat by contact (max. 100°C) and resistance for limited times to open flames
- · Excellent dexterity and tactility
- · Knitwrist cuff

Code 310250 Colour yellow

Sizes 8, 9, 10

Pcs. x Box 144 Pairs

Min. Ord. 12 Pair







HEAT / CUT PROTECTION

EN 407: 2004











Field of use:

Glass and ceramic industry Metallurgy Automotive industry Working with cutting objects Assembly

DK1H

Seamless Kevlar® glove

Liner Kevlar®

Gauge 10

- Suitable for sharp and abrasive works
- Higher cut resistance
- Effective protection, for brief instants, from the heat by contact (max. 100°C)
- Excellent dexterity and tactility
- Knitwrist cuff

Pcs. x Box 144 Pairs

Code 310255 Colour yellow

Min. Ord. 12 Pair

Sizes 9, 10





DK72

Seamless double layer glove Kevlar® / cotton

Liner Kevlar® Gauge 7 Cotton

- Outside Kevlar®
- · Inside cotton
- · Excellent breathability and comfort
- Maximum cut protection
- Suitable when handling sharp, abrasive materials, even very hot
- Effective protection, for short period, from contact heat (max. 350°C) and from open flames
- · Lenght 34 cm

Code 310260 Colour yellow

Sizes 10

Pcs. x Box 48 Pairs Min. Ord. 6 Pair



HEAT / CUT PROTECTION









Field of use:

Glass and ceramic industry Hot objects handling (up to 350° C) Hot environments

Metallurgic industry / **Foundries** Automotive industry

Handling of sharpen objects, even in oily and fat environments



W7-430

Guanto a filo continuo in Kevlar®

Liner Kevlar® Gauge 7

Reinforcing split leather

- · Palm fully reinforced with split leather for exceptional mechanical protection. Together with a very thick Kevlar® yarn, it makes the glove extremely strong and wear-resistant
- Suitable for the handling of cutting, abrasive objects/materials, even in the presence of oils/
- · Effective protection, for brief instants, from the heat by contact (max. 250°C)
- · Knitwrist cuff

Code 310140 Colour yellow / grey Sizes 8, 9, 10, 11

Pcs. x Box 120 Pairs

Min. Ord. 6 Pair



HEAT / CUT PROTECTION









Field of use:

Glass and ceramic industry Hot objects handling (up to 350° C)

Bakeries

Metallurgical industry / Foundries

Automotive industry Handling of sharpen objects, even in oily and fat

environments





K36 / K46 / K56

Seamless Kevlar® elastic sleeve

Liner Kevlar®

- · Double layer fabric
- · Effective protection, for brief instants, from the heat by contact (max. 100°C)
- The thumbhole fastens the sleeve tightly for excellent fit and greater protection of the wrist area and forearm
- Size 10

Code 310150 K36	Colour yellow	Sleeve lenght 36
Code 310151 K46	Colour yellow	Sleeve lenght 46
Code 310152 K56	Colour yellow	Sleeve lenght 56

Pcs. x Box 96 Pcs. Min. Ord. 1 Pcs.



HEAT / CUT PROTECTION





(88)

X1XXXX







Field of use:

Glass and ceramic industry Hot objects handling (up to 350° C) Bakeries Metallurgical industry / Foundries

Automotive industry Handling of sharpen objects, even in oily and fat environments

Assembly General maintenance







CUT PROTECTION

EN 388: 2016

Cat. II





Field of use:

Constructions
Joinery
Automotive industry
Transports
Glass and plastic
handling
Waste collection /
ecological sector

SHABU K210

Seamless glove Kevlar® / latex

er Kevlar® Gauge 10 polvester

Coating Latex

- Palm coated with latex
- Thumb fully coated for added protection of a vulnerable area
- Wrinkle finish for an extraordinary grip both on dry and wet surfaces
- Excellent cut and laceration protection properties, thanks to the use of Kevlar® yarn lining
- · Knitwrist cuff and breathable back
- Antibacterial treatment Santitized®

Code 355109 Colour yellow / blue Sizes L, XL

Pcs. x Box 120 Pairs

Min. Ord. 1 Pair







HEAT / CUT PROTECTION

EN 388:2016 EN 407: +A1:2018 2020







MicroFinish[™]

Field of use:

Cold industry Cooling system Ski areas Fishing industry

POWERGRAB® KEV4-S 344S

Seamless glove Kevlar® - Dupont™ fiber /

Liner Kevlar® Gauge 10

Dupont™ fiber

Coating Latex

- Ergonomic Kevlar® liner
- Palm coated with latex with Microfinish® technology, for a safe and strong grip both on wet and dry surfaces
- Effective protection, for brief instants, from the heat by contact (max. 250°C)
- Thumb fully coated for added protection of a vulnerable area
- · Excellent cut resistance
- Knitwrist cuff and breathable back

Code 355128 Colour yellow / blue Sizes 7, 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 12 Pairs



POWERGRAB® KEV4-S

Heat resistance and excellent grip

PowerGrab® KEV4 is a combination of Kevlar® fiber and MicroFinish® technology, which promises outstanding shear strength and excellent grip performance.

The thumb of the PowerGrab® KEV4 glove is fully coated for added protection and safety.





ARAMID FIBER GLOVES

Lightweight synthetic fiber that offers extraordinary resistance to cutting, tearing and excellent protection from major thermal risks (heat and/or fire). It also has an exceptional strength/weight ratio.

Gloves made with this fiber are suitable for processing and handling of sharp and hot materials/objects.



FIBRA ARAMIDICA

Aramid fiber glove

Material	aramid fiber	Weight 700 g/m² ap.

- Contact heat resistance up to 250 °C
- · With hemmed safety cuff
- · Colour yellow

Code	Size	Cuff lenght cm
310044	10	7
310045	10	15
310047	10	22

Pcs. x Box 50 Pairs Min. Ord. 1 Pair



HEAT / CUT PROTECTION

EN 388:2016 EN 407: +A1:2018 2020







Field of use:

Glass and ceramic industry Hot objects handling (up to 350° C) Bakeries Metallurgical industry / Foundries Handling of sharpen objects, even in oilv and fat environments





FIBRA BOXER

Aramid fiber glove

Material aramid fiber Weight 750 g/m² ap.

- TNT fireproof internal lining
- Effective protection, for limited times, from open flames, slight splashes of molten metal and from the heat by contact (max. 350°C)
- · Excellent cut and tear resistance
- · Colour yellow

Code	Size	Cuff lenght cm	Pcs. x Box	Min.Ord.
310041	10	7	100 Pairs	1 Pair
310042	10	18	18 Pairs	1 Pair
310043	10	30	50 Pairs	1 Pair



HEAT / CUT PROTECTION

EN 388:2016 EN 407: +A1:2018 2020











Field of use:

Glass and ceramic industry Hot objects handling (up to 350° C) Bakeries Metallurgical industry / Foundries Handling of sharpen objects, even in oilv and fat environments





ARAMID FIBER



HEAT / CUT PROTECTION





Field of use:

Glass and ceramic industry Hot objects handling (up to 350° C) Bakeries Metallurgical industry / Foundries Handling of sharpen

objects, even in oily and fat environments

FIBRA ALLUMINIZZATA

Aramid fiber glove with aluminized treatment

aramid fiber Peso 460 g/m² ca.

- Palm thickness 1,1 mm approx.
- · Excellent cut and tear resistance
- Effective protection, for limited times, from open flames, slight splashes and large projections of molten metal, from the convective and radiant heat, from contact heat by contact (max. 100°C)
- With hemmed safety cuff
- · Colour steel

Code	Size	Sleeve lenght cm	
310030	10	7	
310032	10	18	

Pcs. x Box 10 Pairs Min. Ord. 1 Pair











EN 388:2016 EN 407: +A1:2018 2020













COMPLIANT WITH: Regulation (UE) N. 10/2011 - Regulation (CE) N. 1935/2004 - Directives 85/572/CEE

Field of use:

Glass industry Food industry Metallurgical industry Automotive industry Handling of sharpen objects, even in oily and fat environments Assembly General maintenance

WARMTEC

Polyester/cotton glove with nitrile coating

Material cotton polyester Lining nitrile

- Cotton/Polyester jersey glove
- Lining of polyester felt
- Totally nitrile coated
- With hemmed safety cuff
- Good tear resistance
- Effective protection for limited times to heat by contact (max 250° C)
- Lenght cm 35
- Suitable for food contact (EN 1186:2002 e SI 1998 Nº 1376)

Code 310080 Colour grev Sizes 10

Pcs. x Box 72 Pairs Min. Ord. 12 Pair





HEAT / CUT PROTECTION

EN 388: EN 407: 2016 2020





Field of use:

Rubber and plastic industry Handling of hot and sharpen objects Mechanical industry

TEMPDEX 720

Aramid fiber glove / nitrile

Liner aramid fiber Coating nitrile

- Thank's to the aramid fiber liner it ensures a good cut protection
- Interior cotton coating to keep a good thermal insulation
- Good abrasion resistance that ensures a very good durability
- Special nitrile coating with grains, suitable also for wet and oily environments
- Without any harmful substances: DMF free
- Silicone free, reduces traces and irritation risks

Code 355098 Colour orange / black Sizes 7, 9, 11

Pcs. x Box 72 Pairs Min. Ord. 72 Pairs



STAINLESS STEEL GLOVES

Complete cut protection

Gloves that offer total protection against cuts. Made with stainless steel mesh, they are suitable for food contact and ultra resistant, even to cleaning products and disinfectants. Being free of plastic parts, they do not leave residues in case of breakage. Equipped with ultra-flat spring wrist, to adjust perfectly to the wrist.



WILCO

Stainless steel cut resistant glove

Material steel

- Stainless steel Ø 4 mm
- · Ambidextrous, 5 fingers
- · Stainless steel ultra-flat spring system for auto-adjustable fastening (elastic effect)

Code 330007 Colour steel Sizes 1, 2, 3, 4

Pcs. x Box 1 Pc Min. Ord. 1 Pc

Size	green	Sizes match		
1		6 - 6 1/2	XS	XS
2	white	7 - 71/2	S	
3	red	8 - 8 1/2	М	
4	blue	9 - 91/2	L	





Field of use:

Slaughter Meat and fish processing Restaurants Plastic, paper, textile industry Constructions





WILCOFLEX

Stainless steel cut resistant glove

Material steel

- Stainless steel Ø 4 mm
- · Stainless steel ultra-flat spring system for auto-adjustable fastening
- · With stainless steel stiffener system made of springs on back that allows the glove to be perfectly adjusted on the hand

Code 330016	Colour steel	Hand right
Code 330017	Colour steel	Hand left
Pcs. x Box 1 Pc	Min. Ord. 1 Pc	AVAILABLE ON REQUEST

Size	Tag colour	Sizes match		
1	green	6 - 6 1/2	XS	
2	white	7 - 71/2	S	
3	red	8 - 8 1/2	М	
4	hlue	9 - 91/2	1	





ISO 13999-1

Field of use:

Slaughter Meat and fish processing Restaurants Plastic, paper, textile industry Constructions









C E 5 Cat. II EN 1432



Field of use:

Slaughter Meat and fish processing Restaurants Plastic, paper, textile industry Constructions

WILCO CM 15

Stainless steel chainmail glove, with long

Liner steel

- Stainless steel Ø 4 mm
- Ambidextrous
- · Stainless steel ultra-flat spring system for auto-adjustable fastening + forearm Integrated stainless steel stiffeners that allow the glove to be perfectly worn
- 15 cm safety cuff

Code 330004 Colour steel Sizes 2, 3, 4

Pcs. x Box 1 Pz Min. Ord. 1 Pz

Size	Tag colour	Sizes match	
2	white	7 - 71/2	S
3	red	8 - 8 1/2	М
4	blue	9 - 9 1/2	L



EN 388:2016 EN 407: +A1:2018 2020











Sheets processing Glass and sharpen objects handling Automotive industry Paper industry

590

Seamless glove with Dyneema®

Material Dyneema® Gauge 13

- · Ambidextrous
- Individually packaged in a bag also containing a cotton under glove for greater comfort of the hand
- Dyneema® fiber increases the cut resistance while enhancing wearer comfort and dexterity
- Maximum level of cut protection
- Excellent flexibility
- Knitwrist cuff

Code 330062 Colour white Sizes M. L

Pcs. x Box 144 Pz Min. Ord. 1 Pz







EN 388:2016 +A1:2018 些



1241X

Dyneema®

Field of use:

Sheets processing Glass and sharpen objects handling Automotive industry Paper industry Delicate operations

D-LITE

Seamless glove with Dyneema®

Liner Dyneema® Gauge 18

- Extremely close-fitting with Ergonomic design
- Without seams and coating
- Can be worn as protective underglove with traditional leather gloves or latex, nitrile and vinyl disposable gloves
- Perfect for operations requiring precision and accuracy
- Excellent flexibility, dexterity and comfort
- Knitwrist cuff

Pcs. x Box 144 Pairs

Code 330063 Colour white

Sizes 8, 9, 10 Min. Ord. 12 Pairs





HEXARMOR®


Industry leading puncture protection

Thanks to the use of the innovative SuperFabric® Material, HexArmor® I' gloves offer the highest possible level of protection against cutting and the risks arising from the use of sharp objects such as needles, nails, splinters and wire. They represent one of the most technological solutions on the market today.



NXT™ 10-302:

Maximum protection for food processing



A Coretek® blend of fibers creates a highperformance glove structure that is specially designed to house SuperFabric® guardplates, creating an ISEA level 5 cut- resistant shield on the exterior of the hand while preserving all the dexterity of an ordinary knit glove.

CHROME SERIES® 4026: Advanced back-of-hand impact protection system



The safest and comfortable mechanic's style glove on the market, offering the highest level of cut resistance available [ISEA Level 5], thanks to the Superfabric® brand material palm. It also features the advanced impact protection system, designed to dissipate forceful blows over a back large area.

EXT RESCUE® 4014: Waterproof/Pathogen barrier



it combines cut protection form SuperFabric® brand material palm with the H2X™ waterproof/pathogen liner. The H2X™ barrier meets OSHA Bloodborne Pathogens Standards and satisfies ASTM F1670/F1671 criteria for fluid-borne viral resistance.

It's the best extrication and rescue glove.

SHARPSMASTER II[®] 9014

Seamless glove cotton-polyester / latex

Liner cotton polyester
Lining SuperFabric®
Coating latex

- Wrinkle rubber palm coating with Actifresh™ antimicrobial treatment
- Cotton blend shell provides exceptional dexterity and feel
- Palm and fingers padded with three layers of SuperFabric® brand material
- Highest level of cut resistance on noted enhanced areas

Min. Ord. 1 Pair

Launderable

Pcs. x Box 1 Pair

• Knitwrist cuff and breathable back

Code 355142 Colour white / orange Sizes 9, 10



SPECIAL RISKS EN 388:2016

 $C \in$

+A1:2018

(<u>1</u>

Special waste management Law enforcement Metallurgical industry Handling of sharp or pointed plates and articles





#Hex∕4rmor



*₱*Hex∕4rmor



CE







Field of use:

Building Extractive industry Metallurgical industry Engineering Work in contact with heat

EN 388:2016 +A1:2018

(<u>1</u>=

Cut

Field of use: Building

Engineering

Extractive industry Metallurgical industry

EN 388: 2016

(<u>1</u>

Cat. II

Field of use:

ment

Special waste manage-

Metallurgical industry

Handling of sharp or pointed plates and articles

Law enforcement

CHROME SERIES® 4026

Technical glove with synthetic fabric/SuperFabric®

Liner synthetic fabric Lining SuperFabric® Dots PVC

- Palm with a layer of SuperFabric® [level 5 cut resistance], and HexArmor MudGrip® synthetic leather with PVC dots for reliable dry or light oil grip + increased abrasion-resistance Superior back-of-hand impact guards, with advanced design to dissipate forceful blows over a large area.
- over a large area
 Double stitched (both inside and outside)
 Hi-Vis color and reflecting inserts back
 Machine washable

- Elastic cuff with pull tab and velcro closure

Code 388033 Colour yellow fluo / black Sizes 7, 8, 9, 10, 11

Pcs. x Box 1 Pair Min. Ord. 1 Pair



EXT RESCUE® 4014

Technical glove with synthetic fabric/SuperFabric®

Liner synthetic fabric Lining SuperFabric®

- Palm with a layer of SuperFabric® (level 5 cut resistance) + waterproof H2X™ barrier lining + exterior durable TP-X® palm material (highly abrasion-resistant with a strong wet & oil grip)
 The liner is sewn-in and won't pull out when you remove them
- remove them
- Superior back-of-hand impact guards, prevents smash injuries
- Double stitched core-spun thread + reinforced index finger and thumb saddle extends glove
- Machine washable Neoprene cuff with velcro closure

Code 388031 Colour yellow fluo / Sizes 7, 8, 9, 10 black / red

Pcs. x Box 1 Pair Min. Ord. 1 Pair



Guanto tecnico in tessuto sintetico / SuperFabric®

synthetic fabric Liner SuperFabric® Lining

PVC **Finishing**

- Silicone dot palm grip
- Nylon/elastane back with back-of-hand knuckle padding for incidental impact
- Palm and fingers padded with three layers of SuperFabric® (puncture resistance and the hightest protection against needlestick injuries)
- Reinforced fingertips
- Highest level of cut resistance on noted enhanced areas
- Launderable
- Neoprene cuff with Velcro® closure

Code 388030 Colour black Sizes 9, 10

Pcs. x Box 1 Pair Min. Ord. 1 Pair



AG8TW

Protective sleeve with synthetic fabric/ SuperFabric®

Liner synthetic fabric Lining SuperFabric®

- With two layers of SuperFabric® (puncture resistance and the highest level of needlestick resistancel
- Highest level of cut resistance on noted enhanced areas
- Spandex wrist insert with thumb hole and snap fasteners
- fasteners
 Won't fall down like knit sleeves, more
 lightweight and cooler
 Launderable
 Length 20 cm
 Elastic cuff with opening for thumb

Code 337093 **Sizes** 9, 10 Colour black

Pcs. x Box 1 Pair Min. Ord. 1 Pair

(正)



Field of use:

Special waste management

Law enforcement Metallurgical industry Handling of sharp or pointed plates and articles





&Hex∕4rmor

KING VIPER

Seamless cut resistant glove Kevlar® / Nitrile NFT®

Liner

Kevlar® nitrile Coating

- · Fine gauge seamless cut-resistant liner + Kevlar® for superior cut protection
- NFT® foam Nitrile palm coating (Nitrile Foam Technology), for breathability and exceptional grip on all surfaces

cut resistant fibers Gauge 18

- · Additional Nitrile coating
- · TPR impact protection on fingers and back for complete protection
- · High cut, abrasion and tear resistance
- Short interval contact heat protection (max. 100 °C)
- · Knitwrist cuff and breathable back
- Trattamento antibatterico Sanitized[®]

Code 337047 Colour green / black Sizes 8, 9, 10, 11

Pcs. x Box 72 Pairs Min. Ord. 6 Pairs



Field of use:

Building Extractive industry Metallurgical industry Engineering







KING VIPER IMPACT PROOF

Glove with TPR protection on the back and fingers, which makes it an excellent shield against impacts and bumps.

MAIN USES:

- Oil & Gas
- Automotive industry
- Metal carpentry
- Constructions
- Glass and ceramic handling

CRYOGENIC

Extreme cold protection

No Felt

Cryokit® anti-freeze gloves are made of composite fabrics that make them waterproof, breathable and resistant to extremely cold temperatures.



THERMAL PROTECTION





Field of use:

Cold storage Operations with liquid nitrogen / other cryogenic gases

CRYOKIT 400

Multilayer blend fabric glove

Material blend multilayer fabric

- · Special multilayer elastic fabric, completely waterproof
- With internal breathable membrane that does not allow the entry of liquids
- Lining in soft polyester fleece
- Total length of the glove 40 cm
- Nylon® stitching
- High level of thermal protection (from -200 °C to

Code 325032 Colour blue / black Sizes 7, 8, 9, 10, 11

Pcs. x Box 1 Pair Min. Ord. 1 Pair



THERMAL PROTECTION







Field of use:

Cold storage Operations with liquid nitrogen / other cryogenic gases

CRYOPLUS 2.1

Multilayer blend fabric glove with PU membrane

Material blend multilayer fabric

· Completely waterproof

- · With internal breathable membrane that does not allow the entry of liquids
- Lining in soft polyester fleece
- 15 cm cuff with velcro adjustment
- Total length of the glove 38 cm
- Nylon® stitching
- High level of thermal protection (-200 °C to 150 °C)

Code 325033 Colour blue Sizes 7, 8, 9, 10, 11

Pcs. x Box 1 Pair Min. Ord. 1 Pair





THERMAL PROTECTION

CE

Field of use:

Cold storage Operations with liquid nitrogen / other cryogenic gases

CRYOKIT CASE

Case kit with cryogenic items

CONTENT:

- 1 Pair CRYOPLUS 2.1
- 1 waterproof T-CRYO LIGHT apron, 70x90 cm, CE - EN 388, EN 511
- 1 pair of waterproof CRYO gaiters, CE EN 388, EN 511
- 1 CLEAR CRYO visor with half shell, CE EN 1661 - EN 170


Available on request

Code 111026 Colour grey Sizes 7, 8, 9, 10, 11

Pcs. x Box 1 Pz Min. Ord. 1 Pz



cryokit[®]



1221

Seamless cotton-nylon glove with antivibration coating

Liner cotton nylon Coating cloroprene

- Compliant EN ISO 10819, with TRM=0,832 e TRH=0.593
- Palm covered with special anti-vibration compound in cloroprene
- It perfectly adapts to the hand offering excellent comfort and flexibility
- It protects the hand from mechanical hazards and vibrations
- · Knitwrist cuff and breathable back

Code 330006 Colour black **Sizes** 8. 9

Pcs. x Box 10 Pairs Min. Ord. 1 Pair

SPECIAL RISKS











1160-E

Seamless cotton-nylon glove with anti-vibration coating

Liner cotton Gauge 10 nylon Coating cloroprene

- Compliant EN ISO 10819, with TRM=0,747 e TRH=0,597
- Palm covered with special anti-vibration compound in cloroprene
- It protects the hand from mechanical hazards and vibrations
- The ergonomic design offers comfort and flexibility, good dexterity in the fingers for a better grip and hold of the vibrating tools
- · Knitwrist cuff and breathable back

Code 330018 Colour black Sizes 9

Pcs. x Box 10 Pairs Min. Ord. 1 Pair

SPECIAL RISKS

Field of use:

Industry

Constructions Street works





Field of use:

Constructions Street works Industry





ELECTRICAL SAFETY

Insulating rubber gloves are an essential choice for the safety at work of all those professionals working in the electrical industry. They offer individual protection against electric shocks when working on active voltages or performing operations on or near electrical installations. They must comply with IEC 60903 and EN 60903.

To ensure maximum safety all gloves are tested individually, subjected to stress tests, aging and mechanical tests.

Insulating gloves are mainly of two types:

- Rubber gloves that guarantee high dielectric performance (and that must be used with leather gloves that guarantee mechanical protection)
- Composite gloves with mechanical properties that offer superior mechanical protection against punctures and lacerations (and that eliminate the need to wear an over-glove).

They can also have other resistance properties, and are classified into categories:

- RC indicates that they resist acids, oils, ozone and very low temperatures
- AZC indicates that they resist oils, ozone and very low temperatures (but not acids)





DIELECTRIC PROTECTION

C € ♠ EN 600 2000

Field of use: Electricians

C € ♠

Field of use: Electricians

ELECTRO

Natural latex insulating glove

Material	latex

- Smooth inside
- Size 10, Lenght 36 cm
- Colour beige

Code	Voltage	Utilisation voltage	Class	Thickness
347010	2500 V	500 V	00	1,1 mm
347012	5000 V	1000 V	0	1,6 mm
347014	10000 V	7500 V	1	2,1 mm
347020	20000 V	17000 V	2	2,9 mm
347022	30000 V	26500 V	3	3,5 mm
347024 su richiesta	40000 V	36000 V	4	4,2 mm

Pcs. x Box 1 Pair Min. Ord. 1 Pair

DIEL COMPOSITO

Composite insulating glove

Material composite

- Insulating gloves with mechanical properties
- For safe work avoiding the use of leather overgloves
- Smooth inside
- · Lenght 36 cm
- Orange outside, Interior natural beige

Available on request

Code	Voltage	Utilisation Class voltage		Thickness	Sizes
347050	2500 V	500 V	00	2,25 mm	8-11
347052	5000 V	1000 V	0	2,25 mm	10-11
347053	10000 V	7500 V	1	2,26 mm	8-11
347055	20000 V	17000 V	2	2,82 mm	8-11
347056	30000 V	26500 V	3	3,35 mm	8-11

Pcs. x Box 1 Pair Min. Ord. 1 Pair

SOVRAGUANTI CG981

Overgloves for insulating glove class 00 e 0

Material leather Peso 160 g

- Silicon goat grain leather glove
- To be worn over insulating gloves class 00 and 0 to get both mechanical protection and proteaction against electric arc
- · Very flexible and soft
- Large protective cuff in chrome tanned hide (10 cm length)
- · Adjustable with velcro strap on the back
- Lenght 31 cm

Code 347060 Colour grey Sizes 10

Pcs. x Box 1 Pair Min. Ord. 1 Pair







SOVRAGUANTI CG991

Overgloves for insulating glove class 1-2-3-4

Material leather Peso 200 g

- Silicon goat grain leather glove
- To be worn over insulating gloves class 1-2-3-4 to get both mechanical protection and protection against electric arc
- Very flexible and soft
- Large protective cuff in tanned hide (10 cm length)
- · Adjustable with velcro strap on the back
- Lenght 31 cm

Code 347062 Colour black Sizes 10

Pcs. x Box 1 Pair Min. Ord. 1 Pair







VERIFICATORE PNEUMATICO

Pneumatic glove tester

- It can be used for all classes of ELECTRO and DIEL COMPOSITE gloves
- · For compulsory control of gloves before use
- Checking is done by inflating and immersing in water, then by visually verifying whether there are air leaks
- Weight 600 g

Code 194010 Colour grey Not PPE*

Pcs. x Box 1 Pcs. Min. Ord. 1 Pcs.



CUSTODIA

Box for insulating gloves

- Made with robust copolymer polypropylene
- Closing with hooks
- Dimensions: 17 x 43 x 5 cm
- Weight 405 g

Code 116400 Colour blue Not PPE*



GARMENTS



EN ISO 13688* EN 340

Protective clothing -**General requirements**

Specifies general performance requirements for ergonomics, innocuousness, size designation, ageing, compatibility and marking of protective clothing and the information to be supplied by the manufacturer with the protective clothing. This standard is designed to be used together with other standards containing specific performance requirements.



EN ISO 20471* EN 471

High visibility clothing

High visibility clothing which is capable of visually signal-ling the user's presence during daylight conditions and under illumination of headlights in the dark.

x = Clothing class (1 - 3)

linimum surface areas of visible material (m²)	Class 1	Class 2	Class 3
ackground material	0.14	0.5	0.8
etro-reflective material	0.10	0.13	0.2
ombined-performance material	0.2	-	-

*PPF certified from 2013 onwards

EN 17353

Enhanced visibility equipment for medium risk situations

Garments or devices which are capable of visually signalling the user's presence, provide conspicuity of the wearer in medium risk situations under any daylight conditions and/ or under illumination by vehicles headlights or searchlights in the dark.

Enhanced visibility equipment is divided into three types on the basis of conditions of use (type A - Daylight; Type B - in the evenings and at night; Type AB - daylight, twilight and at night), and each type has its own symbol.

TYPE A Daylight	TYPE B Evening/night-time con- ditions	TYPE AB Daylight, twilight and night-time conditions
Garments using fluorescent material	Garments using retro-re- flective material	Garments using fluorescen and retro-reflective material or combined-performance material
	B1 (free)	
	B2 (limbs)	AB2
	B3 (on torso or torso and limbs)	AB3



TYPE A EQUIPMENT FOR DAYLIGHT



TYPE B1 OR B2 OR B3 EQUIPMENT FOR EVENING/NIGHT-TIME CONDITIONS



TYPE AB2 OR AB3 EQUIPMENT FOR DAYLIGHT AND EVENING/NIGHT-TIME CONDITIONS



EN 342

Protection against cold

Ensembles and garments for protection against the effects of cold environments equal to or below -5°C.

CAT.	DESCRIPTION
A	Effective thermal insulation* (B, C or R)**
В	Resulting effective thermal insulation* (B, C or R)** (Optional)
С	Air permeability class [I - 3]
D	Waterproofness class (1 - 2) (optional)
х	The X indicates that the garment has not undergone testing

^{*} measured in m² x K/W

^{**} type of undergarment used in the test



EN 343

Protection against rain

Protective clothing designed to give protection against precipitation (i.e. rain, snow), mist and ground moisture.

The first number (X value) indicates the waterproofness of the garment, while the second (Y value) indicates the water vapour permeability (the garment's breathability). The readymade garment may undergo an optional waterproofness test in a rain tower.

X = Waterproofness class (1 - 3)

Y = Water vapour permeability class (1 - 3)

Z = Rain tower test (optional)



EN ISO 11612 Clothing to protect against heat and flame

Clothing to protect against heat and/or flame in one or more of the following forms: flames, radiant or convective or contact heat, molten metal splashes ...

CAT.	DESCRIPTION
A	Flame-spread behaviour (y=test method used)*
В	Resistance to convective heat (BI to B3)
C	Resistance to radiant heat (C1 to C4)
D	Resistance to molten aluminium splash (D1 to D3)
E	Resistance to molten metal splash (El to E3)
F	Contact heat resistance (FI to F3)

Same "Test method for limited flame spread" specified in Standard EN ISO 11611 described below.



EN ISO 11611

Protective clothing for use in welding and allied processes
Protective clothing intended to protect the wearer against spatter (small splashes of

molten metal), short contact time with flame, and radiant heat.

STANDARDS & INFO

Х	Classes	
	1	Protection against less hazardous weld- ing techniques and situations that pro- duce fewer sparks and heat radiation.
	2	Protection for situations that pose additional risk, where the chance of sparks and heat radiation is significantly higher.

AY	Test method	Test method for limited flame spread		
	A1	Procedure A (surface ignition)		
	A2	Procedure B (edge ignition)		
	A1+ A2	Both procedures		



EN 1149

Electrostatic properties

This standard specifies the electrostatic requirements for protective clothing which dissipates electrostatic charge, to prevent ignition



IEC/EN 61482-1-2

Protective clothing against the thermal hazards of an electric arc

This standard specifies the requirements of protective clothing against the thermal hazards of an electric arc and determines its protection class.

CLASS 1

Protects against Arc Current of 4kA for 0.5 second

CLASS 2

Protects against Arc Current of 7kA for 0.5 second



Protection against entangle-

ment with moving parts
Specifies the properties of protective clothing that minimize the risk of its entanglement or drawing-in by moving parts. This type of clothing is therefore particularly suitable for operatives performing maintenance on industrial systems, or working in the vicinity of dangerous moving machinery and equipment which cannot be segregated due to process requirements. be segregated due to process requirements.



EN ISO 11393*

Protective clothing for users of hand-held chain saws

EN ISO 11393-2 EN 381-5	Requirements for leg protectors
EN ISO 11393-4 EN 381-7	Requirements for protective gloves
EN ISO 11393-5 EN 381-9	Requirements for protective gaiters
EN ISO 11393-6	Requirements for upper body pro-

CLASS	0	1	2	3
Chain speed (m/s)	16	20	24	28



Protection against chemical hazards

Protective clothing providing protection against chemical substances and/or infectious agents have the goal of forming a protective barrier between the body and the

CLASS	1	2	3	4	5	6
Permeation time (min)	>10	>30	→60	>120	>240	→480

Permeation: this is the process through which a chemical substance permeates the material that the garment is composed of at a molecular level.

TYPES AND STANDARDS IDENTIFYING CHEMICAL **PROTECTION**



Gas-tightness

Ventilated and unventilated protective suits



Type 1

Gas-tight clothing

Ventilated and unventilated protective suits



Liquid-tight

EN 14605



Spray-proof

Type 4





Dust tight

Resistant to penetration by airborne solid particles

Type 5

EN 13034



Limited protection against small quantities and splashes

Type 6



EN 14126

Protection against infective

Protective clothing providing protection against biological agents are identified by the suffix "-B" following the "Type", for example, "Type 3-B"



EN 1073-2

Protective clothing against radioactive contamination

Specifies the requirements for non-ventilated protective clothing against particulate radioactive contamination

HIGH-PERFORMANCE MODERN COMFORTABLE



JACKETS (

Products for work and free time, dedicated both to shoulder season and colder weather. Modern, versatile garments, suitable for all sectors and outdoor activities.

T-SHIRTS AND POLO SHIRTS

Plain, coloured and suitable for all types of use. The new range of t-shirts and polo shirts includes essential products for workers for all seasons.



New fit, new fabrics. The trousers in the range have been made more modern and technical, thanks to the combination of fabrics and practicality of the models. From technical, elasticated trousers through to cool cotton trousers, the range has been expanded to include solutions for all types of use.

SWEATSHIRTS AND FLEECES

Versatile and ideal for wearing under work clothing. Technical sweatshirts and fleeces which easily warm the user are the ideal solution for a first warm layer in shoulder season and as a second layer in colder weather.

greenbay

THE ENVIRONMENTALLY FRIENDLY PRODUCT RANGE

The new Greenbay range of products has expanded Neri S.p.A.'s range of clothing with garments made from RECYCLED, ENVIRONMENTALLY SUSTAINABLE FABRIC, which is environmentally friendly, favours the circular economy and allows companies to save energy and reduce CO2 emissions.

The recycled clothing range includes products for all seasons, from summer, with Identity 100% recycled polyester technical t-shirts, to winter, with fleeces and padded jackets with refined design made from recycled fabric combined with elastane to increase comfort.

GREENBAY IS CONTEMPORARY. clothing range fits into a more casual concept of attire, outdoor, sporty, fashionable, both for more demanding workers and for free time.

Alongside the range's environmentally sustainable products is their PACKAGING, made entirely from environmentally friendly BIODEGRADABLE, PLASTIC-FREE MA-

A CONTRACTOR OF THE CONTRACTOR REE E NE LIFE







CALGARY

Softshell padded jacket 95% polyester - 5% elastan

ϵ

MATERIALS

 Main
 95% polyester, 5% elastan
 180 g/m²

 Lining
 75% nylon 25% polyester
 140 g/m²

 Padding
 100% polyester
 200 g/m²

→ Hydrorepellent, breathable

- TPU membrane
- Silver lining with mesh effect drawing
- 2 large pockets on the waist, with waterproof and printed zip
- 1 external vertical chest pocket with waterproof and reflecting printed zip
- 1 extra pocket on right sleeve, waterproof and printed zip
- 1 inner zipper pocket
- Reflecting insert on the lower back
- Waterproof front zipper closure
- · Quilted and adjustable hood, removable by zip
- Windproof fleece lining collar
- Hemmed cuffs with elastic trim
- · Adjustable drawstring bottom

Code	Colour	Sizes	
420161	dark blue	S - XXXL	

Pc. x Box 10 Pcs Min. Ord. 1 Pcs





LUBECCA

Softshell padded jacket 94% polyester - 6% elastan

(E

MATERIALS

 Main
 94% polyester, 6% elastan
 300 g/m²

 Lining
 100% polyester
 60 g/m²

 Padding
 100% polyester
 140 g/m²

→ Hydrorepellent, breathable

- TPU membrane
- Removable sleeves
- 2 pockets on the waist with hidden zip
- I vertical chest pocket, with waterproof and reflecting printed zip
- 1 inner pocket
- Reflecting inserts on the lower back
- Front closure with waterproof zip
- Quilted and adjustable hood, removable by zip
- · Windproof fleece lining collar
- Adjustable cuffs with semistrap
- Shape and adjustable drawstring bottom

Code	Colour	Sizes
420172	grey / black	S - XXXL











VANCOUVER

Triple use jacket 100% polyester Oxford

$C \in$

MATERIALS

External 100% polyester 210 g/m² 100% polyester 130 g/m² Internal 100% polyester Padding 160 g/m²

→ Waterproof, breathable, windproof

- PU membrane
- 2 external double pockets on the waist
- · Pockets with waterproof zip on arms and chest
- 2 inner pockets on the chest
- Front closure with waterproof zip
- Adjustable hood, removable with snap buttons
- · Windproof collar with soft fleece inner

Interior removable jacket:

- PU membrane
- Quilted lining 100% polyester
- · Individual use allowed
- Removable zipper sleeves
- 2 external pockets on the waist and 1 vertical chest pocket
- Inner back opening with zip for personalization
- · Knitted windproof collar
- Knitted elastic cuffs
- Adjustable bottom with drawstring

Code	Colour	Sizes
420153	grey	S - XXXL

Pcs. x Box 5 Pcs

Min. Ord. 1 Pcs

LABRADOR

Padded jacket in polyester Oxford / PU

EN 343:2003+A1:2007



MATERIALS

100% polyester 165 g/m² Main I ining polvester 100% polyester **Padding**

→ Waterproof, breathable, windproof

- External pockets: 2 on the waist and 2 on middle waist with side opening and zip
- 1 external chest pockets, left side, with zipper + 1 double chest pocket, right side, with zipper, pen compartment, and all-purpose strap
- 1 zipper pocket on left sleeve
- 2 inner pockets with zipper, one with mobile phone compartment
- · Zip opening on the inner back lining for personalization
- · Contrast colour stitching
- Reflective material inserts on shoulders, sleeves and back
- · Front zipper closure, covered by flap with strap and snap buttons
- · Windproof collar with microfleece lining
- Drawstring detachable hood with zipper and with strap closure
- Adjustable bottom with side straps and snap buttons
- · Long waterproof sleeves adjustable with strap, with inner rib knit cuffs

Code	Colour	Sizes	
420180	grey / black	S - XXL	
Pcs. x Box 5 Pc	s Min. Ord	I.1Pcs	



WINNIPEG

Padded jacket 100% polyester

ϵ

MATERIALS

→ Waterproof, windproof

- Textured fabric
- · TPU membrane
- 2 external zipper pockets on the waist
- 2 external chest zipper pockets
- 1 inner chest pocket with strap
- External fabric element in the back with green contrast detail, also usable to hang the jacket
- Green contrast stitching
- Front zipper closure, covered by flap with snap buttons
- Adjustable and folding hood
- Windproof fleece lining collar
- Elastic and adjustable cuffs with strap
- Adjustable drawstring bottom

420151 black	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





OTTAWA

Padded jacket 100% nylon Ripstop

ϵ

MATERIALS

 $\begin{array}{lll} \mbox{Main} & 100\% \ \mbox{Nylon} & 140 \ \mbox{g/m}^2 \\ \mbox{Lining} & 100\% \ \mbox{polyester} & 60 \ \mbox{g/m}^2 \\ \mbox{Padding} & 100\% \ \mbox{polyester} & 250 \ \mbox{g/m}^2 \end{array}$

→ Waterproof, windproof

- PU membrane
- 2 external double pockets at waist level with fabric flap and side opening
- 1 external pocket with chest flap + 1 vertical zipper pocket
- 1 inner little extra pocket with zipper closure
- Elbow patch
- Decorative frogs on both shoulders
- External fabric element with reflective details on the back, also usable to hang the jacket
- Internal zip opening on the back for personalization
- Front zipper closure, windproof flap with snap buttons
- Adjustable and folding hood
- Windproof collar
- · Adjustable cuffs with buttons
- Shaped bottom

Code	Colour	Sizes
420121	blue	S - XXXL







MISTER 2000

Jacket in polyester/PVC

CE

MATERIALS

Main polyester Lining polyester 100% polyester Padding

→ Waterproof, windproof

- 2 external pockets on the waist with flap and
- 2 external chest pockets with flap and strap
- 1 pocket for the mobile phone + 2 pen-holder pockets
- 1 inside pocket
- Front zipper closure covered by flap with snap buttons
- Drawstring hidden hood with strapElastic cuffs adjustable with strap
- · Drawstring waist

Code	Colour	Sizes
420005	blue	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs









MISTER 2000 TOP

Jacket in polyester/PVC

ϵ

MATERIALS

External polyester 300 g/m² Internal polyester, nylon, micropile **Padding** 100% polyester

→ Waterproof, antivento

External jacket

- Polyester lining
- 2 external waist pockets + 2 chest pockets, one with mobile-phone compartment + pen compartment
- Front zipper closure covered by flap with snap buttons
- Hidden hood with strap
- Elastic cuffs adjustable with strap
- · Drawstring waist

Inside detachable Husky

- Polyester padding
- · Check lining
- Can be worn alone
- Detachable sleeves
- 2 front pockets + 1 inside pocket
- · Velvet collar
- · Front closure with snap buttons

Code	Colour	Sizes
420027	blue	S - XXXL

FOOD

Jacket 100% nylon

ϵ

MATERIALS

Main 100% nylon Lining polyester Padding polyester

120 g/m²

- Polyester padding
- Polyester lining
- 4 external pockets + 1 inside pocket with strap
- Front zipper closure, covered by flap with snap buttons
- Drawstring hidden hood
- Detachables sleeves with elastic cuff

Code	Colour	Sizes
420136	white	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





SAVOIA

Jacket in 65% polyester - 35% cotton



MATERIALS

65% polyester, 35% cotton Main

polyester

Lining polyester Padding

- 2 pockets on the waist with flap and velcro + 2 overlying pockets with zipper
- 2 external small pockets for the mobile phone on the chest
- 1 inner pocket
- Detachable sleeves
- Front zipper closure, covered by flap with snap buttons
- Stand up collar
- Elasticized bottom sleeve

Code	Colour	Sizes	
422150	blue	S - XXXL	








DAKOTA

Padded jacket, in 100% recycled fabric, in a completely green perspective. The attention to sustainability blends with the pleasure of wearing a comfortable garment at work and perfect for leisure.

The special ultrasonic quilting makes it a fashionable jacket and the softness of the fabric guarantees extreme comfort and practicality.





DAKOTA

Padded jacket in 100% recycled polyester

 ϵ

MATERIALS

- 100% recycled fabric
- TPU membrane
- High frequency quilted, anti-drip
- · Expanded polyethylene padding
- Polyester lining, weight: 55/60 g/m2
- Internal pocket and two zipped pocket on the waist
- Side elastic softshell details, for greater freedom of movement
- Windproof collar
- Adjustable and detachable hood
- · Packaging in eco-friendly material

Code	Colour	Sizes
422141	green / orange / grey	S - XXXL
422142	royal blue / orange / grey	S - XXXL
422143	black / orange / grey	S - XXXL

Pcs. x Box 10 Pcs

Min. Ord. 1 Pcs







ASIAGO

Light jacket 100% polyester

ϵ

MATERIALS

Main 100% polyester 165 g/m² Lining

→ Waterproof, windproof

- TPU membrane
- · Internal fleece lining
- · 2 large external zipper pockets on the waist
- 1 vertical chest zipper pocket
- 1 inner chest pocket with zipInner back opening with zip for customizations
- · External element on the back with reflecting details, also usable to hang the jacket
- · Front zipper closure
- Windproof fleece lining collarAdjustable cuffs with strap
- · Adjustable drawstring bottom

Code	Colour	Sizes
422178	blue	S - XXXL
422179	black	S - XXXL

Pcs. x Box 10 Pcs

Min. Ord. 1 Pcs



BERGEN

Padded quilted jacket 100% Nylon



MATERIALS

Main 100% Nylon 30 g/m² Contrast Softshell Lining Nylon Padding 100% polyestere 120 g/m²

- → Water repellent
- Side softshell unlined inserts
- Nylon front/back lining
- 2 external zipper pockets on the waist
- 1 vertical chest pocket with reflecting profile
- 2 open inner pockets on the waist
- Reflecting details on shoulders and back
- · Front zipper closure
- Quilted hood, removable by zip
- · Windproof fleece lining collar
- Hemmed cuffs and bottom with elastic

Code	Colour	Sizes
422136	dark grey / black	S - XXXL
422137	blue / black	S - XXXL
422138	black	S - XXXL

Pcs. x Box 6 Pcs

Min. Ord. 1 Pcs





HORIZON

Stretch jacket 90% Nylon / 10% elastan

ϵ

MATERIALS

Main 90% Nylon, 260 g/m² 10% elastan

→ Breathable

- 2 external zipper pockets on the waist
- 1 vertical chest pocket
- Reflecting anthracite inserts on chest and back
- External back tissue element with reflecting detail, also usable to hang the jacket
- · Front zipper closure
- · Adjustable and hidden hood, in polyester
- Windproof collar
- Elastic windproof cuffs
- Shaped bottom with drawstring

Code	Colour	Sizes	
455131	olive green	S - XXXL	
455132	grey	S - XXXL	

Pcs. x Box 6 Pcs Min. Ord. 1 Pcs



PORTOFINO

Light jacket 100% polyester

CE

MATERIALS

 $\begin{array}{lll} \textbf{Main} & 100\% \ polyester & 70 \ g/m^2 \\ \textbf{Lining} & \textbf{Mesh} \end{array}$

→ Breathable

- Fabric weight: 70 g/m2
- Dark blue breathable inner mesh lining
- 2 external zipper pockets on the waist
- Front zipper closure
- Windproof collar
- · Kintted cuffs, waistband and collar

Code	Colour	Sizes
422169	blue	S - XXXL

Pcs. x Box 6 Pcs

Min. Ord. 1 Pcs







CAMPIGLIO

Full zip technical jacket in recycled polyester

(E

MATERIALS

Main 95% polyester, 290 g/m² 5% elastan

→ Technical, casual

- Made of recycled polyester fabric
- Inside pockets lined in polyester
- Full zip central closure
- 2 waist pockets with zip
- Contrasting sides and undersleeves (455106 455107)
- Slider cover under chin in technical fabric
- Biodegradable packaging

Code	Colour	Sizes
455106	octane / black	S - XXXL
455107	olive green / anthracite grey	S - XXXL
455108	black	S - XXXL

Pcs. x Box 10 Pcs

Min. Ord. 1 Pcs





CERVINIA

Full zip technical light jacket in recycled polyester




MATERIALS

Main 90% polyester, 180 g/m² 10% elastan

→ Technical, casual

- Made of recycled polyester fabric
- Unlined, lightweight and stretch
- 2 waist pockets with zip
- Contrasting sides and undersleeves
- Slider cover under chin in technical fabric
- Biodegradable packaging

Code	Colour	Sizes
455097	blue / bluette	S - XXXL
455098	orange / anthracite	S - XXXL
455099	grey / anthracite	S - XXXL









LUCERNA

Softshell jacket in 94% polyester / 6% elastan

CE

MATERIALS

Main 94% polyester, 300 g/m² 6% elastan

Lining pile

→ Stretch, breathable

- TPU membrane
- Interior in warm and soft fleece, with contrasting color
- 2 pockets on the waist with hidden zip
- 1 vertical chest pocket with waterproof zip
- 1 pocket on left sleeve with matt thermosealing and waterproof zip
- · 2 little inner pockets
- Reflecting inserts on chest and back
- Front closure with waterproof zip
- Adjustable and removable hood
- · Windproof fleece lining collar
- Sleeves with adjustable wrist with strap and inner windproof cuffs in lycra
- Shaped bottom and adjustable waist with drawstring

Code	Colour	Sizes
455116	black / red	S - XXXL
455117	blue / green	S - XXXL

Pcs. x Box 6 Pcs Min. Ord. 1 Pcs



CARVER

Softshell jacket in 94% polyester / 6% elastan

ϵ

MATERIALS

Main 94% polyester, 310 g/m² 6% elastan

→ Stretch, breathable

- 2 external pockets on the waist with zipper
- 1 external chest pocket with zipper
- Reflecting inserts on sleeves, shoulder and chest
- Ergonomic sleeves
- Front zipper closure
- · Hemmed elastic cuffs
- Windproof collar with microfleece lining
- Adjustable waist with drawstring

Code	Colour	Sizes
455118	grey	S - XXL







BUFFALO

Softshell jacket in 94% polyester / 6% elastan

(E

MATERIALS

Main 94% polyestere, 310 g/m^2 6% elastan

- → Strech, breathable
- 2 waist pockets on side, with zipper + 1 zipper pocket on the left arm
 • 2 inner waist pockets
- Front closure with zip
- Stand-up collar
- Soft microfleece lining

Code	Colour	Sizes
455122	blue	S - XXXL
455123	black	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs



VENICE

Softshell jacket in 100% polyester

(E

MATERIALS

230 g/m² Main 100% polyester Lining pile

- → Strech, breathable
- 2 waist pockets with zipper
- 2 inner waist pockets
- Front closure with zip and reflective inserts
- Stand-up collar
- Hemmed cuffs and waist
- Soft and warm lining

Code	Colour	Sizes	
455128	anthracite grey	S - XXXL	
455129	blue	S - XXXL	



Lightweight and comfortable jacket, perfect for those who need to keep the body warm and at the same time to have freedom of movement during work. It can also be used in less favorable periods of climate, thanks to its water-repellent and windproof properties.

This jacket can also be used outdoor, to play sports or during free time. Modern design and fit make it trendy garment.



Softshell jacket in 100% polyester

 ϵ

MATERIALS

Main 100% polyester 230 g/m²

- → Stretch, breathable
- TPU membrane
- 2 zipper pockets on the waist
- 1 vertical chest pocket with reflecting inserts
- 2 open inner pockets on the waist
- Front zipper closure with reflecting inserts
- · Windproof collar
- Hemmed and elastic cuffs
- Shaped bottom with drawstring

Code	Colour	Sizes
455127	grey	S - XXXL





TAMPERE

Padded quilted vest in 100% Nylon

ϵ

MATERIALS

Main 100% Nylon 30 g/m²
Contrast Softshell

Lining Nylon Padding 100% polyester

→ Water repellent

- Side softshell unlined inserts
- Nylon front/back lining
- 2 external zipper pockets on the waist
- 1 vertical chest pocket with reflecting printed zip
- 2 open inner pockets on the waist
- Reflecting details on shoulders and back
- · Front zipper closure
- Windproof fleece lining collar
- Armholes and hem hemmed in elastic fabric

Code	Colour	Sizes
422011	anthracite / black	S - XXXL
422021	blue / black	S - XXXL
422028	black	S - XXXL

Pcs. x Box 6 Pcs Min. Ord. 1 Pcs





NEBRASKA

Padded vest in 100% polyester

((

MATERIALS

Main100% polyester190 g/m²ContrastSoftshellLining100% polyesterPadding100% polyester

→ Water repellent, windproof

- Double TPU membrane
- Eco-leather padding with bow 100% polyester
- · Side softshell unlined inserts
- Thermo quilted
- 2 zipper pockets on the waist
- 1 inner chest pocket on the right side
- · Front zipper closure
- · Windproof fleece lining collar

Code	Colour	Sizes
422039	black	S - XXXL







SION

Padded vest 100% polyester

ϵ

MATERIALS

Main 100% polyester Lining Nylon Padding polyester

→ Water repellent

- 2 waist pockets with zipper
- 1 chest pocket (left side) with zipper
- Front closure with zip
- Stand-up collar
- · Arm-hole with elastic
- · Drawstring bottom

Code	Colour	Sizes	
422052	black / bordeaux	S - XXXL	
422053	blue / green	S - XXXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





ANNECY

Padded vest in 65% polyester - 35% cotton

CE

MATERIALS

65% polyester, 35% cotton Main Lining polyester Padding polyester

→ Breathable

- 2 external waist pockets with flap and strap + 2
- external overlying pockets with zipper 2 pockets for the mobile phone on the chest with flap and strap
- 1 inner pocket
- Front zipper closure, covered by flap with snap buttons .
- Windproof collar
- Arm-hole with elastic
- Side elastics for waist-regulation

Code	Colour	Sizes
422042	blue	S - XXXL
422044	black	S - XXL





Padded vest Ripstop fabric

((

MATERIALS

80% polyester, 20% cotton Main

200 g/m²

polyester polyester

Lining Padding 160 g/m²

- → Water repellent, breathable
- Full zip front openingDouble waist pockets, with upper and side opening

 1 pocket on the chest with zip e badge holder

 1 inner pocket with hook and loop closure

 Reflective front details sul fronte e sul retro

Code	Colour	Sizes
421050	black	S - XXXL
421051	blue navy	XS - XXXL







KIEL

Softshell padded vest 94% polyester / 6% elastan

((

MATERIALS

Main

94% polyester, 6% elastan 100% polyester

300 g/m²

Padding

→ Water repellent

- Bicolour
- TPU membrane100% polyestere padding
- 100% polyestere padding
 2 pockets on the waist with hidden zip
 1 vertical chest pocket with printed zip
 1 little extra inner pocket
 Reflecting inserts on the lower back
 Front closure with waterproof zip
 Windersof fleese living coller

- Windproof fleece lining collar
 Shape and adjustable drawstring bottom

422009 gre	y / black	S - XXXL

ALABAMA

Softshell vest in 95% polyester / 5% elastan

ϵ

MATERIALS

Main 95% polyester, 310 g/m² 5% elastan

→ Breathable, stretch

- 2 big waist zipper pockets in mesh for more ventilation
- 1 chestpocket (left)
- Front zipper fastenerElastic armholes
- · High collar
- Soft effect and mesh inside
- Back splits for better ventilation

Code	Colour	Sizes
422097	grey	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





JACKSON

Softshell vest in 95% polyester / 5 % elastan

CE

MATERIALS

Main 95% polyester, 310 g/m² 5 % elastan

→ Breathable

- 2 waist zipper pockets with small reflective in-
- 2 inner waist pockets
- Front zipper fastener
- · Elastic armholes
- · Drawstring collar
- Warm and soft micro fleece interior
- Red zip puller

Colour	Sizes
black	S - XXXL
blue	S - XXXL
	Didon







CHAMONIX

Sweatshirt or jacket? Chamonix is an special garment, to be worn both as a sweatshirt under a winter jacket during the colder season, and as a jacket itself, the rest of the year, when the climate is milder. Designed for perfect functionality at work, full of pockets and technical details, it allows the user to operate with great freedom of movement and maximum comfort.

A fresh and original design make it a perfect garment even for the most demanding user, who wants to wear it during his free time.

CHAMONIX

Full zip sweatshirt in double fabric polyester/ **Nylon Ripstop**

Not PPE*		
MATERIALS	5	
Main	polyestere	435 g/m ²
Contrast	100% Nylon	

- → Windproof, cold protection
- Knitted fabric internally paired with warm and soft fleece with wooly effect + secondary fabric 100% nylon ripstop
- Tissue weight: 435 g/m2
- 2 zipper pockets on the waist
- 2 zipper chest pockets · 2 opened inner pockets
- Windproof collar · Front zipper closure
- · Hemmed cuffs and bottom

Code	Colour	Sizes
455079	grey	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs

SWEATSHIRT/FLEECE



LIENZ

Full zip sweatshirt 65% polyester / 35% cotton

Not PPE* MATERIALS 65% polyester, 35% cotton 295 g/m² Main

- 2 zipper pockets on the waist
 1 zipper chest pocket
 Technical black/silver tissue inserts in contrast on sleeves
- Front zipper closure
- High collar
- Rib knit cuffs and waistband

Code	Colour	Sizes	
455082	blue / black	S - XXXL	
455043	grey / black	S - XXXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs



COIRA

Half zip sweatshirt 65% polyestere / 35% cotton

Not PPE*		
MATERIALS Main	65% polyester, 35% cotton	295 g/m²

- 2 zipper pockets in the waist
- 1 zipper chest pocket
 Technical black/silver tissue inserts in contrast on sleeves
- Middle zipper closure
- High collar
- Rib knit and elastic cuffs and waistband

Code	Colour	Sizes	
455092	blue / black	S - XXXL	
455053	grey / black	S - XXXL	





BREZ

Multipocket sweatshirt in 65% polyester / 35% cotton

Not PPE*		
MATERIAL	s	
Main	65% polyester, 35% cotton	310 g/m ²

- 2 waist pockets with zipper1 chest pocket (right side) with flap and velcro + D-loop and 3 pen-pockets
- 1 chest pocket (left side) with zipper
- 1 pocket with flap and velcro and badge holder on the left sleeve
- 2 inner waist pockets
- Front zipper fastener
- Soft and warm on the inside
- Rib knit cuffs, collar and hem

Code	Colour	Sizes
455080	blue navy	S - XXXL
455081	grey	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





DAVOS

Sweatshirt 65% polyestere / 35% cotton

Not PPE*		
MATERIALS		
Main	65% polyester,	290 g/m ²
	35% cotton	

- 2 external waist pockets with zipper
 Front closure with metal zipper
 Rib knit cuffs, collar and waistband

- Contrasting stitching

Code	Colour	Sizes
455070	blue	S - XXXL
455072	grey	S - XXXL





MERANO

Full zip sweatshirt 65% polyestere / 35% cotton

Not PPE*

MATERIALS

65% polyester, 35% cotton Main

295 g/m²

- 2 side pockets on the waist
- Badge pocket on the left sleeve

- Front zipper closure
 Adjustable hood with drawstring
 Rib knit and elastic cuffs and waistband
 Shape and adjustable elastic bottom and armhole

Code	Colour	Sizes	
455101	anthracite grey	S - XXXL	
455057	green	S - XXXL	
455058	black	S - XXXL	





CORTINA

Sweatshirt in 65% polyester / 35% cotton

Not PPE*			
MATERIALS Main	65% polyester, 35% cotton	290 g/m²	

- 2 external waist pockets
 Front closure with metal zipper
 Rib knit cuffs, collar and waistband with tricolor stripes

Code	Colour	Sizes
455076	blue	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





CERMIS

Not PPE*		
MATERIAL	S	
Main	65% polyester, 35% cotton	290 g/m ²
 Contras 	losure on collar ting stitching cuffs and waistband	i
Code	Colour	Sizes
455059	black	S - XXXL
455060	blue	S - XXXL

S - XXXL

FELPA

Round neck sweatshirt 50% cotton / 50% polyester

Not PPE*

MATERIALS

280 g/m² Main 50% cotton, 50% polyester

Round neck
 Rib knit cuffs and waistband

Code	Colour	Sizes	
455010	blue	S - XXL	
455031	black	M - XXXL	
455033	melange grey	M - XXXL	

Pcs. x Box 20 Pcs Min. Ord. 1 Pcs









BORMIO

Wool blend sweather 70% acrylic / 30% wool

((

MATERIALS

70% acrylic, 30% wool Main 340 g/m^2

- High neck closed with zip
- Elastic knit cuffs and waistband

Code	Colour	Sizes	
455013	blue navy	S - XXXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs

NEW







GSTAAD

Microfleece jacket 100% polyester

((

MATERIALS

Main 100% polyester $200\,g/m^2$

- 2 external pockets on the waist with zipper
- Front zipper closureElastic cuffsRed zipper pullers

Code	Colour	Sizes
455095	blue	S - XXXL
455096	black	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs



CANAZEI

Fleece 100% polyester

((

MATERIALS

Main 100% polyester 280 g/m²

- Zipper closure on collar
- Elastic cuffsDrawstring bottom

Code	Colour	Sizes	
455021	black	S - XXL	
455026	blue royal	S - XXL	
455028	blue navy	S - XXL	

NAVIS

Polar fleece jacket 100% polyester

(E

MATERIALS

Main 100% polyester 300 g/m^2

- 1 chest pocket (right side) with zipper
- 2 waist pockets with zipper 1 inner pocket with mesh lining
- · Elastic hem and cuffs
- Front zipper fastener with chin protection
- · Contrasting grey inserts on cuffs and collar
- Contrasting red bartacks

Colour	Sizes	
blue	S - XXXL	
anthracite grey	S - XXXL	
	blue	blue S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs



CORK

Polar fleece jacket 100% polyester



MATERIALS

Main 100% polyester 345 g/m²

- 2 external pockets on the waist with zipper
- 1 external chest pocket with zipper
- Neoprene inserts on the sides
- Front zipper closure with chin protection
- Drawstring bottom
- Contrasting red bartacks

Code	Colour	Sizes
455054	anthracite grey	S - XXL







ESSENTIAL

T-shirt 100% cotton

MATERIA	LS	
Main	100% cotton	145 g/m ²

Colour	Sizes	
white	S - XXXL	
black	S - XXXL	
grey melange	S - XXXL	
orange	S - XXXL	
dark blue	S - XXXL	
	white black grey melange orange	white S - XXXL black S - XXXL grey melange S - XXXL orange S - XXXL

Pcs. x Box 120 Pcs

Min. Ord. 12 Pcs

S - XXXL

military green





SMART

Polo 100% cotton

100% cotton	190 g/m²	
	100% cotton	100% cotton 190 g/m ²

- Short sleevesShirt neck with 3 buttonsKnitted edge
- Code Colour

471061 grey melange S - XXXL 471062 grey S - XXXL 471063 blue S - XXXL	Loae	COLOUR	Sizes	
	471061	grey melange	S - XXXL	
471063 blue S - XXXL	471062	grey	S - XXXL	
	471063	blue	S - XXXL	











2nd SKIN

First heat layer, breathable and innovative made with ecological natural soy fabric.

2nd SKIN garments are ideal as first heat layer in contact with the skin. Thanks to the particular processing of the natural soy fiber they are highly breathable garments.

One of the properties of soy fiber is its antibacterial function, because, thanks to some substances that make up soy protein, they can control germs' spread.

Soy fiber is great for absorbing far infrared rays (FIR), known to have a beneficial effect on the skin, and to reflect UV rays, harmful to health.

T-SHIRT M/C 2nd SKIN

T-shirt made with thermoregulating fabric 95% soy - 5% elastan

Not PPE*		
MATERIALS		<u> </u>
Main	95% soy 5% elastan	200 g/m ²
Short sle Round-ne		

· Stitching in contrasting orange color

Code	Colour	Sizes
472010	black	M - XXL



T-SHIRT M/L 2nd SKIN

T-shirt made with thermoregulating fabric 95% soy - 5% elastane

Not PPE*

MATERIALS

Main

95% soy, 5% elastan 200 g/m²

• Long sleeves

- Round-neck
- Elasticized
- · Stitching in contrasting orange color

 Code
 Colour
 Sizes

 472012
 black
 M - XXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pcs





CALZAMAGLIA 2nd SKIN

Tights made with thermoregulating fabric 95% soy - 5% elastane

Not PPE*

MATERIALS

Main

95% soy 5% elastan 200 g/m²

- Elastic band at waist
- Elasticized
- Stitching in contrasting orange color

 Code
 Colour
 Sizes

 472050
 black
 M - XXL

Pcs. x Box 10 Pcs

Min. Ord. 1 Pcs







T-SHIRT M/C BODY-FIT

T-shirt made of technical fabric 54% polyamide / 37% polypropylene / 9% elastane

Not PPE*

MATERIALS

Main

54% polyamide, 220 g,

37% polypropylene,

- 9% elastane
- Short sleeve
- Crew-neck
- Elastic and perfectly fitting
- Breathable, soft, light and antibacterial
 Weft and density of the fabric are differentated
- for areas

 Flat seams that are not perceived

		•	
Code	Colour	Sizes	

472060 black S/M,L/XL,XXL/XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs

BODYFIT

Technical underwear, elastic, soft and light.

It is a line of underwear suitable as a base layer, made with innovative technical materials with a weft and a fabric density differentiated area, to promote the right adherence to the body.

The yarn used has antibacterial properties: it controls the proliferation and spread of germs and bacteria, avoiding the occurrence of fungi, bad smells, itches and skin irritations.

Polypropylene, thanks to its high breathability, has an excellent thermoregulatory effect, as it allows the transport of sweat to the outside and its rapid evaporation.

T-SHIRT M/L BODY-FIT

T-shirt made of technical fabric 54% polyamide / 37% polypropylene / 9% elastane

Not PPE*

MATERIALS

Main 54% polyamide, 37% 220 g/m²

polypropylene, 9% elastane

· Long sleeve

• Crew-neck

• Elastic and perfectly fitting

Breathable, soft, light and antibacterial

• Weft and density of the fabric are differentated for areas

· Flat seams that are not perceived

Code	Colour	Sizes
472062	black	S / M, L / XL, XXL / XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





CALZAMAGLIA BODY-FIT

Tights made of technical fabric 54% polyamide / 37% polypropylene / 9% elastane

Not PPE*

MATERIALS

Main 54% polyamide, 220 g/m²

37% polypropylene, 9% elastane

- Elastic band at waist
- Elastic and perfectly fitting
- Breathable, soft, light and antibacterial
- Weft and density of the fabric are differentated for areas
- · Flat seams that are not perceived

Code	Colour	Sizes
472070	black	S / M, L / XL, XXL / XXXL







FLANELLA

100% flannel cotton shirt

Not PPE* **MATERIALS** Main 100% cotton 155 g/m²

- Long sleeve
- 1 little external pocket, left sideFront closure with buttons
- Cuffs with buttons

Code	Colour	Sizes
431009	tartan blue pattern	M - XXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pcs





SQUARED

Flannel tartan shirt 100% yarn dyed cotton

Not PPE*		
MATERIAI	LS	
Main	100% cotton	150 g/m²
• 1 chest	eeve t fit and rounded at pocket on the left s losure and cuffs wit	ide
Code	Colour	Sizes

S - XXXL

white / red / blue

Pcs. x Box 20 Pcs Min. Ord. 1 Pcs

431025







JEANS

100% cotton jeans shirt

Code	Colour	Sizes	
431015	light blue	M - XXL	
431016	blue	M - XXL	

Pcs. x Box 20 Pcs Min. Ord. 1 Pcs





CHAMBRAY

100% cotton Chambray shirt

Not PPE*		
MATERIAL	.s	
Main	100% cotton	130 g/m ²
 Front cl 	xternal pocket, left losure with buttons ith buttons	
Code		
ouuc	Colour	Sizes



OXFORD M/L

70% cotton - 30% polyester Oxford shirt

Not PPE*			
MATERIALS Main	70% cotton, 30% polyester	140 g/m²	

- Long sleeve
 Ilittle external pocket, left side
 Front closure with buttons
- Cuffs with buttons

Code	e Colour Sizes	
431012	light blue	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pcs





OXFORD M/C

70% cotton - 30% polyester Oxford shirt

Not PPE*		
MATERIALS		
Main	70% cotton,	140 g/m ²
	30% polyester	

• Front closure with buttons

Code	Colour	Sizes	
431013	light blue	M - XXL	







IRON

Stretch multipocket trousers 91% polyester technical fabric - 9% elastan

CE

MATERIALS

Main 91% polyester, 248 g/m² 9% elastan

- 5 large loops at the waist
- 2 open pockets at the waist
- 2 back pockets, one with flap and hook and loop closure and one open with hook and loop closure
- 1 double pocket with flap and hook and loop closure and zip on the left leg
- Pencil pocket/folder holder, badge holder and pen holder on left leg
- Double open vertical pocket on rght leg
- Reflective details in the knees and back pockets
- Double fabric reinforcement at the bottom of the leg

Code	Colour	Sizes	
437451	blue	S - XXXL	
437450	black	S - XXXL	

Pcs. x Box 10 Pcs

Min. Ord. 1 Pcs





IRON WINTER

Stretch trousers in brushed technical fabric 92% polyester 8% elastan



MATERIALS

Main 92% polyester, 235 g/m² 8% elastan

- Woven fabric with lining
- 2 open waist pockets
- Back pockets with flap and hook and loop closure
- Side pockets with flap, zip and hook and loop closure and tool holder pockets
- Reflective details in the knees and back pockets
- Double fabric reinforcement at the bottom of the leg

Code	Colour	Sizes
437455	black	S - XXXL
437456	olive	S - XXXL
437457	dark grey	S - XXXL

Pcs. x Box 10 Pcs

Min. Ord. 1 Pcs



NEW







SKY

Ultralight trousers 100% cotton

(E

MATERIALS

 $\textbf{Main} \hspace{1.5cm} 100\% \hspace{0.1cm} \text{cotton} \hspace{1.5cm} 150 \hspace{0.1cm} \text{g/m}^{2}$

- Two side elastics at the waist
- 5 loops for waist belt
- 2 open waist pockets
- 2 back pockets
- 1 large triple pocket with flap and hook and loop closure on the right leg, on of the three pockets with zip closure
- 3 little pockets for pens
- A large pocket with flap and hook and loop closure on left leg
- Preformed knees

Code	Colour	Sizes
436183	beige	S - XXXL
436184	blue	S - XXXL
436185	grey	S - XXXL

Pcs. x Box 10 Pcs

Min. Ord. 1 Pc





FIRENZE

Multipocket work trousers 65% polyester / 32% cotton / 3% elastan



MATERIALS

Main 65% polyester, 260 g/m² 32% cotton,

3% elastan

- 2 waist pockets with side opening
- 2 back pockets with flap and hook and loop
- 1 patch pocket on the left leg with flap and hook and loop closure
- 1 patch pocket on the right leg with flap and hook and loop closure
- Back elastic waistband
- Front closure with button and zip

Code	Colour	Sizes
437332	grey	XS - 4XL
437330	blue navy	XS - 4XL







PANTHER

100% cotton trousers

$C \in$

MATERIALS

Main 100% cotton 220 g/m²

- · Cotton canvas fabric
- · 2 front waist pockets
- 1 side pocket on the left leg with hook and loop closure and flap, pen pocket and mobile pocket
- 1 double reinforced side pocket on the right leg, with ruler pocket and hammer loop
- 2 large back pockets with flap and hook and loop closure
- · Front zipper closure
- · Contrasting bartacks
- Large belt loops
- Waistband with elastic inserts
- Anti-wear inserts in the crotch

Code	Colour	Sizes	
436194 camouflage grey / black		S - XXXL	
436195	blue	S - XXXL	
436196	grey	S - XXXL	

Pcs. x Box 10 Pcs

Min. Ord. 1Pc



SIENA

Multipocket work trousers 65% polyester / 35% cotton



MATERIALS

Main 65% polyester, 250 g/m² 35% cotton

- 2 waist pockets with side opening and 1 coin compartment on front right side

 1 side pocket on the left leg with flap and hook
- and loop closure
- 1 side pocket on the right leg with flap and hook and loop closure and hammer holder
- 1 back pocket on the right side, with flap and hook and loop closure
- Front opening with button and zipper covered
- · Waistband with loops and elastic at back

Code	Colour	Sizes	
437320	grey	XS - 4XL	
437322	blue navy	XS - 4XL	
437325	white	XS - 4XL	
437326	black	XS - 4XL	

Pcs. x Box 10 Pcs

Min. Ord. 1 Pc



NEW CARPENTER

100% cotton canvas multipocket trousers

ϵ

MATERIALS

lain 100% cotton 260 g/m²

- · Cotton canvas fabric, soft finish
- 2 front waist pockets with side opening
- 1 side pocket on left leg in Cordura® with flap and hook and loop closure and I double side reinforced pocket on right leg in Cordura®, with ruler pocket and hammer holder
- 2 large back pockets in Cordura® fabric, with flap and hok and loop closure
- Pre-shaped knees, reinforced with Cordura® fabric, for the use with knee-pads
- Inserts in reflective material
- Front opening with buttons
- · Contrasting bar tacks
- Removabe large belt loops for hanging tools, with hook and loop closure
- Anti-wear inserts in the inside part of the bottom leg

Code	Colour	Sizes
436176	grey	S - XXXL
Pcs. x Box 10 Pcs		Min. Ord. 1 Pc

Cod.	Art.	Descrizione
140095	GINOCCHIERA	EVA/PU
	CARPENTER	grey

Min. Ord. 1 Pair





CINTURA WORKER

Belt

NUL	rr	_	

MATERIALS

ain polyester

- Adjustable belt
- Metal easy-to-use locking buckle
- Colour: black

Cod.	Tipologia	Taglia	
116080	elastic belt	unica	
116081	belt	unica	







CANYON

Classic 5 pockets jeans in stretch

Not PPE*

MATERIALS

98% cotton Main 2% elastan

350 g/m²

- · Garment wash
- Double stitiching with contrasting thread
- Fit regular, streight leg

Code	Colour	Sizes
436503	blue denim	44 - 58

Pcs. x Box 15 Pcs

Min. Ord. 1 Pc





CREEK

Multi-pocket cargo jeans in stretch cotton

Not PPE*

MATERIALS

98,5% cotton Main 1,5% elastan

400 g/m²

- 2 waist pockets
- 2 back pockets and side pockets with flap
 Double contrasting havana stitching on the pockets

Code	Colour	Sizes
436506	blue	44 - 58

Pcs. x Box 10 Pcs

Min. Ord. 1 Pc



NEW





HATS



NEW

TRUCK

Winter cap with turn-up 45% acrylic / 55% polyester

 ϵ

MATERIALS

Main 45% acrylic, 85/90 g/m² 55% polyester

Lining 100% polyester

Winter cap with turn-up

Warm and soft fleece lining

 Code
 Colour
 Sizes

 467016
 dark grey
 one



CLUB

Winter cap 100% acrylic

((

MATERIALS

Main 100% acrylic $71 \, g/m^2$

- Winter type capKnitted

Code	Colour	Sizes	
467002	black	one	
467004	blue navy	one	

Pcs. x Box 50 Pcs

Min. Ord. 1 Pc

NEW





CAP

100% cotton cap

Not PPE*

М	ΑT	ΈΙ	R١	AL	S

Main 100% cotton

- Peaked cap
 Adjustable strap with hook and loop closure
 With aeration holes

Code	Colour	Sizes	
436907	grey / green	one	
436909	black / green	one	

Pcs. x Box 60 Pcs

Min. Ord. 1 Pc











ORIGINAL BUFF®

Tubular seamless headwear, 100% Thermolite® fabric

Not PPE*



MATERIALS

Main 100% Thermolite®

- No seams or hems
- · Breathable and stretch tissue
- Excellent protection against cold, wind and variable weather conditions
- Wearable in different ways, and it offers different levels of protection
- With Polygiene® treatment (Active Odor Control)
- Recommended for use both outdoors and indoors, in the presence of low temperatures
- Dimensions: 24,5 cm x 53 cm

Code	Colour	Sizes	
472110	black	one	
472112	blue navy	one	
472114	orange	one	



COOLNET UV+ BUFF®

Seamless multifunctional tubular, 100% Coolmax® Extreme fabric

Not PPF*

MATERIALS

Main 95% polyester, 5% elastan

- There are no irritating seams or hems
- Elastic qualities
- High UV protection and dust protection
- · High breathability
- Extremely versatile: it can be used in different ways, situations, environments to offer different levels of protection in use
- With Polygiene® treatment (Active Odor Control)
- · Made for the sun: ultimate sweat management
- Dimensions: 24,5 cm x 53 cm

472102 blac	N UIIC	

Pcs. x Box 100 Pcs Min. Ord. 5 Pcs





FIRE RESISTANT BUFF®

Tubular seamless headwear, in Nomex®/ XLA™ fabric



Nomex.

Main Nomex®

MATERIALS

- No seams or hemsBreathable and stretch tissue
- Excellent protection against wind, cold or thermal risks from heat or flames
- It has fire retardant and antistatic properties
- Can be worn in different ways, and offers different levels of protection
- Nomex® fabric: certified as PPE according to EN 340, EN ISO 11612, EN 1149-5
- Recommended for operators who may come into accidental contact with small flames, heat sources or potentially explosive substances
- Dimensions: 24,5 cm x 57 cm

Code	Colour	Sizes	
472108	blue	one	







GILET DISCOVERY

Bicolour stretch multipocket vest

CE

MATERIALS

Main

65% polyester, 220 g/m²

NEW

NEW

32% cotton, 3% elastan

- Contrasting green details on the pockets
- Contrasting black fabric in shoulders, bellows and carré
- 2 open pockets at the waist, one with flap and hook and loop closure, one with zip
- 2 front pockets on the chest with flap and hook and loop closure
- 1 pen holder and badge holder on the right side

Code	Colour	Sizes	
422089	grey / black	S - XXXL	

Pcs. x Box 10 Pcs M

Min. Ord. 1Pc





PANTALONE DISCOVERY

Bicolour stretch multipocket trousers

CE

MATERIALS

Main

65% polyester, 220 g/m² 32% cotton, 3% elastan

Contrasting green details on the belt loops and pockets

- 5 loops for waist belt
- Contrasting black fabric in waist, bellows and loops
- Back welt pockets
- 2 open pockets at the waist
- 2 back pockets, one with zip and one with flap and hook and loop closure
- 1 double pocket with flap and hook and loop closure and zip on the left leg
- 1 vertical double pocket open on the right leg + hammer door pocket
- · Preformed knees with knee support

Code	Colour	Sizes	
437079	grey / black	S - XXXL	

Pcs. x Box 10 Pcs

Min. Ord. 1 Pc







NEW

BERMUDA DISCOVERY

Bicolour stretch multipocket bermuda

 $C \in$

MATERIALS

Main

220 g/m²

65% polyester, 32% cotton, 3% elastan

Contrasting green details on the belt loops and nockets

• 5 loops for waist belt

Contrasting black fabric in waist, bellows and loops

· Back welt pockets

• 2 open pockets at the waist

- 2 back pockets, one with zip and one with flap and hook and loop closure
- 1 double pocket with flap and hook and loop closure and zip closure on the left leg
- 1 vertical double pocket open on the right leg + hammer door pocket

Code	Colour	Sizes
437081	grey / black	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





NEW

PETTORINA DISCOVERY

Bicolour stretch multipocket bib

CE

MATERIALS

Main

65% polyester,

32% cotton,

3% elastan

• Contrasting green details on the pockets and flaps

220 g/m²

Elasticated waist

- Contrasting black fabric in gussets, pockets and loops
- 2 open pockets at the waist
- 2 back pockets, one with zip and one with flap and hook and loop closure
- 1 double pocket with flap and hook and loop closure and zip on the left leg
- 1 vertical double pocket open on the right leg + hammer door pocket
- 1 large horizontal pocket in bib
- 3 pockets for pens and ruler in the bib
- Preformed knees with knee support
- Adjustable straps with buckles and elastic waist
- · Front opening with zip

Code	Colour	Sizes	
437097	grey / black	S - XXXL	

Pcs. x Box 5 Pcs

Min. Ord. 1 Pc





TUTA DISCOVERY

Bicolour stretch multipocket overall

3% elastan

(E

MATERIALS

Main

65% polyester, 220 g/m² 32% cotton,

• Contrasting green details on the pockets and flaps

- Elasticated waistContrasting black fabric in gussets, pockets and loops
- 2 welt pockets on the sides
- 2 back pockets, one with zip and one with flap and hook and loop closure
- 1 double pocket with flap and hook and loop closure and zip on the left leg
- 1 vertical double pocket open on the right leg + hammer door pocket
- 2 pockets in front waist, one with flap and hook and loop closure, one with zip
- 2 front pockets on the chest with flap and hook and loop closure
- 1 pen holder and badge holder on the right side
- Preformed knees with knee support
- · Reflective rear detail

Code	Colour	Sizes
437094	grey / black	S - XXXL

Pcs. x Box 5 Pcs

Min. Ord. 1 Pc





EVO STRETCH

97% cotton / 3% elastan jacket

97% polyester, 265 g/m² 3% elastan

- Stretch fabric to improve comfort
- Two-tone design
- 2 front waist pockets with side opening
- 1 chest pocket, left side, with zipper
- 1 chest pocket, right side, with flap and "D" ring
- 1 large pocket on the left sleeve with zipper
- Front zipper closure with snap buttons, covered by flap and hook and loop closure Contrasting bar tacks
- Reflecting inserts on back and shoulders
- Shirt collar with double fabric
- · Waistband with elastic inserts
- Adjustable cuffs with hook and loop closure

Code	Colour	Sizes	
437430	grey	M - XXL	
437431	blue	M - XXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pc

EVO STRETCH

97% cotton - 3% elastan

This timeless clothing series privileges dynamism and maximum freedom of movement.

All garments made are with high quality fabrics and they are characterized by the presence of the stretch component, which makes them comfortable and versatile.

The design and details are particularly accurate and avant-garde. Practical accessories, pockets and compartments supplied, to always have

EVO STRETCH

97% cotton / 3% elastan trousers



MATERIALS

Main 97% polyester, 265 g/m² 3% elastan

- Stretch fabric to improve comfort
- Two-tone design
- 2 front waist pockets with side opening
- 1 side pocket on the left leg with zipper and flap and pen pocket
- 1 double reinforced side pocket on the right leg, with ruler pocket and hammer loop
- 2 large back pockets with flap
- Pre-shaped knees
- · Front zipper closure
- Contrasting bar tacks
- Double belt loops and 1 "D" ring
- Waistband with elastic inserts
- Anti-wear inserts in the inside part of the lower leg

Code	Colour	Sizes
437420	grey	S - XXL
437421	blue	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





EVO STRETCH

97% cotton / 3% elastan bermuda



MATERIALS

Main 97% polyester, 265 g/m² 3% elastan

- Stretch fabric to improve comfort
- Two-tone design
- 2 front waist pockets with side opening
- 1 side pocket on the left leg with zipper and flap and pen compartment
- 1 double reinforced side pocket on the right leg, with ruler pocket and hammer holder
- 2 large back pockets with flap
- Front closure with zipper
- Contrasting bar tacks
- Double belt loops and 1 "D" ring
- Waistband with elastic inserts

Code	Colour	Sizes
437425	grey	S - XXL







EVO STRETCH PLUS

Stretch jacket in 64% polyester / 33% cotton / 3% elastan



MATERIALS

Main

64% polyester,

260 g/m²

33% cotton, 3% elastan

- Stretch fabric for a greater comfort
- Modern look
- 2 waist pockets with side opening + snap button
- 1 chest pocket (left side) with zipper
- · 1 chest pocket (right side) with flap and hook and loop closure and pen compartments + e-care insert (protection against electromagnetic waves)
- Breathable side mesh inserts
- Contrasting bartacks
- Adjustable cuffs with hook and loop closure
- Shirt collar with double fabric
- Adjustable waistband with snap buttons
- Front zipper fastener and snap buttons, covered by flap with hook and loop closure

Code	Colour	Sizes
437442	anthracite grey	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





EVO STRETCH PLUS

Stretch trousers in 64% polyester / 33% cotton / 3% elastan



Main

64% polyester, 33% cotton,

260 g/m²

3% elastan

- Stretch fabric for a greater comfort
- Modern look
- 2 waist pockets with side opening
- 1 pocket on the left leg with zipper and flap and multi-use compartment
- 1 pocket on the right leg for mobile phone
- 1 side rule-holder pocket and hammer holder
- 2 large back pockets with flap
- Reinforced pre-shaped waterproof knee pad pockets
- Zipper fastener, covered by flap, and hidden button
- Contrasting bartacks
- Waistband with elastic inserts
- · Anti-wear crotch patch with ventilation holes

Code	Colour	Sizes
437440	anthracite grey	S - XXXL
437441	dark blue	S - XXXL







65% polyester - 35% cotton

Practical and functional clothing line, made of polyester/cotton blend fabric, with technical fabric inserts to make them more resistant to wear.

With a modern and contemporary look, it easily adapts to different professional environments.





CONVOY

Multipocket vest 65% polyester / 35% cotton

(

MATERIALS

Main 65% polyester, 250 g/m² 35% cotton

- · Front zipper fastener
- 1 chest pocket (right side) with technical fabric flap and velcro + multipurpose fabric ring
- 1 chest pocket (left side) with technical fabric flap and velcro + badge holder
- 2 waist pockets with technical fabric inserts (the right pocket with zipper closure, mobile phone pocket and pen pocket)
- Technical fabric inserts on shoulders
- · Reflective inserts on chest and back

Code	Colour	Sizes
422066	grey	S - XXXL
422067	blue	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc



BERMUDA CONVOY

Multipocket bermuda 65% polyester / 35% cotton

CE

MATERIALS

Main 65% polyester, 250 g/m² 35% cotton

- · 2 waist pockets
- 2 pockets on sides with technical fabric flap and hook and loop closure
- 2 back pockets with technical fabric flap and hook and loop closure
- · Zipper fastener, covered by flap, and button
- Waistband with elastic inserts (higher back side) and large technical fabric belt loops
- · Reflective inserts on flaps

Code	Colour	Sizes
437072	grey	S - XXXL

CONVOY

65% polyestere / 35% cotton trousers

ϵ

MATERIALS

Main 65% polyester, 250 g/m² 35% cotton

- 2 waist pockets
- 2 pockets on sides with technical fabric flap and hook and loop closure
- 2 back pockets with technical fabric flap and hook and loop closure
- Zipper fastener, covered by flap, and button
- Waistband with elastic inserts (higher back side) and large technical fabric belt loops
- · Reflective inserts on flaps

Colour	Sizes	
anthracite grey	S - XXXL	
blue	S - XXXL	
black	S - XXXL	
	anthracite grey	anthracite grey S - XXXL blue S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





CONVOY WINTER

65% polyester / 35% cotton trousers



MATERIALS

- 100% cotton flannel lining 170g/m2
- 2 waist pockets
- 2 side pockets with flap in technical tissue and strap
- 2 back pockets with flap in technical tissue and strap
- Zip closure covered with flap and button
- Waist band with elastic inserts (higher back) and large loops in technical tissue
- Reflective inserts on the flaps

Code	Colour	Sizes
437077	grey	S - XXXL









Multipocket technical trousers 65% poliestere / 35% cotone

CE

MATERIALS

Main 65% polyester 35% cotton

215 g/m²

- 2 waist pocket, side opening with flap and button
- Adjustable buckles at the waist
- 2 side pockets on the legs with flap and velcro
- 2 back pockets with flap and button
- Fastener with zipper, flap and button
- Drawstring at the bottom

Code	Colour	Sizes
437048	blue	S - XXXL

Pcs. x Box 25 Pcs Min. Ord. 1 Pc





ARMY INVERNALE

Multipocket technical trousers 65% poliestere / 35% cotone

ϵ

MATERIALS

Main 65% polyester 35% cotton

 215 g/m^2

- 2 waist pocket, side opening with flap and button
- Adjustable buckles at the waist
- 2 side pockets on the legs with flap and velcro
- 2 back pockets with flap and button
- Fastener with zipper, flap and button
- · Drawstring at the bottom
- With full flannel lining (115 g/m2)

Code	Colour	Sizes
437053	blue	S - XXL



TOBRUK

Single layer vest 65% polyester / 35% cotton

CE

MATERIALS

Main 65% polyester 185 g/m² 35% cotton

Front zipper closureMultipocket like fisherman vest type

· 2 back pockets

· Inner net lining

Code	Colour	Sizes
422081	blue	M - XXL

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





DERNA

Multipocket vest 80% polyester / 20% cotton

CE

MATERIALS

Main 80% polyester, 190 g/m² 20% cotton

- Multipocket like fisherman vest type
- Chest pocket (right side) with flap and hook and loop closure, D-loop and phone pocket with flap and hook and loop closure
- 1 chest pocket (left side) with flap and hook and loop closure, with small hidden badge-holder pocket and bands in reflective material
- 2 waist zipper pockets + 2 pocket with flap and hook and loop closure
- Front zipper fastener
- Small reflective inserts on chest and back
- Big back pocket with hook and loop closure
- · Mesh lining

Code	Colour	Sizes
422068	blue	S - XXXL
422071	grey	S - XXXL







GIUBBINO TOP EUR EVO

Work stretch jacket

ϵ

MATERIALS

 $\begin{array}{ccc} \textbf{Main} & 97\% \ \text{cotton} & 260 \ \text{g/m}^2 \\ & 3\% \ \text{elastan} \end{array}$

- Contrasting stitchingon blue version
- · 2 breast pockets with flap
- 2 side pockets at the waist
- Double layer shirt collar
- Button closure, protective flap
- Sleeves with cuffs with buttonhole and button closure

Code	Colour	Sizes	
436017	grey	S - XXL	
436024	blue	S - XXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE TOP EUR EVO

Multi-pocket trousers stretch cotton fabric

(E

MATERIALS

 Main
 97% cotton
 260 g/m²

 3% elastan
 260 g/m²

- Contrasting stitchingon blue version
- 2 external pockets with side opening on the sides
- 2 back pockets with flap closure and buttons
 2 side seed by seed the large side flag.
- 2 side patch pockets on the legs with flap
- Elastic waistband on the back
- Front opening with metal button

Code	Colour	Sizes	
436026	grey	S - XXL	
436027	blue	S - XXL	







CAMICE TOP EUR

Cotton work coat

(E

MATERIALS

 $\textbf{Main} \hspace{1.5cm} 100\% \hspace{0.1cm} cotton \hspace{1.5cm} 250 \hspace{0.1cm} g/m^2$

- Shrinkage percentage: +/- 2%
- Contrasting stitchings
- 2 pockets on the chest with flap and buttons
- 2 patch pockets on the waist
- Double layer shirt collar
- · Fastener with buttons and flap

Code	Colour	Sizes	
436080	blue	S - XXL	
436082	grey	S - XXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





GIUBBINO TOP EUR

Cotton work short jacket



MATERIALS

 $\begin{tabular}{lll} \begin{tabular}{lll} \begin{$

- Shrinkage percentage: +/- 2%
- Contrasting stitchings
- 2 pockets on the chest with flap and buttons
- 2 patch pockets on the waist
- Double layer shirt collar
- Elastic waistband
- Fastener with buttons and flap
- Sleeves with cuffs with buttonhole and button closure

Code	Colour	Sizes
436061	blue	S - XXL
436062	grey	S - XXL



PANTALONE TOP EUR

Cotton work trousers

(E

MATERIALS

Main 100% cotton 250 g/m²

- Shrinkage percentage: +/- 2%
- Contrasting stitchings
- 2 external pockets with side-opening
- 2 back pockets with flap and buttons
- 1 pocket for tape measure on right leg
- · Elastic waistband
- Front opening with button closing

Code	Colour	Sizes	
436068	blue	S - XXL	
436069	grey	S - XXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE TOP EUR MULTITASCHE

Cotton work multi-pocket trousers

(E

MATERIALS

Main 100% cotton 250 g/m²

- Shrinkage percentage: +/- 2%
- Contrasting stitchings
- 2 external pockets with side-opening
- 2 back pockets with flap and buttons
- 2 side patch pockets with flap and buttons
- Elastic waistband
- Front opening with button closing

Code	Colour	Sizes
436085	blue	S - XXL







PETTORINA TOP EUR

Cotton work bib pants

(E

MATERIALS

Main 100% cotton 250 g/m²

- Shrinkage percentage: +/- 2%
- Contrasting stitchings
- Suspenders with front adjusting and closing with plastic buckle
- 1 pocket on bib, closed with flap and buttons
- 2 external pockets on the waist
- 2 back pockets with flap and buttons
- 1 pocket for tape measure on right leg
- Elastic waistband on the back
- · Front opening with buttons

Code	Colour	Sizes	
436071	grey	S - XXL	
436073	blue	S - XXL	

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





TUTA TOP EUR

Cotton work overall

ϵ

MATERIALS

Main 100% cotton 250 g/m²

- Shrinkage percentage: +/- 2%
- Contrasting stitchings
- 2 pockets on the chest with flap and buttons
- 2 front patch pockets
- 2 back pockets with flap and buttons
- Double pocket for tape measure on right leg
- Double layer shirt collar
- Elastic waist on the back
- Fastener with zipper in nylon/polyester and flap

Code	Colour	Sizes	
436044	blue	S - XXL	
436046	grey	S - XXL	





TERITAL

65% polyester - 35% cotton

Complete line of workwear in terital fabric. Terital is a synthetic textile fiber. In the creation process it is spun, hot stabilized and treated with antistatic agents.

It has a high toughness, has excellent mechanical and chemical characteristics.

It resists weak and strong acids, even at different temperatures. Fabrics made of terital are cleaned and washed with great ease without losing their dyeing stability.









CAMICE TERITAL

Terital fabric coat

CE

MATERIALS

Main 65% polyester 35% cotton

170 g/m²

- 1 little pocket on the chest
- 2 patch pockets on the waist
- Double layer coat collar
- Fastener with buttons and flap
- Cuff with buttons (just woman version)

MAN

Code	Colour	Sizes
437060	blue	46 - 62
437062	white	46 - 62
437064	black	46 - 62

WOMAN

Code	Colour	Sizes	
437066	light blue	40 - 58	
437068	white	40 - 58	
437070	blue	40 - 58	



PETTORINA TERITAL

Terital fabric bib

ϵ

MATERIALS

Main 65% polyester 200 g/m² 35% cotton

- Suspenders with front adjustment and closing with metal buckles
- 1 patch-pocket on bib with zipper closing
- 2 patch pockets on the waist
- 1 back patch pocket on the right side
- 1 pocket for tape measure on right leg
- Elastic waist on the back
- Side opening with buttons
- Front opening with buttons and flap

Code	Colour	Sizes
437080	white	46 - 62

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





TUTA TERITAL

Terital fabric overall

((

MATERIALS

Main 65% polyester 185 g/m² 35% cotton

- 2 patch pockets on the waist
- 2 pockets on the chest with flap and button
- 1 back patch pocket on the right side
- Double layer shirt collar
- Elastic waist on the back
- Fastener with zipper and flap

Code	Colour Sizes		
437031	light blue	46 - 62	







GIUBBINO SUPERMASSAUA

Sanforized cotton work short jacket

ϵ

MATERIALS

100% cotton

- Double layer shirt collar
- 2 patch pockets on the waist, with flap and button
- Fastener with buttons and flap
- · Waist band with button closure
- Double layer cuffs with different closure (see table)

Code	Colour	Weight	Shrink.	Cuff	Sizes
435250	blue	270 g/m ²	+/-2%	button	44 - 64
435251	green	270 g/m ²	+/-2%	button	46 - 62
436252	blue	270 g/m ²	+/-2%	elastic	46 - 62
GIUBBINO	FUSTAGNO)			
436204	blue	350 g/m^2	+/-5%	button	46 - 62

Pcs. x Box 10 Pcs Min. Ord. 1 Pc

Cuffs:







CAMICE SUPERMASSAUA

Sanforized cotton work coat

ϵ

MATERIALS

100% cotton

- Shrinkage percentage: +/- 2%
- 1 little pocket on the chest
- 2 patch pockets on the waist
- Double layer coat collar
- Fastener with buttons and flap

Code	Colour	Weight	Cuff	Sizes
435260	blue	270 g/m ²	armhole	44 - 64
435261	green	270 g/m ²	armhole	46 - 62
435262	blue	270 g/m ²	elastic	46 - 62

Pcs. x Box 10 Pcs Min. Ord. 1 Pc

Cuffs:















GIACCA SUPERMASSAUA

Sanforized cotton work jacket

ϵ

MATERIALS

Main 100% cotton

- 1 little pocket on the chest
- 2 pockets on the waist
- · Double layer shirt collar
- Fastener with buttons and flap
- Armhole sleeves

Code	Colour	Weight	Shrinkage	Sizes
435210	blue	270 g/m ²	+/-2%	44 - 64
435212	green	270 g/m ²	+/- 2 %	46 - 62
GIACCA FL	JSTAGNO			
436200	blue	350 g/m^2	+/-5%	46 - 62

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE SUPERMASSAUA

Sanforized cotton work trousers



MATERIALS

100% cotton Main

- Shrinkage percentage: +/- 2%
- 2 external pockets with side opening
- 1 back pocket on the right side with buttonhole and button
- 1 ruler pocket on leg right side
- Front opening with button closing and flap
- Waist-belt with loops

Code	Colour	Weight	Shrinkage	Sizes
435220	blue	270 g/m ²	+/-2%	44 - 64
435222	green	270 g/m ²	+/-2%	46 - 64
435223	white	270 g/m ²	+/-2%	46 - 64

PANTALONE FUSTAGNO

350 g/m² +/- 5 % 436200 blue 46 - 62



PANTALONE SUPERMASSAUA CARGO

Sanforized cotton work multi pocket trousers

(E

MATERIALS

 $\textbf{Main} \hspace{1.5cm} 100\% \hspace{0.1cm} \text{cotton} \hspace{1.5cm} 270 \hspace{0.1cm} \text{g/m}^{2}$

- Shrinkage percentage: +/- 2%
- 2 front pockets with side opening
- 1 side pocket on the left leg with flap and hook and llop closure and pen compartment
- 1 ruler pocket on right back leg
- 1 back pocket on the right side, with button
- Front opening with buttons, covered with flap
- Contrasting stitchings
- Waistband with loops

Code	Colour	Sizes
435225	blue	44 - 64
435226	green	44 - 62
435227	grey	44 - 62

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PETTORINA SUPERMASSAUA

Sanforized cotton work bib

CE

MATERIALS

Main 100% cotton 270 g/m²

- Shrinkage percentage: +/- 2%
- Suspenders with front adjustment and closing with plastic buckles
- 1 patch-pocket on bib with zipper closing
- 2 patch pockets on the waist
- 1 back patch pocket on the right side
- 1 ruler pocket on right leg side
- Elastic band at waist all along the back
- Side opening with button closing
- Front opening with button closing and flap

Code	Colour	Sizes
435240	blue	46 - 64
435242	green	44 - 62
435243	white	46 - 62











TUTA SUPERMASSAUA

Sanforized cotton work overall

ϵ

MATERIALS

Main 100% cotton

- 2 pockets on the chest with flap and button
- 2 pockets on the waist
- 1 ruler pocket on right leg side
- 1 back pocket on the right side with buttonhole and button
- · Elastic band at waist on the back
- Double layer shirt-collar
- Zipper closure with flap

Code	Colour	Weight	Shrink.	Cuffs	Sizes
435200	blue	270 g/m ²	+/-2%	armhole	46 - 68
435201	green	270 g/m ²	+/- 2 %	armhole	46 - 64
435202	blue	270 g/m ²	+/-2%	elastic	46 - 68
TUTA FUST	AGNO				
436208	blue	350 g/m ²	+/-5%	armhole	46 - 62

Pcs. x Box 10 Pcs Min. Ord. 1 Pc

Cuffs:





TUTA SAFETY

Sanforized cotton work overall



MATERIALS

Main 100% cotton

280 g/m²

- Shrinkage percentage: +/- 3%
- 1 inside pocket on the chest
- Elastic waist on the back
- Elastic ankles
- Double layer shirt collar
- Fastener with zipper, flap and hook and loop closure
- Elastic cuffs

Code	Colour	Sizes
436100	blue	48 - 64





GIUBBINO SUPERMASSAUA HV

Sanforized cotton work light jacket

ϵ

MATERIALS

Main 100% cotton 270 g/m²

- Shrinkage percentage: +/- 2%
- · Double layer shirt collar
- · 2 chest pockets with flap and button
- Front closure with buttons, covered with flap
- Contrasting stitchings
- 2 horizontal reflective tapes on the sleeves and on the waist
- · Waistband with button closure
- · Cuffs with button closure

Code	Colour	Sizes	
435255	blue	46 - 64	
435256	green	46 - 64	

Pcs. x Box 10 Pcs Min. Ord. 1 Pc



PANTALONE SUPERMASSAUA HV

Sanforized cotton work trousers



MATERIALS

lain 100% cotton 270 g/m²

- Shrinkage percentage: +/- 2%
- 2 front pockets with side opening
- 1 side pocket on the left leg with flap and hook and loop closure and pen compartment
- 1 ruler pocket on leg right side
- 1 back pocket on the right side, with button
- Front opening with buttons, covered with flap
- Contrasting stitchings
- 2 horizontal reflective tapes on the bottom leg
- Waistband with loops

Code	Colour	Sizes
435230	blue	46 - 64
435231	green	46 - 64







GIACCA PENTAVALENTE

Flame resistant, antiacid, antistatic work jacket, 80% cotton, 19% polyester, 1% antistatic carbon fibre

> EN ISO EN ISO 11611: EN ISO 11612: 13034:2005 2015 2015 +A1:201

5 EN ISO CEI EN 1149-5:2018 61482:2020















MATERIALS

Main

80% cotton 19% polyester 310 g/m²

1% carbon fibre

- It also protects from electric arc and welding process
- · Double layer shirt collar
- · Front opening with zipper, flap and hook and loop
- 2 chest flap pockets with hook and loop closure
- 2 waist flap pockets with hook and loop closure
- · Elastic cuffs
- · It maintains its protective characteristics only if worn with the cod. 436372

Code	Colour	Sizes
436370	blue	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE PENTAVALENTE

Flame resistant, antiacid, antistatic work trousers, 80% cotton, 19% polyester, 1% antistatic carbon fibre

EN ISO 11611: EN ISO 11612: 13034:2005 EN ISO CEI EN 2015 +A1:201 1149-5:2018 61482:2020













APC 1

MATERIALS

Main

80% cotton 19% polyester 1% carbon fibre

- 310 g/m²
- It also protects from electric arc and welding
- 2 external pockets with side opening
- 2 back flap pockets with hook and loop closure
- · Front zipper fastener covered with flap and hidden snap button on the waist
- 1 right leg back pocket for measuring tape
- · Elastic waist on the back
- · It keeps its protective characteristics only if worn with the code 436370

Code	Colour	Sizes
436372	blue	S - XXL









TUTA PENTAVALENTE

Flame resistant, antiacid, antistatic work overall, 80% cotton, 19% polyester, 1% antistatic carbon fibre

EN ISO 5 11611: EN ISO 11612: 13034:2005 EN ISO CEI EN 2015 2015 +A1:201 1149-5:2018 61482:2020 $C \in$

Classe 1 A1 A1 B1 C1 E2 Tipo 6 5 cicli

4.

APC 1

MATERIALS

Main 80% cotton

310 g/m² 19% polyester 1% carbon fibre

- It also protects from electric arcs and welding processes
- Double layer shirt collar
- · Elastic waist on the back
- 2 chest flap pockets with hook and loop closure
- 2 waist flap pockets with hook and loop closure
- 1 right leg back pocket for measuring tape
- · Fastener with zipper, flap and hook and loop closure
- · Elastic cuffs

Code	Colour	Sizes
436374	blue	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





CAMICIA TRIVALENTE

Flame resistant, antiacid, antistatic work shirt, 75% cotton, 24% polyester, 1% antistatic fibre



EN ISO 14116:2015 Limited flame propagation index 3 Materiale conforme alla EN ISO 14116 indice 3

EN ISO 13034:2005 +A1:2009

EN ISO 1149-5:2018 4

170 g/m²

Tipo PB[6]



MATERIALS

Main 75% cotton

24% polyester 1% carbon fibre

- Double layer shirt collar
- Front closing with hidden snap buttons and flap
- 2 patch pockets at chest with flap and hidden snap buttons
- Cuffs with hidden snap buttons

Code	Colour	Sizes	
436380	light blue	S - XXL	



GIACCA PENTAVALENTE HV

Flame resistant, antiacid, antistatic work jacket, 80% cotton, 19% polyester, 1% antistatic carbon fibre

CE Z

EN ISO 11611: EN ISO 11612: 13034:2005

EN ISO CEI EN EN ISO 20471: 1149-5:2018 61482:2020 2013+A1:2016 4

43



Classe 1 A1 A1 B1 C1 E2

<u>(8)</u>

Tipo 6

APC 1

MATERIALS

75% cotton Main 24% polyester 1% carbon fibre 270 g/m²

- · Double layer shirt collar
- Front opening with zipper, flap and hook and loop closure
- 2 pockets at chest with flap and hook and loop closure
- · Bicolor fabric
- · Contrasting stitching
- · High visibility bands around the waist and on sleeves
- Elastic cuffs
- It also protects from electric arcs and welding processes
- · It keeps its protective characteristics only if worn with the cod. 436386

Code	Colour	Sizes
436384	yellow / blue	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc



PANTALONE PENTAVALENTE HV

Flame resistant, antiacid, antistatic work trousers, 75% cotton, 24% polyester, 1% dissipative fibre

EN ISO 11611: EN ISO 11612: 13034:2005

+A1:201

EN ISO CEI EN EN ISO 20471: 1149-5:2018 61482:2020 2013+A1:2016

















MATERIALS

Main

75% cotton 24% polyester 1% dissipative fibre 270 g/m²

- 2 waist pockets with side opening
- 2 back pockets with flap and hook and loop closure
- Front zipper fastener covered with flap and hidden snap button on the waist
- · Elastic waist on the back
- · Bicolor fabric
- · Contrasting stitching
- · High visibility bands at the bottom of the leg
- It also protects from electric arcs and welding processes
- · It maintains its protective characteristics only if worn with the cod. 436384

Code	Colour	Sizes
436386	yellow / blue	S - XXL





IGNIFUGO BIX

100% fire resistant cotton

A line of "fire-retardant" and anti-heat work clothing consisting of jacket, trousers and overalls, made with a new cotton fabric subjected to a fire-retardant treatment in the final stage of processing, which gives the fabric flame-repellent properties.

In case of short exposure to fire this fabric does not melt but forms a charred film, which protects and maintains the structure of the garment, thus increasing the level of protection of the wearer.

Clothing conforming to EN ISO 11612, for heat and fire protection, and EN ISO 11611, for protection during welding processes.





TUTA BIX IGNIFUGA

Fire retardant cotton fabric work overall

 ϵ

EN ISO 11611: EN ISO 11612: 2015 2015



Classe 1 A1 A1 B1 C1 E3

MATERIALS

Main

100% cotton

370 g/m²

- Shrinkage percentage: +/- 3%
- · Double layer shirt collar
- · Elastic waist on the back
- 2 flap pockets on chest
- 2 flap pockets on the waist with hook and loop closure
- 1 right back flap pocket with hook and loop closure
- · Elastic cuffs
- · Zipper closure

Code	Colour	Sizes	
436362	green	48 - 62	



GIACCA BIX IGNIFUGA

Flame retardant cotton fabric work jacket

EN ISO 11611: EN ISO 11612: 2015 2015







MATERIALS

Main 100% cotton 370 g/m²

- Shrinkage percentage: +/- 3%
- · Double layer shirt collar
- · Fastener with snap buttons and flap
- 2 pockets on the chest with flap and hook and loop closure
- · Elastic cuffs
- · It keeps its protective characteristics only if worn with the code 436360

Code	Colour	Sizes
436361	green	44 - 62

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE BIX IGNIFUGO

Flame retardant cotton fabric work trousers







Classe 1 A1 A1 B1 C1 E3

MATERIALS

100% cotton Main

370 g/m²

- Shrinkage percentage: +/- 3%
- 2 external pockets with side opening
- right side back pocket with flap and hook and loop closure
- Front opening with buttons
- · It keeps its protective characteristics only if worn with the cod. 436361

Code	Colour	Sizes
436360	green	44 - 62







CASACCA USO MEDICO

Cotton V-neck shirt for medical use



MATERIALS

Main 100% cotton 185 g/m²

- 1 patch pocket on the chest, left side
- 2 waist pockets
- V-neck
- Short sleeves

Code	Colour	Sizes
436650	green	XS - XXL
436652	white	XS - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE USO MEDICO

Cotton trousers for medical use



MATERIALS

Main 100% cotton

185 g/m²

- 2 side patch pockets
- 1 back patch pocket on the right side
- Elastic waistband

Code	Colour	Sizes
436651	green	XS - XXL
436653	white	XS - XXL







COTONE BIANCO

Cotton apron

Non DPI*

MATERIALS

Main 100% cotton

125 g/m²

- · Strap around the neck and at waist
- Patch pocket at waist
- Dimensions: 70 x 90 cm

Code	Colour	Sizes
141032	white	one

Pcs. x Box 25 Pcs Min. Ord. 25 Pcs





CANVAS

Canvas apron

CE

MATERIALS

Main

100% cotton

- Raw-cotton yarn
- Cotton strap around the neck and waist
- Reinforcement sewn on the front
- With eyelets
- Dimensions: 70 x 100 cm

Code	Colour	Sizes
141030	raw	one



GREMBIULE PVC

PVC apron

(E

MATERIALS

Main 100% PVC

- Thickness 0,18 mm
- Disposable
- Fabric strap over the shoulders and at waist
- · With eyelets
- Dimensions: 90 x 110 cm

Code	Colour	Sizes	
141075	white	one	

Pcs. x Box 50 Pcs Min. Ord. 50 Pcs





BRAVO

Double coating nitrile apron

CE

М	ΑT	Έ	R	Α	LS

Main polyester Coating nitrile 460 g/m²

- Polyester support
- Adjustable strap around the neck, closure in the back with a steel hook and an elastic band
- Abrasionproof
- Greaseproof
- Use up to a temperature of 80 $^{\circ}\text{C}$
- Suitable for food handling
- Dimensions: 90 x 115 cm

Code	Colour	Sizes
141070	white	one



APRONS



GREMBIULE

Technical fabric apron

Not PPE*

MATERIALS

Main polyester

- Fabric strap around the neck and at waist
- With eyelets

Code	Colour	Dim. cm	Weight
141061	white	75 x 110	
141062	green	75 x 110	
141064	white	90 x 120	— leggero
141065	green	90 x 120	_
141066	green	75 x 110	pesante
141068	green	90 x 120	antistrappo

Pcs. x Box 10 Pcs Min. Ord. 10 Pcs





GREMBIULE

PVC / polyester / PVC apron

Not PPE*

MAT	ER	IAL	.s

PVC polyester PVC Main Coating

- Fabric strap around the neck and at waistWith eyelets

Code	Colour	Dim. cm	Thikness
141055	white	75 x 110	
141057	green	75 x 110	mm 0,35 ca.
141058	white	90 x 120	— (light) — 360 g/m² ca.
141059	green	90 x 120	000 g/iii 0d.
141040	white	90 x 120	
141042	green	90 x 120	mm 0,45 ca.
141046	green	75 x 110	— (heavy) _— 530 g/m² ca.
141047	white	75 x 110	



MACELLAIO

Double coating rubber apron

Not PPE*

MATERIALS

polyester Main rubber Coating

- Suitable for food handling
- Polyester support
- · Special tearproof mix
- Fabric strap around the neck and at waist
- With eyelets

Code	Colour	Dim. cm	
141015	white	90 x 110	
141016	white	90 x 120	

Pcs. x Box 20 Pcs Min. Ord. 4 Pcs



FLEXINOX

Stainless steel cut resistant apron









Manulatex Manulatex

MATERIALS

Main

steel

- Reversible, it offers maximum protection, avoiding any risk to wear it conversely
- Detectable steel
- · Not affected by washing and sterilization pro-
- Made of stainless steel plates and rings
- Plates are specially sized for maximum flexibility
- · Adjustable braces
- Dimensions: 55 x 70 cm
- Weight: 1450 g ca.

Code	Colour	Sizes	
141007	steel	one	

Pcs. x Box 1 Pc

Min. Ord. 1 Pc



GARMENTS SPLIT LEATHER



GIUBBINO

Split leather light jacket

EN ISO 11611: 2015

(E



Class 2 A1+A2

MATERIALS

Main

- split leather
- Strap-closing
- · One inner pocket Kevlar® seams
- Stand-up collar
- Elastic cuffs
- To be used over clothing

Code	Colour	Sizes
140050	grey	one

Pcs. x Box 1 Pcs Min. Ord. 1 Pc





GREMBIULE

Split leather apron

 ϵ



Class 2 A1+A2

MATERIALS

split leather Main

- Dimensions: 60 x 90 cm
 Sewn split leather strap around the neck and the waist
- Kevlar® seams (only for 141010)
- To be used over clothing

Code	Colour	Type	Regulation
141010	grey	normal	see symbol
141011	grey	reinforced	Not PPE



GHETTE

Split leather gaiters





Class 2 A1+A2

MATERIALS

Main split leather

- Strap-closing
- · With split leather straps
- With split leathLenght: 30 cm
- Kevlar® seams
- To be used over shoes

Code	Colour	Sizes
140010	grey	one

Pcs. x Box 50 Pairs Min. Ord. 5 Pairs





MANICOTTO

Split leather sleeves





Class 2 A1+A2

MATERIALS

Main split leather

- Lenght: 60 cm
- Kevlar® seams
- To be used over shoes

Code	Colour	Model	Sizes
150048	grey	1 Elastic cuff Strap closure	one
150050	grey	2	one

Pcs. x Box 50 Pairs Min. Ord. 5 Pairs





SPLIT LEATHER

For welding processes

A line of high-quality crust work clothing, consisting of clothing and protective accessories to be worn during welding work and procedures that have similar risks.

It is made of a robust crust, which undergoes a fire-retardant treatment at the final stage of processing, which gives the fabric flame-repellent properties.

Provides protection against small drops of molten metal, short contact with flame and radiant heat and mechanical wear. These garments are perfect for both professional and casual traders. Clothing conforming to EN ISO 11612, for heat and fire protection, and EN ISO 11611, for protection during welding processes.



CISA

High visibility triple use padded parka made with polyester Oxford/PU

External parka

EN ISO 20471: 2013+A1:2016 EN 343:2019 EN 342:2017









200 g/m² Main 100% polyester Oxford

Coating

100% polyester Lining

→ Waterproof, breathable, windproof, HV

- 2 waist pockets with flap and zipper
- 1 chest pocket (left) with zip
- 1 chest pocket (right) with zip and small flap + multifunction loop
- 1 inside waist pocket (left) with strap + pen pocket
- 1 inside waist pocket (right) with strap + mobile phone pocket
- · 1 inner chest pocket (left side) with zipper
- 2 high visibility horizontal bands (3M) that wrap the abdomen
- 2 high visibility horizontal bands (3M) around the sleeves
- · Reflective inserts on chest, sleeves and shoulders
- · Front zipper fastener, covered by flap with hook and loop
- · Detachable hood, adjustable with drawstring and hook and loop
- · Collar with soft microfleece lining
- Ergonomic sleeves with cuffs adjustable with hook and loop
- It maintains its protective capabilities according EN 342 only if worn along with code 423136 or 423137 (Latina trouser)

Removable inner jacket to be used on its own

EN ISO 20471:2013 +A1:2016



- 2 waist pockets with flap and zipper
- 1 chest pocket (left side) with zipper
- 1 chest pocket (right side) with flap and zipper
- 1 inner chest pocket (left side) with hook and loop
- 2 high visibility horizontal bands (3M) that wrap the abdomen
- · Padded removable sleeves, with inner ribbed cuffs
- · Collar with soft microfleece lining
- Front zipper fastener, covered by flap with snap buttons

Code	Colour	Sizes
423130	orange / grey	S - XXXL
423131	yellow / grey	S - XXXL

Pcs. x Box 5 Pcs

Min. Ord. 1 Pc



TRIPLE USE







High visibility padded parka made with polyester Oxford/PU







MATERIALS

Main 100% polyester Oxford 200 g/m²

Coating ΡU

Lining 100% polyester **Padding** 100% polyester

→ Waterproof, breathable, windproof, HV

- 2 waist pockets with flap and zipper + 1 chest pocket (left side) with zipper + 1 chest pocket (right side) with zipper and little flap + D-loop
- 1 inner waist pocket (left side) with hook and loop + pen compartments
- 1 inner waist pocket (right side) with hook and loop + phone compartment
- · 1 inner chest pocket (left side) with zipper
- 2 high visibility horizontal bands (3M) that wrap the abdomen
- 2 high visibility horizontal bands (3M) around the sleeves
- · Reflective inserts on chest, sleeves and shoulders
- Front zipper fastener, covered by flap with snap buttons
- · Detachable hood, adjustable with drawstring + hook and loop
- Collar with soft microfleece lining
- · Ergonomic sleeves, cuffs adjustable with hook and loop, with inner ribbed cuffs
- It maintains its protective capabilities according EN 342 only if worn along with code 423136 or 423137 (Latina trouser)

Code	Colour	Sizes
423132	orange / grey	S - XXXL

Pz. x Box 5 Pz

Min. Ord. 1 Pz





LATINA

High visibility padded trousers made with polyester Oxford/ PU











MATERIALS

100% polyester Oxford 200 g/m² Main

Coating

100% polyester Lining Padding 100% polyester

- → Waterproof, breathable, windproof, HV
- · 2 side slant pockets
- 2 large back pockets with little flap
- 1 side large zipper pocket on the right leg
- 2 horizontal high visibility bands (3M) around the legs
- · Pre-shaped knees with reflective inserts
- · Waistband with elastic inserts and large belt loops
- · Zipper fastener, covered by flap + snap button
- It maintains its protective capabilities according EN 342 only if worn along with CISA - FLAMINIA parkas or NOMENTANA jacket (the EN 342 protection levels are those indicated for CISA - FLAMINIA - NOMENTANA)

Code	Colour	Sizes	
423136	orange / grey	S - XXXL	

Pcs. x Box 5 Pcs

Min. Ord. 1 Pc



NOMENTANA

High visibility padded jacket made with Oxford polyester/PU







MATERIALS

Lining

Padding

Main 100% polyester Coating

100% polyester 100% polyester 200 g/m²

→ Waterproof, breathable, windproof, HV

- 2 waist pockets with zipper and flap
- 1 chest pocket (left side) with zipper
- 1 chest pocket (right side) with zipper and little flap
- 1 inner chest pocket (left side)
- 2 high visibility horizontal bands (3M) that wrap the abdomen
- 2 high visibility horizontal bands (3M) around the slee-
- · Reflective inserts on chest and sleeves
- Front zipper fastener covered by flap with snap buttons
- Detachable hood, adjustable with drawstring
- Egonomic sleeves, adjustable cuffs with hook and loop, with inner ribbed cuff
- Ribbed waistband
- It maintains its protective capabilities according EN 342 only if worn along with code 423136 or 423137 (Latina trouser)

Code	Colour	Sizes	
423134	orange / grey	S - XXXL	
423135	yellow / grey	S - XXXL	

Pcs. x Box 5 Pcs Min. Ord. 1 Pc

CASILINA

High visibility Softshell jacket made with polyester/TPU







MATERIALS

Main 100% polyester 300 g/m² Coating TPU

- 1 chest zipper pocket (right side)
- 2 waist zipper pockets
- 1 zipper pocket on the left sleeve
- · Front zipper fastener
- 2 high visibility horizontal bands (3M) that wrap the abdomen
- 2 high visibility horizontal bands (3M) around the sleeves
- · Reflective inserts on the chest
- · Soft and warm fleece on the inside
- Detachable hood adjustable with drawstring
- Ergonomic sleeves with elastic tape for cuffs
- · Drawstring bottom
- Unlined

Code	Colour	Sizes
455135	orange / grey	S - XXXL
455136	yellow / grey	S - XXXL













CAPUA

High visibility reversible vest made with Nylon/Canvas polyester/PU

INTERNAL PART

EN ISO 20471:2013 +A1:2016



MATERIALS

Main 100% Nylon Lining 100% polyester HV

Padding 100% polyester 80 g/m²

→ Reversible, HV

- Reversible vest with Polyester micro-padding
- High visibility nylon Oxford lining, with reflective tape on the waist and bottom
- 2 waist pockets with zipper in contrasting colour
- Front zipper fastener
- · Stand-up collar
- Arm-hole and bottom with elastic tape
- Certificate of high visibility

Code	Colour	Sizes
423070	brown / orange fluo	S - XXL
423071	blue / yellow fluo	S - XXL

Pcs. x Box 5 Pcs Min. Ord. 1 Pc





ABETONE

High visibility padded parka made with polyester Oxford / polyurethane







MATERIALS

Main 100% polyester

Coating PU

Lining 100% polyester

- Internal polyester padding
- 2 waist pockets with flap and snap buttons (the right one with removable badge holder)
- 2 horizontal reflective bands around the chest
- 1 reflective band over the shoulders
- 2 horizontal reflective bands that wrap the sleeves
- Fastener with zipper and snap buttons
- Hidden hood
- Drawstring at waist

Code	Colour	Sizes
423112	orange	M - XXXL



GIACCA AMBURGO

Waterproof jacket made with fluorescent polyester / polyurethane







MATERIALS

100% polyester Main Coating

170 g/m²

- 2 front pockets with anti-rain flap
- 2 horizontal reflective band (3M) around the chest
- 2 horizontal reflective band (3M) around the sleeves
- 1 reflective band (3M) over the shoulders
- Fastener with zipper and snap buttons
- · Hidden hood with string
- · Elastic band at wrist

Code	Colour	Sizes
462112	orange	S - XXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





PANTALONE AMBURGO

Waterproof trouser made with fluorescent polyester / polyurethane









MATERIALS

Main 100% polyester Coating PU

170 g/m²

- Elastic band at waist
- Thermosealed seams
- 2 horizontal (3M) reflective bands under the knees

Code	Colour	Sizes
462110	orange	M - XXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pc

WATERPROOF







POSTUMIA

High visibility jacket 60% cotton - 40% polyester

> EN ISO 20471:2013 +A1:2016





MATERIALS

Main 60% cotton 240 g/m² 40% polyester

- 1 chest zipper pocket (left side)
- 1 chest zipper pocket (right side) with flap
- 2 waist zipper pockets
- 1 double inner waist pocket, one with zipper
- Front zipper fastener covered with flap and hook and loop closure
- 2 high visibility horizontal bands (3M) that wrap the abdomen
- 2 high visibility horizontal bands (3M) around the sleeves
- Reflective inserts on the chest
- Elastic cuffs adjustable with hook and loop closure
- · Waistband with side elastic inserts

Code	Colour	Sizes
436343	orange / grey	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





POSTUMIA

High visibility trousers 60% cotton - 40% polyester

EN ISO 20471:2013 +A1:2016 ①





 $\begin{array}{lll} \mbox{Main} & 60\% \mbox{ cotton} & 240 \mbox{ g/m}^2 \\ & 40\% \mbox{ polyester} \end{array}$

- 2 side waist pockets
- 2 large back pockets with little flap
- 1 side large poket on the right leg with zipper and little flap and pen compatments
- 1 double pocket on the left leg, with ruler pocket and hammer holder
- 2 horizontal high visibility bands (3M) around the legs
- Pre-shaped knees with reflective inserts
- Waistband with elastic inserts and large belt loops
- Zipper fastener covered by flap and snap button

Code	Colour	Sizes
436341	orange/grey	S - XXXL





GARMENTS

HIGH VISIBILITY



TUTA REFLEX

High visibility overall 60% cotton - 40% polyester

EN ISO 20471:2013 +A1:2016



MATERIALS

 $\begin{array}{ccc} \textbf{Main} & 60\% \ \text{cotton} & 240 \ \text{g/m}^2 \\ & 40\% \ \text{polyester} \end{array}$

- Double layer shirt collar
- Elastic waist on the back
- Fastener with zipper in nylon polyester
- 2 pockets on the chest with flap and buttons
- 2 patch pockets on the waist
- 1 back patch pocket on the right side, with button-hole and button
- 1 pocket for tape measure on right leg
- 2 horizontal reflective bands (3M) that wrap the abdomen
- 2 horizontal reflective bands (3M) around the sleeves
- 2 horizontal reflective bands (3M) around the legs

Code	Colour	Sizes
436300	orange	46 - 60

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





9046

High visibility waistcoat 100% polyester





MATERIALS

 $\textbf{Main} \hspace{1.5cm} 100\% \hspace{0.1cm} \text{polyester} \hspace{1.5cm} 170 \hspace{0.1cm} \text{g/m}^{2}$

- Fastener with zipper
- 4 external pockets on the waist with zipper
- 2 esternal pockets on the chest with flap and strap
- 2 horizontal reflective bands (3M) around the chest

Code	Colour	Sizes
422018	orange	L - XXL



NEW WAY

High visibility waistcoat 100% polyester

EN ISO 20471:2013 +A1:2016





MATERIALS

Main 100% poliestere 120 g/m²

- Adjustable front opening with hook and loop
- 2 horizontal reflective bands EN 471 around the chest

Code	Colour	Sizes
422029	yellow	one
422035	orange	one

Pcs. x Box 100 Pcs Min. Ord. 1 Pc





WE5

High visibility waistcoat 100% polyester

EN ISO 20471:2013 +A1:2016





MATERIALS

100% polyester 120 g/m² Main

- Adjustable front opening with hook and loop
- · External badge holder
- 2 horizontal reflective bands (3M) around the chest
- 1 vertical reflective band (3M) on the shoulders

Code	Colour	Sizes
422059	orange	M - XXL
422060	yellow	M - XXL







9046 MESH

High visibility mesh waistcoat 100% polyester

EN ISO 20471:2013 +A1:2016

C € ∰^②



MATERIALS

Main 100% polyester 120 g/m²

- Adjustable front opening with hook and loop
- 2 horizontal reflective bands around the chest
- 2 vertical reflective bands on the shoulders
- Greater lightness and breathability thanks to the mesh fabric

Code	Colour	Sizes
422056	orange	one

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





POLO REFLEX NEW

High visibility polo t-shirt 55% cotton - 45% polyester

EN ISO 20471:2013 +A1:2016





MATERIALS

Main 55% cotton 180 g/m² 45% polyester

- · Fabric with honeycomb woof
- · Shirt collar
- Fastening with buttons
- · Short sleeves
- · Vents on side
- 2 horizontal reflective bands (Viz Lite h. 5 cm) around the abdomen
- 2 reflective bands (Viz Lite h. 5 cm) over the shoulders

Code	Colour	Sizes
471038	orange	M - XXL



KIDS

High visibility waistcoat 100% polyester



MATERIALS

Main 100% polyester

- For children, custom-made with drawing
- 2 horizontal reflective bands around the chest
- Front opening with velcro
- Comes with matching bag with zipper

Code	Colour	Sizes
422062	yellow	S (7/9 years), M (10/12 years)

Pcs. x Box 10 Pcs Min. Ord. 1 Pc



BRETELLE HV

High visibility belts made with polyester/polyurethane

Not PPE*

MATERIALS

Main polyester / PU

- With reflective bands
- Adjustable waistband with hook and loop

Code	Colour	Sizes
426022	orange	one









COMPLETO IGUAZÙ

PVC/PU rainsuit (jacket and trousers) with 100% polyester lining



MATERIALS

 $\begin{array}{lll} \textbf{Main} & \text{PVC / PU} & 300 \text{ g/m}^2 \\ \textbf{Support} & 100\% \text{ polyester} \end{array}$

Jacket:

- Thickness: 0,35 mm
- Fixed concealed hood with elastic band
- Back and underarm ventilation
- Fastener with zipper e snap buttons
- Sleeve with windproof folding part
- 2 pockets with rainproof flap

Trousers:

- Thickness: 0,35 mm
- Elastic band at the waist
- 2 unseparated side-pockets
- Front opening with snap button and flap
- · Snap buttons at the ankles

Code	Colour	Sizes
461062	green	M - XXL
461063	blue	M - XXL
461065	yellow	M - XXL







PETTORINA VICTORIA

PU waterproof bib and brace with 100% polyester lining



MATERIALS

 $\begin{array}{lll} \textbf{Main} & \text{PU} & 170 \text{ g/m}^2 \\ \textbf{Support} & 100\% \text{ polyester} \end{array}$

- Thickness: 0,35 mm
- Adjustable elastic braces
- 1 unseparated side-pocket
- Snap buttons at the ankles
- 1 snap button on the waist

Code	Colour	Sizes
461060	green	M - XXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





COMPLETO VICTORIA

PU rainsuit (jacket and trousers) with 100% polyester lining



MATERIALS

 $\begin{tabular}{lll} \mbox{Main} & \mbox{PU} & 170 \mbox{ g/m}^2 \\ \mbox{Support} & 100\% \mbox{ polyester} \\ \end{tabular}$

Jacket:

- Thickness: 0,35 mm
- Fixed concealed hood with drawstring
- Back and underarm ventilation
- Fastener with zipper and snap buttons
- Sleeve with windproof folding part
- 2 pockets with rainproof flap

Trousers:

- Thickness: 0,35 mm
- · Elastic band at the waist with drawstring
- 2 unseparated side-pockets with zipper
- Front opening with snap buttons
- Snap buttons at the ankles

Code	Colour	Sizes
461050	green	M - XXL
461052	yellow	M - XXL
461054	blue	M - XXL



PETTORINA IGUAZÙ

PVC/PU waterproof bib and brace with 100% polyester lining



MATERIALS

 $\begin{array}{lll} \textbf{Main} & \text{PVC / PU} & 300 \text{ g/m}^2 \\ \textbf{Support} & 100\% \text{ polyester} \end{array}$

• Polyester inner support

• Adjustable elastic braces

• 1 unseparated side-pocket with snap button

• Snap buttons at the ankles

Code	Colour	Sizes
461068	green	M - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





CAPPOTTO IGUAZÙ

PVC/PU raincoat with 100% polyester lining

ϵ

MATERIALS

 Main
 PVC / PU
 300 g/m²

 Support
 100% polyester

- Fixed concealed hood with elastic
- Back and underarm ventilation
- Front zipper closure, covered by flap with snap buttons
- Sleeve with windproof folding part
- 2 waist pockets with rainproof flap

Code	Colour	Sizes
461064	green	M - XXL







CAPPOTTO NIAGARA

Polyester raincoat with inside PVC coating

((

MATERIALS

 $\begin{array}{lll} \mbox{Main} & \mbox{PVC} & 200 \ \mbox{g/m}^2 \\ \mbox{Support} & 100\% \ \mbox{polyester} \end{array}$

• Thickness: 0,18 mm

- · Fixed concealed hood with drawstring
- Back and underarm ventilation
- Fastener with snap buttons
- · Sleeve with windproof cuffs
- 2 pockets with rainproof flap at waist

Code	Colour	Sizes
461030	green	M - XXXL
461031	blue	M - XXXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





COMPLETO NIAGARA

Rainsuit (jacket and trousers) made with polyester, with inside PVC coating

((

MATERIALS

 $\begin{array}{lll} \mbox{Main} & \mbox{PVC} & 200 \ \mbox{g/m}^2 \\ \mbox{Support} & 100\% \ \mbox{polyester} \end{array}$

Jacket

- Thickness: 0,18 mm
- Fixed concealed hood with drawstring
- Back and underarm ventilation
- Fastener with zipper
- Sleeve with windproof folding part
- 2 pockets with rainproof flap at waist
- Drawstring at the bottom

Trousers

- Thickness: 0,18 mm
- Elastic band at waist
- 2 unseparated side pockets
- Snap buttons at the ankles

Code	Colour	Sizes
461012	green	S - XXXL
461013	blue	S - XXXL
461010 Art. BOAT	yellow	S - XXXL

PONCHO NIAGARA

Polyester waterproof poncho with inside PVC coating

Not PPE*		
MATERIALS		
Main Support	PVC 100% polyester	200 g/m ²

- Thickness: 0,18 mm
- Fixed hood with drawstring
- Belt bag with zipper and rainproof flap
- Foldable inside the belt-bag
- Snap buttons on sides

Code	Colour	Sizes
461110	green	one

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





PANTALONE NIAGARA

Polyester trousers with inside PVC coating

L	C

MATERIALS		
Main	PVC	200 g/m ²
Support	100% polyester	

- Tickness: 0,18 mm
- Elastic band at waist with drawstring
- 2 unseparated side-pockets

Code	Colour	Sizes
461120	green	M - XXXL







NEW OSLO

Polyester rainsuit (jacket and trousers) coated with PVC inside

((

MATERIALS

 $\begin{array}{lll} \textbf{Main} & \text{PVC} & 175 \text{ g/m}^2 \\ \textbf{Support} & 100\% \text{ polyester} \end{array}$

Jacket

- · Fixed concealed hood with drawstring
- Fastener with zipper
- 2 pockets on the waist with rainproof flap
- Underarm ventilation
- Sleeve with windproof inner cuffs
- · Reflective bands on chest, at waist and on sleeves

Trousers

- Elastic band at waist
- Snap buttons at ankles
- 2 unseparated side pockets
- Reflective bands

Code	Colour	Sizes
461015	orange fluo	M - XXXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





COMPLETO PLUVIO

Rainsuit (jacket and trousers)
made with PVC - polyester - PVC

ϵ

MATERIALS

 $\begin{array}{ll} \textbf{Main} & \text{PVC, polyester} & 390 \text{ g/m}^2 \\ \textbf{Coating} & \text{PVC} \end{array}$

Jacket

- Thickness: 0,30 mm
- Fixed hood with drawstring
- Fastener with zipper, flap and snap buttons
- 2 front pockets with rainproof flap
- Back and underarm ventilation holes
- Adjustable cuffs with snap buttons

Trousers

- Thickness: 0,30 mm
- Elastic band at waist
- Front opening with snap button
- Snap buttons at the ankles

Code	Colour	Sizes
462009	green	S - XXXL
462010	yellow	S - XXXL
462011	orange	M - XXXL



CAPPOTTO PLUVIO

Raincoat made with PVC - polyester - PVC

ϵ

MATERIALS

 $\begin{array}{lll} \textbf{Main} & \text{PVC, polyester} & 390 \text{ g/m}^2 \\ \textbf{Coating} & \text{PVC} & \end{array}$

- Thickness: 0,30 mm
- Fixed hood with drawstring
- Back and underarm ventilation holes
- Fastener with snap buttons
- 2 pockets with rainproof flap
- Adjustable cuffs with snap buttons

Code	Colour	Sizes
462049	green	S - XXXL
462050	yellow	S - XXXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PETTORINA PLUVIO

Rainproof bib and brace made with PVC / polyester / PVC

((

MATERIALS

 $\begin{array}{lll} \textbf{Main} & \text{PVC, polyester} & 390 \text{ g/m}^2 \\ \textbf{Coating} & \text{PVC} \end{array}$

- Thickness: 0,30 mm
- Front opening with snap button
- Adjustable elastic suspenders
- 1 side unsepareted pocket
- Snap buttons at ankles
- Snap buttons at waist

Code	Colour	Sizes
462100	verde	M - XXXL







ALL RAIN

100% nylon rainproof jacket

Not PPE*

MATERIALS

Main 100% Nylon

- Fixed hood with drawstring
- Fastener with zipper
- 1 side pocket with zipper
- Drawstring at the bottom
- Foldable inside its own pocket, automatically closing buckle on the waist

Code	Colour	Sizes
463130	blue	M - XXL

Pcs. x Box 20 Pcs Min. Ord. 1 Pc





BOXER

100% polythene disposable pocket-raincoat

Not PPE*

MATERIALS

Main 100% polythene

- One-piece package
- With hood
- Fastener with snap buttons

Code	Colour	Sizes
463100	pink (woman size)	woman / man
	light blue (man size)	



245 g/m²



TUTA FORESTRY

Protective overall 65% polyester - 35% cotton

EN 381-5:1995

CE 🕾

CLASS 1 (20 m/sec.)

MATERIALS

Main 65% polyester 35% cotton

- For foresters
- Chain-saw protection on shoulders, arms, and front side of legs (Type A)
- · 2 patch pockets on the chest with snap buttons
- 2 patch pockets on the waist
- 1 tool-holding patch-pocket on right side
- Front opening with zipper
- Very high comfort
- · Triple seams for higher strength
- Dorsal ventilation
- Classification EN: class 1 (20 m/s)

Colour	Sizes
green / orange	L - XXXL

Pcs. x Box 5 Pcs Min. Ord. 1 Pc



PETTORINA 333

Protective bib and brace 65% polyester - 35% cotton

EN ISO 11393-6:2019





CLASS 1 (20 m/sec.) Design A

MATERIALS

 $\begin{array}{ll} \textbf{Main} & 65\% \text{ polyester} & 200 \text{ g/m}^2 \\ & 35\% \text{ cotton} \end{array}$

- · For foresters
- Chain-saw protection on front side of legs and on abdomen (Type A)
- Adjustable elastic suspenders
- 1 flap pocket on the chest with zipper
- 2 side pockets
- 1 back patch pocket with flap and strap
- Front opening with zipper
- Classification: class 1 (20 m/s)

Code	Colour	Sizes
437302	green / orange	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc



FORESTER



FOREST 334

Protective jacket 65% polyester - 35% cotton

EN ISO 11393-6:2019

CLASSE 1
(20 m/sec.)
DESIGN A

 ϵ

MATERIALS

Main 65% polyester 200 g/m² 35% cotton

- For foresters
- Chainsaw protection on shoulders, arms, chest
- 1 front patch pocket with flap and snap buttons
- Fastener with zipper
- Korean-style collar
- Adjustable cuff with fastener and snap button
- Classification EN: class 1 (20 m/s)

Code	Colour	Sizes
437304	green / orange	S - XXL

Pcs. x Box 10 Pcs Min. Ord. 1 Pc





PANTALONE 333/C

Protective trousers 65% polyester - 35% cotton

EN ISO 11393-6:2019

C€



CLASS 1 (20 m/sec.)

MATERIALS

Main 65% polyester 200 g/m² 35% cotton

- For foresters
- Chain-saw protection on front side of legs and on abdomen (Type A)
- Adjustable elastic suspenders
- 2 side pockets
- 1 back patch pocket with flap and strap
- Elastic waist on the back
- Front opening with zipper
- Classification: class 1 (20 m/s)

Code	Colour	Sizes
437300	green / orange	S - XXL



MANICOTTO FORESTRY

Protective sleeves polyester/cotton



MATERIALS

polyester 245 g/m²

- For foresters
- 360° protection from forearm-cutting
- Elastic band for closing at eltbow
- · Elasticized knitted cuff

Code	Colour	Sizes
437105	orange	one

Pcs. x Box 20 Pairs

Min. Ord. 1 Pair



Chainsaw gaiters made with waterproof polyester/PU

EN 381-9:1997



CLASS 1 (20 m/sec.)



Main polyester 195 g/m²

- For occasional use of the chainsaw (in combination with safety boots)
- · Injury protection against chain saw cutting right across spats
- 3 adjustable buckles (2 at the back of the legs, 1 to fix underneath the safety boots)
- Classification: class 1 (20 m/s)

Code	Colour Sizes	
437112	black	M (39-42), XL (43-46)

Pcs. x Box 1 Pairs Min. Ord. 1 Pair

210 FOREST (2SA4)

Full grain leather glove





MATERIALS

full grain leather Main

- For foresters
- 15 cm split leather oversleeve
- Reinforced leather on the knuckles
- Reinforced on the palm and on the thumb
- Sewed with thread aramidic fibre
- EN 381-7 protection at the metacarpus
- · Oil resistant and waterproof
- Classification: class 0 (16 m/s)

Code	Colour	Sizes
368111	green	9, 10

Pcs. x Box 1 Pairs Min. Ord. 1 Pair











GIACCA ALL. C3

Jacket finished with aluminised para-aramidic fibre

EN ISO 11612:2015

C E (8)
A1 B1 C3 D3 E3 F1

MATERIALS

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$

• Closing with buttons with flap and velcro

· Korean-style collar

 Code
 Colour
 Sizes

 415012
 aluminium
 one (L/XXL)

Pcs. x Box 1 Pc Min. Ord. 1 Pc





PANTALONE ALL. C3

Trousers finished with aluminised para-aramidic fibre



MATERIALS

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$

• Waistband and snap button closure

Adjustable braces in stretch fabric

 Code
 Colour
 Sizes

 415017
 alluminio
 unica (L/XXL)















CAPPUCCIO ALL. C3

Hood finished with aluminised para-aramidic fibre

EN ISO 11612:2015

EN ISO 11612:2015

A1 B1 C3 D3 E3 F1

MATERIALS

 $\textbf{Main} \qquad \quad \text{para-aramidic fibre} \qquad \quad 460 \text{ g/m}^2$

- Complete with protection face shield
- Visor made with gold-coloured mirrored polycarbonate
- Manual rack adjustment
- · Completely lined with fireproof cotton fabric

Code	Colour	Sizes	
415022 aluminium		one	

Pcs. x Box 1 Pc Min. Ord. 1 Pc

GHETTE ALL. C3

Gaiters finished with aluminised para-aramidic fibre



MATERIALS

 $\textbf{Main} \qquad \quad \text{para-aramidic fibre} \qquad 460 \text{ g/m}^2$

- Foot strap in split leather adjustable with velcro
- Back velcro fastening
- Total height 38 cm
- High resistance to radiant heat

Code	Colour	Sizes	
415032	aluminium	unica	

Pcs. x Box 1 Pc Min. Ord. 1 Pc

FIBRA ALLUMINIZZATA

Aluminised para-aramidic fibre glove



EN 388:2016 EN



MATERIALS

Main para-aramidic fibre 460 g/m²

Aluminized

High resistance to radiant heat

Code	Colour	Sleeve Lenght	Sizes
310030	aluminium	7 cm	10
310032	aluminium	18 cm	10

Pcs. x Box 10 Pairs Min. Ord. 1 Pair



GREMBIULE ALL. C3

Apron finished with aluminised para-aramidic fibre



MATERIALS

para-aramidic fibre 460 g/m² Main

- Complete with positioning and support laces in split leather
- Dimensions: 70 x 100 cm

Code	Colour	Sizes	
415043	aluminium	unica	

Pcs. x Box 1 Pc Min. Ord. 1 Pc





CALZARI ALL. C3

Overshoes finished with aluminised para-aramidic fibre



MATERIALS

Main para-aramidic fibre 460 g/m²

- Sole in double para-aramidic rubber fabric
- · Flameproof back velcro fastening
- High: 30 cm

Code	Colour	Sizes unica	
415024	aluminium		
D 40	M. 0 145		

Pcs. x Box 1 Pc Min. Ord. 1 Pc





COPERTA FIRE

Flameproof cover in fibreglass

Not PPE*		
MATERIALS		
Main	para-aramidic fibre	
Code	Colour	Dimensions (cm.)
120200	aluminium	120 x 150 ca.
120204	aluminium	120 x 120 ca.
120205	aluminium	120 x 200 ca.
120210	aluminium	150 x 150 ca.
120212	aluminium	150 x 200 ca.
Doc v Dov 10 Doc	Min Ord 1Do	









LIVIGNO

Cold storage overall 100% Oxford polyester



MATERIALS

Main 100% polyester Padding Thinsulate®

- Front zipper closure with double slider, covered by flap with velcro
- 2 external waist pockets
- 2 external chest pockets (one with little pocket for the mobile phone)
- · Elastic waistband
- · Fleece-lined hood
- Adjustable sleeve bottom with velcro
 Adjustable leg bottom with velcro, and side zipper opening

Code	Colour	Sizes
467045	blue	S - XXL
	,	,

INSULATION	ACTIVITY			
Icler (m² K/W)	Light 115 W/m²		Medium 170 W/m²	
0.700	8 h	1h	8 h	1 h
0.428	-13 °C	-33 °C	-34 °C	-54 °C

LIVIGNO

Cold storage jacket 100% Oxford polyester



MATERIALS

Main 100% polyester Padding Thinsulate®

- 2 external pockets on the waist
- 2 external pockets on the chest (one with little pocket for mobile phone)
- Fastener with zipper covered with flap and velcro
- Detachable fleece-lined hood
- · Fleece collar
- Adjustable and elasticated knitted wrist band
- Elasticated waist band
- It maintains its protective characteristics only if worn with Cod. 467047 Art. Livigno (trousers)

Code	Colour	Sizes
467049	blue	S - XXL

Pcs. x Box 5 Pcs Min. Ord. 1 Pc

INSULATION	ACTIVITY			
Icler (m² K/W)	Lig 115 V	jht V/m²	Medium 170 W/m²	
0 / 51	8 h	1h	8 h	1 h
0.451	-15 °C	-35 °C	-38 °C	-58 °C





LIVIGNO

Cold storage bib and brace trousers 100% Oxford polyester



MATERIALS

Main 100% polyester Padding Thinsulate®

- 2 patch side pockets and 2 chest pockets
- Front zipper and flap with velcro
- Elasticated braces with plastic buckle
- 2 long zips on sides for better fit
- It maintains its protective characteristics only if worn with Cod. 467049 - Art. Livigno (Giacca)

Code	Colour	Sizes
467047	blue	S - XXL

INSULATION	ACTIVITY			
Icler (m² K/W)	Light 115 W/m²		Medium 170 W/m²	
0 / 51	8 h	1h	8 h 1 h	
0.451	-15 °C	-35 °C	-38 °C	-58 °C





COOLING



/ INUTEQ



INUTEQ



ATANEQ

Cooling vest made of 50% Nylon jersey / 50% PU

OINUTED DRY® Not PPE*

MATERIALS

50% Nylon jersey, Main

50% PU

Breathable fiber - Tec. INUTEQ-DRY® Padding

- it keeps the body dry and cool for up to 3 days, simply using tap water
- Rear cap to put the water
- · Front zipper fastener
- Side elastic breathable mesh inserts
- Aeration holes on the chest and back
- With antibacterial Ultra Fresh® treatment
- · Machine washable

Code	Colour	Sizes
422201	grey/black	M - XXL

Pcs. x Box 1 Pcs Min. Ord. 1 Pc

NANUQ

100% nylon cooling vest

OINUTED H208

MATERIALS

100% Nylon Main

- Core with INUTEQ H20® superabsorbent cooling fabric - it keeps the body dry & cool for up to 8 hours simply using tap water
- · Adjustabel waist strap with velcro
- · Elastic breathable mesh inserts on the chest and back
- With antibacterial Ultra Fresh® treatment
- · Machine washable

Code	Colour	Sizes
422203	black	S/M, L/XL, XXL/3XL

Pcs. x Box 1 Pcs Min. Ord. 1 Pc

NILAK

100% nvlon cooling vest

OINUTED H20® Not PPE*

MATERIALS

Main 100% Nylon

- Core with INUTEQ ${\rm H20^{\circ}}$ superabsorbent cooling fabric - it keeps the body dry & cool for up to 8 hours simply using tap water
- Front zipper fastener
- Side elastic breathable mesh inserts
- With antibacterial Ultra Fresh® treatment
- · Machine washable

Code	Colour	Sizes
422205	yellow / black	M - XXL
D 10	14: 0 1 1 5	

ANYU

Cooling cap mad of 50% nylon jersey / 50% PU

OINUTED DRY® Not PPE*

MATERIALS

50% Nylon jersey / 50% PU Main Padding Breathable fabric - Tec. INUTEQ-DRY®

• It keeps the head dry and cool for up to 3 days, simply using tap water

· Rear cap to put the water

· Aeration holes for increased comfort and air circulation

· Adjustable back strap with clip

• With antibacterial Ultra Fresh® treatment

· Machine washable

Code	Colour	Sizes
422209	grey / black	one

Pcs. x Box 1 Pcs Min. Ord. 1 Pc

COOLING





ESKA

Nylon crown cooler for helmets

OINUTED H20®

MATERIALS

50% Nylon jersey / 50% PU Main

- Core with INUTEQ H20® superabsorbent cooling fabric it keeps the body dry and cool for up to 8 hours simply using tap water
- · Lightweight and easy to (re-) activate, it reduces heat stress and cools the head comfortably
- · The duration of the cooling effect depends on the ambient temperature, humidity and airflow
- With antibacterial Ultra Fresh® treatment
- · Machine washable

Code	Colour	Sizes
422211	grey / black	one
Dec v Dev 1 Dec	Min Ord 1 Do	

Pcs. x Box 1 Pcs Min. Ord. 1 Pc





SIRMIQ

Polyvinyl Alcohol Fabric cooling towel

Not PPE*	OINUTED	PVA®

MATERIALS

polyvinyl alcohol fabric Main

- Dimensions: 66 x 43 cm
- The INUTEQ-PVA® longlasting evaporative cooling technology is a highly absorbent Polyvinyl Alcohol Fabric with antibacterial properties
- It can be used to beat the heat and stay fresh and cool at work, during sports and leisure-time, on the beach etc.
- How to use: soak in water for 1 minute and gently squeeze out excess water, the towel is ready for use. Cooling starts immediately and lasts for several hours
- · Machine washable

Code	Colour
185030	blue
Pcs. x Box 1 Pcs	Min. Ord. 1 Pc







DISPOSABLE

PROKEM Mobile barrier

The Prokem® line has been designed to offer one of thinnest and most resistant protective barriers against chemical and biological agents, airborne solid particles, thin fibres, powders, liquid mist, sprays and aerosols.

The features of the fabric, combined with the careful design of the garment, provide the most complete freedom of movement in full safety. These garments are very comfortable to wear as soft and lightweight, and offer a good transpiration through a microporous surface.

Applications: processes protection

Field	Use	Prokem®	Prokem® Plus
Pharmaceutical	Drug infection by powders, bacterial, spores and spongers that can nest on garments, on hair and on skin-deep cells coming off from body.	•	•
Food	Production of foods destined to people or animals in order to reduce bacterial, spores spongers and skin-deep cells infection.		•

Applications: people's protection

Field	Use	Prokem®	Prokem®
1 Ictu	030	TTOKEIII	Plus
Agricolture and market-garden	Handling of insecticides, fungicides, fertilizers and weedkillers, for foodstuff or not foodstuff cultivations.	•	•
Chemical liquids shedding	Handling of toxic materials, and losses of dangerous substances. Pipes or tank-drosses discharge or removal.	•	•
Industrial	Procedures in contact with paints and solvents Industrial cleaning and maintenance Disposal of dangerous materials Petroleum industry	•	•
Environmentally friendly	Handling and/or production procedures involving organic materials and waste	•	•
Amianthus selling off	Asbestos-removal work or production in the presence of absetos	•	•
Chemical	Laboratories and handling of known chemical substances (class 100).	•	•
Pharmaceutical	 Manufacturing and handling of drugs, medicaments and vaccines. 	•	•
	Medical assistance in case of bio-hazard		•
Emergency Crews	Intervention in case of known dangerous substances or lorry accidents Decontamination operations Protection from epidemics	•	•
Military	Military use in areas with risk of explosion	•	•
Nuclear	Protection against radioactive particles		•

PROKEM®

Disposable coverall with hood 70% polypropylene - 30% polythene

EN ISO 13982-1: EN 13034: EN 14126:2003 EN 1149-5: EN 1073-2: 2004+A1:2010 2005+A1:2009 +AC:2004 2018 2002











Classe 2

MATERIALS

Main

70% polypropylene, 30% polythene

 55 g/m^2

- Polypropylene nonwoven fabric with microporous polyethylene film
- Hypoallergenic material
- · Fixed hood with elastic band
- Elastic band on cuff, ankles and waist, latexfree
- Antistatic properties
- Fastener with double slide zipper and flap, with adhesive which can be repositioned as desired

Code	Colour	Sizes
494060	white	M - XXL

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





PROKEM® PLUS

Disposable coverall with hood 70% polypropylene - 30% polythene

EN 14605:2005 EN ISO 13982-1: EN 13034:2005 EN 14126:2003 EN 1149-5: +A1:2009 2004+A1:2010 +A1:2009 +AC:2004 2018



















MATERIALS

Main

70% polypropylene, 30% polythene



- Polypropylene nonwoven fabric with microporous polyethylene film
- Hypoallergenic material
- Fixed hood with elastic band
- · Elastic band on cuff, ankles and waist, latexfree
- Antistatic
- Fastener with double slide zipper and flap, with adhesive which can be repositioned as desired
- Seams covered with thermosealed polypropylene band

Code	Colour	Sizes
494062	white / light blue	S - XXL











ECO KEM

Disposable coverall with hood 52% polypropylene - 48% polythene









MATERIALS

Main 52% polypropylene, 48% polythene

55 g/m²

- · Polypropylene nonwoven fabric with microporous polyethylene film
- Hypoallergenic material
- Microporous surface
- Fixed hood with elastic band, latexfree
- Elastic band on cuff, ankles and waist, latexfree
- · With antistatic treatment
- Fastener with zipper and 5 cm flap
- Economical version of the Prokem overalls

Code	Colour	Sizes
487060	white	M - XXL

Pcs. x Box 50 Pcs Min. Ord. 1 Pc

ECO KEM

Disposable coverall with hood 52% polypropylene - 48% polythene













 $65 \, g/m^2$

MATERIALS

Main

52% polypropylene, 48% polythene

- · Polypropylene nonwoven fabric with microporous polyethylene film
- Hypoallergenic material
- Microporous surface
- Fixed hood with elastic band, latexfree
- Elastic band on cuff, ankles and waist, latexfree
- · With antistatic treatment
- Fastener with zipper and 5 cm flap
- Protection against biohazard, mainly suitable for agriculture and related activities

Code	Colour	Sizes
487062	green	M - XXL



TRIKEM

Disposable coverall with hood 100% trilaminate polypropylene









MATERIALS

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$

- Trilaminate polypropylene nonwoven fabric, fresh, comfortable, breathable, it avoids excessive sweating
- Hypoallergenic material
- Fixed hood with elastic band, latexfree
- Elastic band on cuff, ankles and waist, latexfree
- Fastener with zipper and 5 cm flap
- Antistatic properties
- It protects against dusts, dirt, contact with chemical agents (light spraying, small splashes, nebulizations), airborne solid particles, even in the form of thin powders.

Code	Colour	Sizes
487065	light blue	M - XXL

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





TUTA PLP

Disposable coverall with hood 100% polypropylene



MATERIALS

Main 100% polypropylene

30 g/m²

- Polypropylene nonwoven fabric
- Hypoallergenic material
- Fixed hood with elastic band, latexfree
- Elastic band on cuff and ankles, latexfree
- Without pockets
- · Zipper fastener

Code	Colour	Sizes
487007	white	M - XXL
487011	blue	L - XXL







CAMICE PROKEM®

Disposable white coat 70% polypropylene - 30% polythene



MATERIALS

70% polypropylene 30% polythene 60 g/m² Main

- Polypropylene nonwoven fabric with breathable polyethylene fibers
- Hypoallergenic material
- · 2 waist pockets
- 1 chest pocket
- Zipper fastenerStand-up collar

Code	Colour	Sizes
494066	white	M - XXL

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





CAMICE PLP

Disposable white coat 100% polypropylene

ϵ

MATERIALS

Main 100% polypropylene 40 g/m^2

- Polypropylene nonwoven fabric
- Hypoallergenic material
- · No-elastic cuffs
- · Without pockets
- Shirt collarZipper fastener

Code	Colour	Sizes
487050	white	M - XXL



CAMICE PLP LIGHT

Disposable white coat with velcro fastener, 100% polypropylene

((

MATERIALS

 $\textbf{Main} \hspace{1.5cm} 100\% \hspace{0.1cm} \text{polypropylene} \hspace{1.5cm} 30 \hspace{0.1cm} \text{g/m}^{2}$

- Polypropylene nonwoven fabric
- Hypoallergenic material
- · Elastic cuff, latexfree
- Fastener with 5 pieces of velcro
- Singel-layer shirt collar
- 2 internal pockets (chest e waist)

Code	Colour	Sizes
487052	white	M - XXL
487054	light blue	M - XXL

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





GREMBIULE PLP

100% polypropylene apron

Not PPE*

MATERIALS

Main 100% polypropylene 35 g/m²

- Polypropylene nonwoven fabric
- Hypoallergenic material
- Size 72 x 92 cm
- Bib apron
- PLP laces around the neck and on sides
- Pack of 10 pcs

Code	Colour	Sizes
487068	white	one

Pcs. x Box 1Co Min. Ord. 1Co







GIUBBINO PLP

100% polypropylene jacket

(E

MATERIALS

Main 100% polypropylene 40 g/m²

- Polypropylene nonwoven fabric

- Hypoallergenic material
 Zipper fastener
 Fixed hood with elastic band around the face, latexfree
- · With elastic band on cuffs and waist, latexfree

Code	Colour	Sizes
487072	white	one

Pcs. x Box 50 Pcs Min. Ord. 1 Pc





PANTALONE PLP

100% polypropylene trousers



MATERIALS

100% polypropylene

 30 g/m^2

- Polypropylene nonwoven fabric
- Hypoallergenic material
- With elastic band at waist and on ankles, latexfree

Code	Colour	Sizes
487070	white	one



P0110 / 111 / 112 / 114

100% polypropylene disposable cap

Not PPE*

MATERIALS

Main 100% polypropylene

- Elastic
- Box of 100 Pcs.

Code	Visor	Fabric weight	Colour	Size
487034 Art. P0110	-	21 g/m ²	white	one
487030 Art. CUFFIA P0111	-	16 g/m²	white	one
487029 Art. CUFFIA P0111	-	16 g/m²	light blue	one
487031 Art. CUFFIA P0111	-	16 g/m²	green	one
487032 Art. P0112	~	10 g/m²	white	one
487042 Art. P0114	~	35 g/m²	white	one

Pcs. x Box 10 Co Min. Ord. 1 Co



P0110



P0112



P0111



P0114

W

CAPPUCCIO PO108

100% polypropylene hood

Not PPE*

MATERIALS

Main 100% polypropylene

35 g/m²

- Polypropylene nonwoven fabric
- Hypoallergenic material
- Dimensions: 45x46,5 cm
- Latex elastic nape and around the face
- 50 Pcs pack

Code	Colour	Size
487038	white	one

Pcs. x Box 10 Co **Min. Ord.** 1 Co





COPRIBARBA

100% polypropylene beard cover

Not PPE*

MATERIALS

Main 100% polypropylene 14 g/m²

- Polypropylene nonwoven fabric
- · Hypoallergenic material
- With elastic
- 100 Pcs pack

Code	Colour	Size
487035	white	one
487036	light blue	one

Pcs. x Box 10 Co Min. Ord. 1 Co















MANICOTTO

Polyethylene sleeves

Not PPE*

MATERIALS

Main polyethylene

- Dimensions: cm 40x20
- Thickness: 0.018 mm
- · With latex elastics
- 25 pair pack

Code	Colour	Sizes
150055	white	one
150056	light blue	one

Pcs. x Box 40 Co Min. Ord. 1 Co

APRON

Polyethylene apron

Not PPE*

MATERIALS

Main polyethylene

- With bib
- Dimensions: cm 70 x 120
- Back closure with laces
- 100 Pcs pack

Code	Colour	Weight	Thickness	Size	Pcs. x Box
141018	white	12 g/pc	0,018 mm	one	10 Co
141023	light blue	28 g/pc	0,040 mm	one	5 Co

KIT VISITATORI

Hygienical kit

Not PPE*

- PVC shoe covers
- Polyethylene raincoat
- Hygienic mask

PLP Cap with elastic

Code Colour 463200 white



CALZINO PLP

100% polypropylene sock

Not PPE*

MATERIALS

Main 100% polypropylene 35 g/m

- Suitable as hygienic protection when it is necessary to wear not personal shoes (eg. factory tours, on building sites, where you have to wear safety shoes)
- Dimensions: 32 x 11 cm
- With latex elastic
- 100 pair pack / packed per pair

550042 whit	е

Pcs. x Box 5 Co Min. Ord. 1 Co





COPRISCARPA PLP

100% polypropylene shoe cover

Not PPE*

MATERIALS

Main100% polypropylene35 g/m²

- Polypropylene nonwoven fabric
- · Hypoallergenic material
- Ideal for visiting farms, stables, etc.
- Dimensions: 38 x 43 cm
- · With latex elastic
- 100 Pcs pack

Code	Colour	Sizes	
550040	light blue	one	

Pcs. x Box 10 Co Min. Ord. 10 Co





COPRISCARPA

CPE disposable shoe cover

Not PPF*

- Ambidextrous
- With elastic at the ankle
- 5 pair pack

Code	Colour	Dim.	Weight	Size
550010	light blue	36 x 15 cm	2,6 g/pz.	one

Pcs. x Box 200 Co Min. Ord. 10 Co

Code	Colour	Dim.	Weight	Size
550016	light blue/white	41 x 16 cm	9,5 g/pz.	one

Pcs. x Box 100 Co Min. Ord. 10 Co









TYVEK®

Applications: processes protection

Field	Use
Pharmaceutical	Drug infection by powders, bacterial, spores and spongers that can nest on garments, on hair and on skin-deep cells coming off from body.
White rooms	Interventions that require a level of 1.000 to 10.000 class particles. Interventions that require sterility.
Food	Production of foods destined to people or animals in order to reduce bacterial, spores, spongers and skin-deep cells infection.

Applications: people's protection

Field	Use
Pharmaceutical	Manufacturing and handling of drugs, medicaments and vaccines.
Chemical	Laboratories and handling of known chemical substances (class 100).
Amianthus selling off	Works of removal and production in amianthus presence.
Emergency Crews	Intervention in case of known dangerous substances or lorry accidents.
Chemical liquids shedding	Handling of toxic materials, and losses of dangerous substances. Pipes or tank-drosses discharge or removal.
Agricolture and market-garden	Handling of insecticides, fungicides, fertilizers and weedkillers, for foodstuff or not foodstuff cultivations.

TYCHEM® F

Tychem® "F" is a high performance barrier material. It is produced combining the layered polyethylene Tyvek® with a polymer coated film

Protection against:

- Powders and dangerous dusts
- Blood and its pathogenic agents
- Organic and inorganic based acids
- Hazardous substances in aerosol or gaseous form

Field	Use
Chemical	Preparation and/or handling of dangerous substances in solid, liquid or gaseous form, decontamination operations. Interventions on crafts or pipes that carry dangerous materials under pressure.
Emergency Crews	Intervention and removal of non-identifiable substances in places of accidents.
Oil industry	Handling of oil and solvents. Cleaning of oil tanks.
Products storage	Decontamination and removal of unknown and dangerous chemical substances.

TYCHEM® C

Tychem® "C" is a high performance barrier material. It is produced combining the layered polyethylene Tyvek® with a polymer coated film

Protection against:

- Powders and dangerous dusts
- Blood and its pathogenic agents
- Organic and inorganic based acids
- Hazardous substances in aerosol or gaseous form

PROSHIELD™

Proshield™ fabric provides an excellent barrier against dirt. It is produced with a special quality of Tyvek® making it light, comfortable yet sturdy and resistant.

Field:

- Industrial cleaning
- Firm visits
- Trash handlings
- Do-it-yourself
- Car repairs
- Storage
- Electric household appliance assistance and repairs
- Animals deal
- Agriculture
- Building
- Painting and decorations
- Machinaries assistance

TYVEK® 500 XPERT

Tyvek® 1431N coverall with hood













MATERIALS

Tyvek® 1431N Main

41 g/m²

- Elastic band on cuff, ankle, waist and around the face
- · Zipper fastener
- · Reinforced external seams
- · Fixed hood with elastic band
- Ergonomic shape for perfect fit and freedom of movement

Code	Colour	Sizes
494012	white	S - XXL

Pcs. x Box 100 Pcs Min. Ord. 1 Pc

TYVEK® 600 PLUS

Tyvek® 1431N coverall with hood















MATERIALS Main

Tyvek® 1431N 41 g/m²

- Elastic band on cuff, ankle, waist and around the face
- · Zipper fastener covered with adhesive flap
- Covered seams with blue tape
- Fixed hood with elastic band and adhesive flap on the chin
- · Elastic thumb loop

Code	Colour	Sizes
494016	white	M - XXL











TYCHEM® 2000 C

Tyvek® coverall with hood

El	N 14605:2005	EN 14605:2005	EN ISO 13982-1:	EN 13034:2005	EN 14126:2003	EN 1149-5	: EN 1073-2:
	+A1:2009	+A1:2009	2004+A1:2010	+A1:2009	+AC:2004	2008	2002
(E	Tipo 3B	Tipo 4B	Tipo 5B	Tipo 6B	&	4	Classe 1

MATERIALS

Main Tyvek®

- Elastic band on cuff, ankle, waist and around the face
- Zipper fastene with double adhesive flap for high protection
- Fixed hood with elastic band with adhesive flap on the chin
- Reinforced and covered external seams (barrier adhesive)
- Elastic thumb loop

Cod.	Colour	Taglie
494018	yellow	M - XXL

Pcs. x Box 1 Pc Min. Ord. 1Pc





Tyvek® coverall with hood

EN 14605:2005 EN 14605:2005 EN ISO 13982-1: EN 13034:2005 EN 14126:2003 EN 1149-5: EN 1073-2: +A1:2009 +A1:2009 +A1:2009 +A1:2004 2008 2002

MATERIALS

Main Tyvek®

- Elastic band on cuff, ankle, waist and around the face
- Zipper fastene with double adhesive flap for high protection
- Fixed hood with elastic band with adhesive flap on the chin
- Reinforced and covered external seams (barrier adhesive)
- · Elastic thumb loop

Code	Colour	Sizes
494015	grey	S - XXL



PROSHIELD® 8 PROPER

Tyvek® coverall, micro perforated

(E

MATERIALS

1ain Tyvek®

60 g/m²

- · Korean-style collar
- Zipper fastener covered with flap
- 2 waist pockets
- Elastic band on cuffs and waist
- Suitable for DIY, general maintenance and cleaning and other non-hazardous activities

Code	Colour	Sizes
494009	grey	M - XXL

Pcs. x Box 100 Pcs Min. Ord. 1 Pc

PROSHIELD® 4 PRACTIK

Tyvek® 1622E coverall, micro perforated

(E

MATERIALS

1ain Tyvek®

• Elastic band on cuff, ankle, waist and around the face

41 g/m²

- Fixed hood with elastic band
- Zipper fastener
- Suitable for DIY, general maintenance and cleaning and other non-hazardous activities

Code	Colour	Sizes
494011	white	M - XXL











TYCHEM®2000 TAPE

Protective adhesive tape in Tychem® 2000

ϵ

MATERIALS

Main

Tychem® 2000

- Provides protection against a variety of inorganic acids and bases, as well as common industrial cleaning agents
- Suitable for type 3, 4, 5, 6 apparel
- · Helps to hold protective disposable apparel ensemble items in place and seal gaps in closure points
- Easy repositioning and removable
- Certificato secondo Regolamento (EU) 2016/425

Code	Colour	Dimensions
156056	yellow	4,8 cm x 50 m

Pcs. x Box 12 Pcs Min. Ord. 1 Pc





CAMICE TYVEK® PRACTIK

Tyvek® 1622E white coat, micro perforated

CE

MATERIALS

Main

41 g/m²

- · Shirt collar
- · 2 pockets
- · Fastener with snap buttons

Tyvek®

Code	Colour	Sizes
494019	white	M - XXL

Pcs. x Box 25 Pcs Min. Ord. 1 Pc





CAMICE

Tyvek® white coat







MATERIALS

Main

Tyvek®

- · Korean-style collar
- 3 pockets
- Fastener with snap buttons

Code	Colour	Sizes
494020	white	M - XL



GREMBIULE

Tyvek® apron

(E

MATERIALS

Main Tyvek®

- Dimensions: 70 x 90 cm
- Laces around the neck and at waist

Code	Colour	Sizes
141020	white	unica

Pcs. x Box 100 Pcs Min. Ord. 100 Pcs

CAPPUCCIO

Tyvek® hood

ϵ

MATERIALS

Main Tyvek® 42 g/m²

 Hood with collar and elastic around the face and neck

Code	Colour	Sizes
494025	white	unica

Pcs. x Box 100 Pcs Min. Ord. 100 Pcs

MANICOTTI

Tyvek® sleeves

ϵ

м	A٦	ſΕ	R	IΑ	LS

Main Tyvek® 42 g/m²

- Lenght: 45 cm
- Elastic band of cuffs and armhole

Code	Colour	Sizes
494030	white	unica

Pcs. x Box 100 Pcs Min. Ord. 100 Pcs

COPRISCARPE

Tyvek® overshoe



MATERIALS

Main Tyvek®

- Height app. 16 cm
- Lenght app. 34 cm
- With elastic ankle

Code	Colour	Sizes		
550020	white	unica		

Pcs. x Box 200 Pcs Min. Ord. 200 Pcs

















FOOTWEAR



EN ISO 20344:2022 EN ISO 20344:2011

Test methods for footwear

Standard EN ISO 20344 specifies test methods for footwear designed as personal protective equipment and intended to protect the wearer's feet and legs against foreseeable risks in different working sectors. This standard may be used only in combination with EN ISO 20345, EN ISO 20346, EN ISO 20347, which establish the requirements for footwear on the basis of the specific risk levels.





CATEGORY

Safety footwear EN ISO 20345 Footwear for professional use certified to EN ISO 20345 is marked with an "S" (for Safety) as safety footwear and is **equipped with toecaps** designed to provide protection against impacts, of at least 200 J, and against compression of at least 15 kN.

Occupational footwear EN ISO 20347 Footwear for professional use certified to EN ISO 20347 is marked with an "0" (for Occupational) as occupational footwear and does not have protective toecaps.

Footwear for professional use is Personal Protective Equipment (PPE) designed and manufactured to protect the wearer's feet from one or more types of risk while working: mechanical (slipping, impact, compression, perforation, cuts etc.), chemical (contact with hydrocarbons, mineral oils etc.), physical (humidity, water, heat, cold etc.) and electrical (antistatic properties, conductive properties etc.). It complies with the essential requirements laid out in Regulation (EU) 2016/425 in terms of ergonomics, innocuousness, comfort and effectiveness.

The protective characteristics of footwear vary depending on the specific requirements of use.

The choice of the correct footwear for professional use depends on its protective characteristics and the risks present in the workplace. Available in different materials, footwear for professional use is classified as follows:

CLASSIFICATIO	CLASSIFICATION						
EN ISO 20345:2022 /	EN ISO 20347:2022						
Class I	Footwear in leather or other materials, excluding shoes entirely in rubber or polymers (e.g., shoes with leather uppers and sole in polyurethane or rubber)						
Class II	Footwear entirely in rubber or polymers (e.g., boots entirely in rubber or PVC)						
Hybrid footwear	Footwear which does not fully meet the classifications I or II (constructed or moulded)						
EN ISO 20345:2011 / I	EN ISO 20347:2011						
Type I	Footwear in leather or other materials, excluding shoes entirely in rubber or polymers (e.g., shoes with leather uppers and sole in polyurethane or rubber)						
Type II	Footwear entirely in rubber or polymers (e.g., boots entirely in rubber or PVC)						

All footwear for professional use must meet some basic requirements relating to durability, comfort and innocuousness of the materials.

BASIC REC	QUIREMENTS
SB	Tear strength, abrasion resistance, water vapour permeability, upper/outsole bond strength
ОВ	Tear strength, abrasion resistance, water vapour permeability, upper/outsole bond strength.

'ANDARDS

PROTECTION CATEGORIES

EN ISO 203	45:2022 / EN ISO 20347:2022
\$1/01	As SB + closed heel + antistatic + energy absorption around the heel
\$2/02	As S1 + resistance to water penetration and absorption
\$3/03	As S2 + penetration resistance + cleated sole
S3L/03L	As S2 + penetration resistance (with PL type non-metallic anti-perforation insert) + cleated sole
S3S/03S	As S2 + penetration resistance (with PS type non-metallic anti-perforation insert) + cleated sole
S4/04	As S1 (applies only to type II footwear)
S 5/05	As S4 + penetration resistance + cleated sole
S5L/05L	As S4 + penetration resistance (with PL type non-metallic anti-perforation insert) + cleated sole
S5S/05S	As S4 + penetration resistance (with PS type non-metallic anti-perforation insert) + cleated sole
S6/06	Like S2 + whole shoe water resistance
S 7	As S3 + whole footwear resistant to water penetration/absorption
S7L/07L	Like S3L (PL type non-metallic anti-perforation insert) + whole shoe water resistance
S7S/07S	Like S3S (PS type non-metallic anti-perforation insert) + whole shoe water resistance

EN ISO 20	345:2011 / EN ISO 20347:2011
S1 / O1	includes closed heel, antistatic properties, energy absorption around the heel and resistance of soles to hydrocarbons
S2 / O2	As SI + resistance to water penetration and absorption of the upper
S3 / O3	as S2 + resistance to penetration of the shoe's outsole and cleated sole
S4 / O4	As S1 (applies only to type II shoes entirely in rubber or polymers)
S5 / O5	as S4 + resistance to penetration of the shoe's outsole and cleated sole

The letter "S" identifies the protection categories for safety footwear (EN ISO 20345).

Equivalent categories are specified for occupational footwear with the letter "O" (EN ISO 20347).

They must also guarantee slip resistance with specific protection in relation to the reduction in risk of slipping on different surfaces. Three levels are specified:

SLIP RESISTANCE - EN ISO 20345:2011

SRA	test performed on ceramic tile floor covered with soap solution
SRB	test performed on steel floor covered with glycerol
SRC	both tests described above (SRA + SRB)

SLIP RESISTANCE - EN ISO 20345:2022

Symbol	Test conditions	Method	Requirements	
None (basic requirement)	Surface: ceramic tile Lubricant: soap	Heel 7° Toe 7°	min. 0.31 min. 0.36	
SR (optional)			min. 0.19 min. 0.22	

Footwear marked with the symbol "ø" (meaning "not tested"), in accordance with standard EN ISO 20345:2022, is footwear designed for use in special workplaces (soft terrain, e.g. sand, mud, forest wood, etc.), in which slipping resistance is not applicable, so it is not assessed.



EN ISO 17249 Safety footwear with resistance to chain saw cutting
Safety footwear with resistance to chainsaw cutting is fitted with special cut-proof fabric in the front part. This material is able to slow and stop chain saw chains thanks to its tough fibres. This is the most effective method for stopping the chain saw before it can cut through the entire thickness of the leg protector, preventing it from reaching the lining, and thus the user's leg. There are 4 protection classes, which establish different levels of cut resistance on the basis of the chain speed:

CLASS	1	2	3	4
Chain speed (m/s)	20	24	28	32



ANTISTATIC PROPERTIES

Such footwear minimises the accumulation of electrostatic charges by dissipating them, thus reducing the risk of fire or explosion when working in environments with the presence of flammable substances. If there is a risk of electric shocks, it is essential to provide for additional measures. The electrical resistance of this type of footwear can be significantly altered by bending, contamination or moisture. When using antistatic footwear, the resistance of the sole must be such as not to cancel out the protection provided by the footwear, and no insulating element must be introduced between the footbed of the shoe and the wearer's foot. Whenever an insole is inserted between the footbed and the foot, it will be necessary to test the electrical properties of the shoe-footbed combination.

ESD PROTECTION

To protect sensitive equipment or components from electrostatic discharges. ESD (ElectroStatic Discharge) footwear is suitable for use in EPAs (Electrostatic Protected Areas), as it has an even lower electrical resistance than antistatic footwear, guaranteeing a high level of electrical dissipation. The use of ESD footwear prevents the accumulation of electrostatic charges in the human body, as they are constantly discharged to earth in a safe and controlled manner. They prevent the transfer of static electricity from one object to another through contact, in order not to compromise the operation of machinery, electrical or electronic components, and preventing ignition of fires in the presence of flammable materials. It is therefore essential for operatives working in these areas to wear antistatic or ESD footwear.

BASIC AND OPTIONAL		CLASSIFICATION							
	REMENTS	Type I		Тур			Typ		
	20345:2011 / EN ISO 20347:2011	o Type II					or pol	n rubber ymers	
Categories	Safety footwear	SB	S1P	S1	S 2	S 3	S4	S5	
Categories	Occupational footwear	ОВ	01P	01	02	03	04	05	
	PERFORMANCE REQUIREMENTS								
(without code)	Basic requirements	x	x	x	x	x	x	x	
SR A/B/C*	Slip resistance	x	x	х	x	x	x	x	
A	Antistatic Properties	0	х	х	x	x	x	х	
Ε	Energy absorption around the heel	0	x	x	x	x	x	x	
WRU	Water penetration and absorption of the upper (Applicable only to type I footwear)	0	0	0	x	x			
Р	Penetration resistance	0	x	0	0	x	0	x	
С	Conductivity	0	0	0	0	0	0	0	
н	Insulation from heat	0	0	0	0	0	0	0	
CI	Insulation from cold	0	0	0	0	0	0	0	
HRO	Resistant to heat in contact with the outsole	0	0	0	0	0	0	0	
WR	Water resistant (Applicable to type I footwear)	0	0	0	0	0			
AN	Ankle protection	0	0	0	0	0	0	0	
CR	Cut resistance	0	0	0	0	0	0	0	
М	Metatarsal protection (Applicable only to safety footwear)	0	0	0	0	0	0	0	
FO	Resistance of soles to hydrocarbons (optional for all occupational footwear categories and for category SB; basic for all other safety footwear categories)	0	x	x	x	x	x	x	

STANDARDS & INFO

BASIC AND OPTIONAL		CLASSIFICATION							
	REMENTS	Class I			Class I			Clas	ss II
	20345:2022 / EN ISO 20347:2022	o Class II			er and on a control of the control o				in rubber ymers
	Safety footwear	SB	S1	S 2	S3	S6		S4	\$5
Categories	Occupational footwear	ОВ	01	02	03	06	S 7	04	05
	PERFORMANCE REQUIREMENTS								
(without code)	Basic requirements	х	x	x	х	x	x	x	x
Р	Penetration resistance (type P metal insert) (a)	0	0	0	x	0	x	0	х
PL	Penetration resistance (type PL non-metal insert) (a)	0	0	0	x	0	x	0	x
PS	Penetration resistance (type PS non-metal insert) (a)	0	0	0	x	0	x	0	x
С	Partial conductivity (b)	0	0	o	0	0	0	0	0
A	Antistatic (b)	0	x	x	x	x	x	x	x
н	Insulation from heat	0	0	0	0	0	0	0	0
CI	Insulation from cold	0	0	0	0	0	0	0	0
Ε	Energy absorption around the heel	0	x	x	x	x	x	x	x
WR	Total shoe water resistance (Applicable only to class I footwear)	0	0	0	0	x	x		
М	Metatarsal protection (Applicable only to safety footwear)	0	0	0	0	0	0	0	0
AN	Ankle protection	0	0	0	0	0	0	0	o
CR	Cut resistance	0	0	0	0	0	0	0	0
sc	Scuff cap (Applicable only to class I footwear)	0	0	0	0	0	0		
SR	Slip resistance (on ceramic tile floor with glycerol)	0	0	0	0	0	0	0	0
WPA	Water penetration and absorption of the upper (Applicable only to class I footwear)	0	0	x	x	x	x		
HRO	Resistant to heat in contact with the outsole	0	0	0	0	0	0	0	0
FO	Resistance of soles to hydrocarbons	0	0	0	0	0	0	0	0
LG	Sole - ladder grip	0	0	0	0	0	0	0	0
Ø	Footwear without slipping resistance	0	0	0	0	0	0	0	o

PROTECTION CATEGORIES

\$1 \$2 \$3



• FIBRES + LEATHER OF THE UPPER

LEATHER

Leather is a naturally tough, flexible and breathable material.

It is resistant to heat, moisture, abrasion and wear.

This is why it is widely used in the production of safety footwear.

TOP-GRAIN LEATHER

This is the outer part of the dermis, the most valued, elastic and tough. So-called full-grain, or real, leather. It offers good breathability and is soft.

FULL-GRAIN WAXED LEATHER

Processing which makes the top-grain leather water repellent. It uses various types of wax products, of animal or mineral origin.

CRUST LEATHER

This is the lower, or more internal, part of the cow hide, not as valued as the fullgrain leather as it is harder and thicker, but it is very tough.

SUEDE CRUST LEATHER

Complex processing of the cow hide with sandpaper to give it its characteristic appearance.

NUBUCK

Processing of top-grain leather which is treated with a brushing process which gives it its typical velvet effect. It is generally more costly and "valuable" than suede, as well as tougher.

MICROFIBRE

A lightweight, soft and breathable synthetic fabric, obtained through processing and fragmentation of polyester, polyamide and polypropylene. It is strong, flexible and water repellent.

TECHNICAL FABRIC

Technical fabrics are often used for reinforcement applications or inserts, combined with real leather. Synthetic in nature, their key characteristics are their toughness and abrasion resistance.

KPU

Next-generation thermoplastic from the world of sports. Featuring excellent abrasion resistance, wear resistance, flexibility and breathability. It allows the creation of fashionable designs for professional footwear as well.



ANTI-PERFORATION **INSERT**


STEEL

- Considerable weight
 Better strength: more suitable for protecting against very small, sharp or pointed objects which could penetrate the fabric


FABRIC

- Light, -50% compared to steel Flexible

- Not detectable by metal detector
 Does not conduct heat or electricity



TOECAP TYPE





TEMPERED STEEL

significant excellent excellent minimal yes excellent excellent no poor



ALUMINIUM

light sufficient excellent bulky yes good good no good



COMPOSITE MATERIAL

light good poor bulky no excellent excellent yes excellent



FIBREGLASS

light excellent poor bulky no excellent excellent yes exceptional



STREET L5

S3 SRC ESD

Low protective shoe in suede split leather







Upper Toe cap

suede split leather fiberglass

- PU and rubber covered tip, abrasion resistant
- Inner air mesh lining, breathable, hydrophilic, anti-humidity
- Removable preformed memory insole (EVA + rubber)
- Polyurethane/TPU bidensity outsole with energy absorption in the heel
- Anti-perforation textile midsole
- Fully metal-free, plastic eyelets
- Closing with lacesWeight: 550 g (1 pc size 42)

Code 510715 Colour grey / red Sizes 36 - 47

Pcs. x Box 5 Pairs Min. Ord. 1 Pair





STREET L7

S3 SRC ESD

Low protective shoe in nabuk leather









nabuk leather fiberglass

- PU and rubber covered tip, abrasion resistant
- Inner air mesh lining, breathable, hydrophilic, anti-humidity
- Removable preformed memory insole (EVA + rubber)
- Polyurethane/TPU bidensity outsole with energy absorption in the heel
- Anti-perforation textile midsole
- Fully metal-free, plastic eyelets
- Closing with contrasting laces

• Weight: 560 g (1 pc size 42)

Code 510501 Colour black / green **Sizes** 36 – 47







STREET L6

S3 SRC ESD

Low protective shoe in nabuk leather







Upper

nabuk leather fiberglass

- Toe cap • PU and rubber covered tip, abrasion resistant
- Inner air mesh lining, breathable, hydrophilic, anti-humidity
- Removable preformed memory insole (EVA +
- Polyurethane/TPU bidensity outsole with energy absorption in the heel Anti-perforation textile midsole
- Fully metal-free, plastic eyelets
- Closing with contrasting laces
- Weight: 560 g (1 pc size 42)

Code 510503 Colour brown / orange **Sizes** 38 – 47

Pcs. x Box 5 Pairs Min. Ord. 1 Pair



STREET L8

S3 SRC ESD

Low protective shoe in suede split leather







Upper Toe cap

Code 510714

suede split leather fibrerglass

- PU and rubber covered tip, abrasion resistant
- · Inner air mesh lining, breathable, hydrophilic, anti-humidity
- Removable preformed memory insole (EVA + rubber)

Colour grey / green

- Polyurethane/TPU bidensity outsole with energy absorption in the heel
- Anti-perforation textile midsole
- Fully metal-free, plastic eyelets
- Closing with contrasting laces

• Weight: 538 g (1 pc size 42)

Sizes 36 - 47





STREET H6

S3 SRC ESD

High protective shoe in nabuk leather







Upper nabuk leather
Toe cap fiberglass

- PU and rubber covered tip, abrasion resistant
- Inner air mesh lining, breathable, hydrophilic, anti-humidity
- Removable preformed memory insole (EVA + rubber)
- Polyurethane/TPU bidensity outsole with energy absorption in the heel
- Anti-perforation textile midsole
- Fully metal-free, plastic eyelets
- · Closing with contrasting laces
- Weight: 577 g (1 pc size 42)

Code 515603 Colour brown / orange **Sizes** 38 – 47

Pcs. x Box 5 Pairs Min. Ord. 1 Pair





STREET H8

S3 SRC ESD

High protective shoe in suede split leather







Upper suede split leather
Toe cap fibrerglass

- PU and rubber covered tip, abrasion resistant
- Inner air mesh lining, breathable, hydrophilic, anti-humidity
- Removable preformed memory insole (EVA + rubber)
- Polyurethane/TPU bidensity outsole with energy absorption in the heel
- Anti-perforation textile midsole
- Fully metal-free, plastic eyelets
- Closing with contrasting laces
- Weight: 570 g (1 pc size 42)





RUSH 998 ESD

S1 PL SR

Protective low shoe sport type in fine knit technical fabric + PU







Upper technical fabric Toe cap fiberglass

- · Fully metal-free
- Upper in fine knit technical fabric, sporty style, resistant, high performance and excellent fit

Sizes 36 - 47

Sizes 36 – 47

- Inner mesh fabric lining, breathable
- Removable inner insole, breathable and soft
- Double colour PU bidensity outsole with cuschioned platform
- TPU personalizations, anti-slip and anti abrasion
- Anti-perforation composite midsole
- Double colour contrasting laces
- Double lace available for code 510780

Colour black

Colour black / green

• Weight: 550 g (1 pc size 42)

Code 510780

Code 510781



Energy absorption in the heel with Shock Absorber pad



NEW



FUEGO SIP SRC ESD

Low protective microfiber shoe + KPU








Upper microfiber, KPU
Toe cap fiberglass

- Completely antistatic (ESD protection)
- Upper made of microfabric and technical material (KPU) with very high breathability and toughness and high resistance to abrasion
- Toe and back reinforcement in wear resistant non-woven fabric
- Breathable, hydrophilic, anti-damp, air mesh inner lining
- Padded bellow tongue to avoid the entry of dirt, dust, etc.
- Removable, preshaped EVA-rubber insole, anti-fatigue, antistatic, antibacterial, breathable, with arc support
- Dual density polyurethane outsole, antistatic, slip resistant, abrasion and oil resistant, with heel energy absorption system
- Anti-perforation textile midsole
- Fully metal-free
- · Closing with bicolour laces
- Weight: 525 g (1 pc. size 42)

Code 510776	Colour black / yellow	Sizes 37 – 47	NEW
Code 510777	Colour black / green	Sizes 37 – 47	
Code 510778	Colour black / fucsia	Sizes 35 – 42	NEW





301 / 314

S3 SRC ESD

Protective shoe in high tenacity, run-proof technical fabric





Тое сар	composite
Upper	technical fabric

- New generation technical fabric upper highly breathable and tenacity and high abrasion resistance
- Breathable, hydrophilic, anti-damp, air mesh inner lining
- Padded bellow tongue, to avoid the entry of dirt, dust, etc.
- Removable preshaped insole, breathable, antibacterial, heel shock absorber and arc support
- PU monodensity outsole, antistatic and high anti slip resistance
- · Antiperforation textile midsole
- · Closing with laces and metal-free eyelets
- Fully metal-free
- · Colour: black
- Weight: 490 g (510131) / 525 g (51542) (1 pc. size 42)

Code	Model	Sizes
510131	low	37 – 47
515142	high	37 – 47

Pcs. x Box 5 Pairs Min. Ord. 1 Pair





315 S1 SR ESD

Low protective shoe in technical putek mesh

EN ISO 20345:2011



high tenacity, run-proof




Upper putek mesh Toe cap composite

- · Completely antistatic (ESD protection)
- New concept upper in technical net putek, highly breathable and tenacity and high abrasion resistance
- Completely unlined
- Padded bellow tongue, to avoid the entry of dirt, dust, etc.
- Removable preshaped insole, breathable, antibacterial, heel shock absorber and arc support
- PU monodensity outsole, antistatic and high anti slip resistance
- Anti-perforation textile midsole
- Closing with laces and metal-free eyelets
- Fully metal-free
- Weight: 470 g (pc size 42)









212 EVOLUTION

NEW

S1P HRO SRC

Low protective shoe in suede split leather





Upper suede split leather Toe cap composite

- Fully Metal Free
- Inner mesh fabric liningPadded bellow tongue
- Antiperforation textile midsole
- Rubber outsole
- Nylon lacesWeight: 540 g (lpc size 42)

Code 510727	Colour black / yellow	Sizes 36 – 48
Code 510728	Colour blue / grey	Sizes 36 – 48
Code 510729	Colour beige / yellow	Sizes 36 – 48





TOPGEAR

S1P SRC

Low protective shoe in suede split leather





Upper suede split leather Toe cap fiberglass

- Fully metal-free
- · Mesh inserts
- · Reinforced heel in synthetic fabric
- · Mesh fabric inner lining
- Anatomical, removable, antistatic, antibacterial insole
- Anti-perforation textile midsole
- Dual density PU ousole
- Plastic eyelets
- Closing with bicolour lacesWeight: 550 g (1pc size 42)

Code 510745 Colour anthracite grey / green Sizes 37 - 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





TRUXTON

S1P SRC

High protective shoe in suede split leather





Upper suede split leather Toe cap fiberglass

- · Fully metal-free
- · With inserts in technical fabric and retro-reflective material
- · Breathable internal lining
- Anatomical, removable, antistatic, antibacterial insole
- Fiberglass toe-cap
- Anti-perforation textile midsole
- Dual density polyurethane outsole
- Quick take-off device
- · Plastic eyelets
- Closing with bicolour laces
- Peso: 585g (1pz taglia 42)

Code 515713 **Sizes** 37 - 47 Colour grey / green











S1P SRC

Low protective shoe in suede split leather





Upper suede split leather **Toe cap** fiberglass

- Completely metal-free
- · Perforated upper
- Inserts in technical fabric and reflective material
- · Reinforced heel in synthetic fabric
- Breathable internal lining
- Anatomical, removable, antistatic, antibacterial insole
- Anti-perforation textile midsole
- Fiberglass toe-cap
- Dual density polyurethane outsole
- · Plastic eyelets
- · Closing with bicolour laces
- Weight: 552 g (1pc size 42)

Code 510705 Colour beige **Sizes** 36 – 48

Pcs. x Box 10 Pairs Min. Ord. 1 Pair

NEW 535

S1P SRC

Low protective shoe in suede split leather



Upper



Toe cap fiberglass

• Inserts in technical fabric and reflective material

suede split leather

- Reinforced heel in synthetic fabric
- Mesh fabric internal lining
- Anatomical, removable, antistatic insole
- Anti-perforation textile midsole
- Dual density polyurethane outsole
- Plastic eyelets
- Closing with bicolour laces
- Weight: 565 g (1pc size 42)

Code 510703 Colour beige **Sizes** 36 – 48

Pcs. x Box 10 Pairs Min. Ord. 1 Pair

NEW 595

S1P SRC

High protective shoe in suede split leather





Upper suede split leather
Toe cap fiberglass

• Weight: 585g (1pc size 42)

Code 515803 Colour beige **Sizes** 37 – 48



S1P SRC

Protective sandal in suede split leather





Upper suede split leather **Toe cap** fiberglass

- Completely metal-free
- With inserts in technical fabric and retro-reflective material
- Reinforced heel in synthetic fabric
- Breathable mesh fabric internal lining
- Anatomical, removable, antistatic, antibacterial insole
- Anti-perforation textile midsole
- Dual density polyurethane outsole
- · Closing with velcro
- Weight: 545 g (1pc size 42)

Code 510707 Colour beige **Sizes** 36 – 48

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





ESTORIL

S1 PL SR

Protective slip on in suede split leather



20345:2022 Upper

suede split leather

Toe cap steel

- Suede split leather upper with technical breathable fabric inserts
- Breathable, hydrophilic, anti-damp, air mesh inner lining
- Removable inner insole
- Anti-perforation textile midsole
- Double density PU outsole
- With back and front laces to improve ease of fit
- Weight: 535g (1pc size 42)

Code 510211 Colour yellow/grey Sizes 39 - 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair

NEW







S1P SRC

Low protective shoe in suede split leather





Upper Toe cap suede split leather

· Fully metal-free

- Upper with synthetic fabric inserts

fiberglass

- Reinforced heel in synthetic fabric
- Breathable mesh fabric internal lining Anatomical, removable, antistatic, antibacterial insole
- Anti-perforation textile midsole
- Dual density polyurethane outsole
- Plastic eyelets
- Closing with bicolour laces
- Weight: 555 g (1 pc. size 42)

Code 510709

Colour grey / blue

Sizes 36 – 48

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





251 S1P SRC

Low protective shoe in suede split leather and air mesh fabric





Upper

suede split leather fiberglass Toe cap

- · Suede split leather upper with breathable air mesh fabric
- Breathable, hydrophilic, anti-damp, air mesh internal lining
- Padded bellow tongue to avoid the entry of dirt, dust, etc.
- Removable, preshaped Eva-rubber insole, anti-fatigue antistatic, antibacterial, breathable, with arch support
- Polyurethane/TPU outsole, antistatic and highly slip resistant, abrasion and oil resistant, with energy absorption system in the heel
- Fiberglass toe-cap offers greater sturdiness and lightness
- Anti-perforation textile midsole
- · Completely metal-free, plastic eyelets
- · Closing with bicolour laces
- Weight: 560 g (1 pc. size 42)

Code 510751

Colour grey / orange

Sizes 37 – 47



VARANO

S1P SRC

Low protective shoe in suede split leather



Upper suede split leather
Toe cap steel

- · Perforated upper
- Breathable internal lining
- Removable, antibacterial, anti-static, anatomic insole
- Dual density polyurethane outsole
- Closing with bicoloured laces
- Metal lace hooks
- Weight: 615 g (1pc size 42)

Code 510508 Colour grey anthracyte **Sizes** 35 – 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair



SEPANG

S1P SRC

High protective shoe in split leather





Upper split printed leather
Toe cap fiberglass

- · Completely metal-free
- Inserts in technical fabric and reflective material
- Breathable internal lining
- Anatomical, removable, antistatic, antibacterial insole
- Fiberglass toe-cap
- Anti-perforation textile midsole
- Dual density polyurethane outsole
- Quick closure with strap on both sides and adjustable elastic band with internal strap on the instep
- Weight: 553 g (1pc size 42)

Code 515601 Colour black **Sizes** 38 – 47





DETROIT

S3 SRC

Protective low shoe in cow leather waterrepellent



Upper cow leather Toe cap steel

- Inner lining in mesh fabric
- Removable anatomical insole, antibacterial, antistatic
- Steel plate and toe
- Sole in bidensity polyurethane
- · Closure with bicolour laces
- Metal bodkins
- Weight: 585 g (1 pc. size 42)

Code 515607 Colour black Sizes 38 - 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





SILVERSTONE

S3 SRC

High protective shoe in cow grain leather water-repellent



Upper cow leather Puntale steel

- Breathable internal lining
- Removable, antibacterial, anti-static, anatomic insole
- Steel toe-cap and midsole
- Dual density polyurethane outsole
- Closing with bicoloured laces
- Metal eyelets
- Quick take-off device
- Weight: 610 g (1 pc. size 42)

Code 515605 Colour black **Sizes** 38 - 47



IMOLA S1P SRC

Low protective shoe in split leather



EN ISO 20345:2011

Upper split leather
Toe cap steel

- · Breathable internal lining
- Removable, antibacterial, anti-static, anatomic insole
- Steel toe-cap and midsole
- Dual density polyurethane outsole
- Closing with bicoloured laces
- Metal eyelets
- Weight: 548 g (1 pc. size 42)

 Code 510500
 Colour black
 Sizes 36 – 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair



MONZA

S1P SRC

High protective shoe in split leather



EN ISO 20345:2011


Upper split leather
Toe cap steel

- Breathable internal lining
- Removable, antibacterial, anti-static, anatomic insole
- Steel toe-cap and midsole
- Dual density polyurethane outsole
- Closing with bicoloured laces
- Metal eyelets
- Quick take-off device
- Weight: 625 g (1 pc. size 42)

Code 515600 Colour black **Sizes** 36 – 47







EXPLORER

Trekking low shoe in suede split leather and microfiber inserts

Not PPE*



Upper

microfiber, KPU

Тое сар

- Vibram® Friction rubber outsole, for maximum grip on the ground, rigid nylon midsole
- Perwanger suede waterproof upper with reinforced toe and side in special anti-abrasion microfiber
- Folding tab to prevent any water infiltration
- Anatomical and removable insole, covered in breathable technical fabric
- Waterproof and breathable fabric for inner lining
- Weight: 607 g (1 pc size 42)

Code 515451

Colour grey / black / green

Sizes 38 - 47

Pcs. x Box 5 Pairs Min. Ord. 1 Pair





CANADESE

Technical boot in TPR / tech-fabric

Not PPE*

- TPR thermoplastic rubber (waterproof) overshoe and tread
- Flexible yet resistant even at low temperatures (down to -30 $^{\rm o}$ C)
- Highly resistant and water-repellent fabric upper
- · Warm padding and fleece lining
- Small rear insert to facilitate a quick removal of the boot from the foot
- Closing with two-tone laces and metal eyelets (nickel free)
- Outsole with self-cleaning grooves, which offers excellent grip to prevent slipping on damp surfaces
- Super lightweight, snug and extremely comfortable to wear, it is an excellent barrier against cold and moisture while keeping the foot warm and dry

Code 570400

Colour black

Sizes 38 - 47



COPRILACCI

Polyamide metatarsal protection

Material polyamide

It adapts to any laced high shoe

Code 540920 Colour black Sizes one

Pcs. x Box 60 Pairs Min. Ord. 1 Pair





KRABBY

Rubber/PVC overshoe with safety toe cap



Material rubber, PVC
Toe cap steel

- Steel toe-cap
- Adjustable back strap
- Quick and easy to put on
- · It fits all shoes
- Sold by the pair in a practical bag

Pcs. x Box 10 Pairs Min. Ord. 1 Pair



LACCI

Polyamide laces for Neri shoes

Nnt	PP	F٠
1101	• •	-

Material	polyamide	
• 1 pair/card (10 pair/pack)	
Code 540905	Colour grey / black	Leght 110 cm
Code 540907	Colour grey / black	Leght 130 cm
Pcs. x Box 10 Co.	Min. Ord. 1 Co.	

NEW







SOLETTA CUOIO

Shaped insole

Not PPE*

- · Real leather
- · Preformed and removable
- · With anti-bacterial treatment
- 1 pair/pack

Code 555052

Colour beige

Sizes 39 – 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





SOLETTA CARBONI ATTIVI

Shaped insole

Not PPE*

- Antistatic
- Preformed and removable
- · With anti-bacterial treatment
- 1 pair/pack

Code 555050

Colour grey/black

Sizes 39 - 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





SOLETTA GEL

Anti-shock anatomical insole, gel pad

- Upper lining with antibacterial, non-woven fabric with silver
- With transparent, anti-shock, anti-odour and antibacterial gel heel pad
- · Insulating, white felt pad
- · Ventilation holes
- Antistatic
- 1 pair/pack

Code 555054

Colour black/white Sizes 36 - 48



SOLETTA MEMORY

Anatomic insole with drop support for the arc

Not PPE*

- Upper lining with antibacterial non-woven fabric
- EVA and rubber memory footbed
- · Good moisture absorption
- Breathable
- · Good stability
- Washable at 30° C
- 1 pair/pack

Code 555062 Colour black/orange Sizes 37 - 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





SOLETTA COMFORT

Anatomical insole with EVA support

Not PPE*

- · Upper and lower lining with antistatic and antibacterial, non-woven fabric
- EVA heel and shank
- Good humidity absorption
- Breathable
- · Good stability
- Washable at 30° C
- 1 pair/pack

Code 555056

Colour white/grey

Sizes 36 - 48

Pcs. x Box 36 Pairs Min. Ord. 3 Pairs





SOLETTA TERMOFORMATA

Comfortable, anatomical insole

Not PPF*

- Perforated, breathable, antibacterial, anti-odour, high quality microfiber upper lining
- · Polyurethane foam middle layer
- · Semi-rigid, polyurethane foam heel
- · Good stability, humidity absorption and abrasion resistance
- Antistatic
- Washable at 30° C fast dry
- 1 pair/pack

Code 555060

Colour grey/yellow





SERVICE SHOES

For professional in white field

A line of footwear designed for specific tasks, antistatic, wear-resistant, with energy absorber in the heel.

Designed to protect against dangers not visible to the naked eye, such as bacteria, waste, organic and chemical residues, these shoes combine flexibility with comfort and lightness.

The waterproof and breathable microfiber upper allows the user a prolonged use without fatigue of the foot.



PU outsole wear



Antistatic shoes



Toe cap 200 J resistant



Energy absorber in the heel



110C S2 F0 SR

Protective microfiber mocassin





EN ISO 20345:2022

Upper microfiber

Toe cap thermoplastic material

- Breathable, absorbent, anti-damp internal lining
- Removable, anti-static with anti-bacteria treatment insole
- Single-density polyurethane outsole
- "Slip-on" elastic closing
- Machine washable
- Weight: 435 g (1 pc. size 42)

 Code 510163
 Colour white
 Sizes 35 – 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





112C

SB A E WPA FO SR

Protective microfiber clog





EN ISO 20345:2022 Upper

microfiber

Toe cap thermoplastic material

- Breathable, absorbent, anti-damp internal lining
- Removable, anti-static with anti-bacteria treatment insole
- Single-density polyurethane outsole
- Removable stretch back lace
- Machine washable
- Weight: 426 g (1 pc. size 42)

Code 585037 Colour white **Sizes** 35 – 47





NAXOS

SB SR

Protective microfiber clog



Upper microfiber Toe cap steel

- Perforated upper for greater breathability
- Breathable, hydrophilic, moisture-proof lining
- Removable insole
- Single density polyurethane outsole
- Back strap to secure the ankle
- Mashine washable
- "Slip-on" elastic on the back Weight: 483 g [1 pc. size 42]

Code 510517 Colour white **Sizes** 36 - 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair







Protective microfiber mocassin



Upper microfiber Toe cap thermoplastic material

- Breathable, absorbent, anti-damp internal lining
- Removable breathable and antistatic insole
- Dual-density polyurethane outsole
- Steel toe-cap
- "Slip-on" elastic closure
- Machine washable
- Weight: 485 g (1 pc. size 42)

Code 510518 Colour white / blue **Sizes** 36 - 46



ATENE

S1 SRC

Protective microfiber mocassin



EN ISO 20345:2011

Upper microfiber
Toe cap steel

- Breathable, absorbent, anti-damp internal lining
- Removable, antistatic with anti-bacteria treatment insole
- Single-density polyurethane outsole
- "Slip-on" elastic closure
- Machine washable
- Weight: 469 g (1 pc. size 42)

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





PAROS

S1 SRC

Scarpa protettiva bassa in microfibra



EN ISO 20345:2011


Upper microfiber
Toe cap steel

- Breathable, absorbent, anti-damp internal lining
- Removable, antistatic with anti-bacteria treatment insole
- Single-density polyurethane outsole
- "Slip-on" elastic closure
- Machine washable
- Weight: 421 g (1 pc. size 42)

Code 510513 Colour black **Sizes** 36 – 48







SPARTA

S2 SRC

Low protective microfiber shoe

 ϵ EN ISO 20345:2011

Upper microfiber Toe cap steel

- Breathable, absorbent, anti-damp internal lining
- Breathable and antistatic insole
- Single-density polyurethane outsole
- · Closure with laces
- · Machine washable
- Weight: 486 g [1 pc. size 42]

Code 510514 Colour white **Sizes** 36 - 48

Pcs. x Box 10 Pairs Min. Ord. 1 Pair



MILOS

S2 SRC

Low protective microfiber shoe



EN ISO 20345:2011

Upper microfiber Toe cap steel

- Breathable, absorbent, anti-damp internal lining
- Breathable and antistatic insole
- · Single-density polyurethane outsole
- · Closure with laces
- Machine washable
- Weight: 435 g (1 pc. size 42)

Code 510515 **Sizes** 36 - 48 Colour black

Pcs. x Box 10 Pairs Min. Ord. 1 Pair

KEROS

OBSRC

Low protective microfiber shoe





Upper microfiber Toe cap

Same features than code 510515

But without toe cap

• Weight: 405 g (1 pc. size 42)

Code 510525 Colour black **Sizes** 36 - 48











PVC YELLOW

NEW

S5 FO SR

Protective PVC boot

CE

Upper PVC
Toe cap steel

- Antiperforation steel midsole
- Antislip and hydrocarbon resistant
- Tubular model at the knee
- Protection for the malleolus
- Weight: 1105 g (1 pc. size 42)

 Code 570111
 Colour yellow
 Sizes 38 - 48

Pcs. x Box 6 Pairs Min. Ord. 1 Pair





ECO-YELLOW

S5 SRC

Protective boot in a special PVC compound

EN ISO 20345:2011

Upper PVC / nitrile rubber
Toe cap steel

• Steel midsole

 Black antistatic and anti-slip lug sole resistant to hydrocarbons and mineral oils

• Weight: 1236 g [1 pc. size 42]

Code 570100 Colour yellow **Sizes** 37 – 48







NIT-WHITE

S4 SRC

Protective boot in nitrile compound

EN ISO 20345:2011

Upper PVC / nitrile rubber
Toe cap steel

- Made with a special blend of PVC and nitrile rubber
- Steel toe-cap
- · Washable non-sweat polyester lining
- Exceptional flexibility even at low temperatures (down to -20° C)
- Black antistatic and anti-slip lug sole
- Suitable for the food industry, is resistant to casein, vegetable and animal fats
- Completely latex-free
- Weight: 1203 g (1 pc. size 42)

Code 570300 Colour white **Sizes** 37 – 47

Pcs. x Box 6 Pairs Min. Ord. 1 Pair





PVC WHITE

OB SRA

PVC boot





- · Cotton canvas lining
- Lug sole
- Weight: 820 g (1 pc. size 42)

Code 570060 Colour white **Sizes** 36 – 47



GREEN SAFETY

S5 SRC

Protective boot in PVC compound

EN ISO 20345:2011

Upper PVC / nitrile rubber Toe cap steel

Made with a special blend of PVC and nitrile rubber

• Steel toe-cap and layer

· Washable non-sweat polyester lining

 Exceptional flexibility even at low temperatures (down to -20° C)
 Black antistatic and anti-slip lug sole

 Black antistatic and anti-slip lug sole resistant to hydrocarbons and mineral oils

Completely latex-free

• Weight: 1315 g (1 pc. size 42)

Code 570105 Colour green **Sizes** 37 – 48

Pcs. x Box 6 Pairs Min. Ord. 1 Pair





VALENKY

PVC half boot

Not PPE*



- Winter padding
- Padded collar with drawstring
- Lug sole
- Weight: 866 g (1 pc. size 42)

Code 570080 Colour green

Sizes 39 - 46









PVC boot





- Completely in PVC
- Cotton canvas lining
- Beige lug sole
- Weight: 890 g [1 pc. size 42]

Code 570022 Colour green

Sizes 39 – 47

Pcs. x Box 6 Pairs Min. Ord. 1 Pair



PVC half boot





- Same features as Cod. 570022
- Weight: 774 g (1 pc. size 42)

Code 570012 Colour green **Sizes** 39 – 46

Pcs. x Box 6 Pairs Min. Ord. 1 Pair





PVC BLACK

OBSRA

Protective rubber boot





- Cotton canvas lining
- Lug sole
- Weight: 900 g (1 pc. size 42)

Code 570005 Colour black **Sizes** 38 – 46



PVC TUTTACOSCIA

Hip wader PVC boot





- Nylon lining, weight 350 g/m2Welded junctions
- Adjustment with buckles at the waist
 Beige lug sole
- Weight: 907 g (1 pc. size 42)

Code 570050

Colour green

Sizes 39 – 47

Pcs. x Box 10 Pairs Min. Ord. 1 Pair





PVC SCAFANDRO

PVC waders



- Nylon lining, weight 350 g/m2
- · Welded junctions
- Adjustment with buckles and elastic back straps
- Beige lug soleWeight: 2200 g [I pc. size 42]

Code 570055

Colour green

Sizes 39 - 47





RUBBER BOOTS

Protective boots for all work fields

Our rubber boots have been designed and manufactured to ensure the worker great flexibility and safety in every operating context. Among the main features we remember the inner lining in cotton canvas, the sole in tank and the non-slip property. Particularly used in the agricultural context but also for fishing, hunting and gardening, they confirm all their effectiveness in the presence of water, muddy soils and organic liquids.





FOOD ECO

OB SRA

Nitrile rubber boots





Upper nitrile rubber
Toe cap -

- Cotton canvas lining
- Anti-slip grey lug sole, resistant to hydrocarbons
- Weight: 957 g (1 pc. size 42)

Code 570065 Colour white **Sizes** 36 – 46



NIT RAIN

OB SRA

Nitrile rubber boot





Upper nitrile rubber
Toe cap -

• Cotton canvas lining

 Anti-slip black lug sole, resistant to hydrocarbons

• Weight: 864 g (1 pc. size 42)

Code 570200 Colour brown **Sizes** 39 – 46

Pcs. x Box 6 Pairs Min. Ord. 1 Pair





TUTTACOSCIA

NEW

OB E SR

Hip wader rubber boot





Upper rubber
Toe cap -

• Cotton canvas lining

• Lug sole

• Weight: 1340 g (1 pc. size 42)

Code 575061 Colour green **Sizes** 39 – 47







SERIE 6000 CARRARMATO





- Completely rubber upper
- Cotton canvas lining
- Lug soleBoot weight: 813 g (I pc. size 42)
- Half boot weight: 721 g (1 pc. size 42)

Code	Art.	Colour	Model	Sizes
575043	6100 OB SRA	brown	boot	39 – 46
575044	6100 OB SRA	green	boot	39 – 46
575045	6200 OB SRA	brown	half boot	39 – 46
575046	6200 OB SRA	green	half boot	39 – 46

Pcs. x Box 5 Pairs Min. Ord. 1 Pair





SERIE 6000 CALANDRATO

OB SRA





- Completely rubber upper
- · Cotton canvas lining
- · Calendered sole
- Boot weight: 777 g (1 pc. size 42)
 Half boot weight: 681 g (1 pc. size 42)

Code	Art.	Colour	Model	Sizes	
575024	6300 OB SRA	brown	boot	39-47	
575025	6350 OB SRA	brown	half boot	39-47	





SANTIAGO 121006

SB E P SRA

Protective boot in vulcanised rubber





Upper rubber Toe cap steel

- Front protective area in cut-resistant material
- Steel toe-cap and layer
- Cotton canvas lining
- Back adjustment with laces
- With insole
- Waterproof
- Protects against chainsaw (speed max. chain 28 m/s Class 3)
- · Anti-slip lug sole, excellent wear resistance
- Weight: 1602 g (1 pc. size 42)

Code 575082 Colour black/orange Sizes 39 – 47







STEPLITE EASYGRIP

S5 CI SRC

Polyurethane boot



Upper PU
Toe cap steel

- · Steel layer
- Suitable for general use in a variety of areas
- Cold protection down to -20° C
- Weight approx. 950 g (1 piece size 43)
- Increased comfort: lightweight, flexible and warm
- Antistatic lug-sole with increased slip resistance and better grip
- With the new insulating, moisture-absorbing, antibacterial 3-layers insole included, that keeps the feet warm and dry
- Weight: 851 g (1 pc. size 42)

 Code 570900
 Colour yellow
 Sizes 38 – 47



STEPLITE EASYGRIP

S4 CI SRC

Polyurethane boot



EN ISO 20345:2011

Upper PU
Toe cap stee

- Suitable for food processing sector
- Excellent thermal insulation (cool in summer, warm in winter)
- Cold protection down to -20° C
- Weight approx. 850 g (1 piece size 42)
- With small rear spur for easier removal of the boot
- Lightweight, wear resistant, comfortable, easy to clean
- Antistatic lug-sole with increased slip resistance and better grip
- With the new insulating, moisture-absorbing, antibacterial 3-layers insole included, that keeps the feet warm and dry
- Weight: 836 g (1 pc. size 42)

Code 570915 Colour white **Sizes** 36 – 47

Pcs. x Box 5 Pairs Min. Ord. 1 Pair





STEPLITE X SOLIDGRIP

S5 CI SRC

Polyurethane boot



- Recommended for heavy industry (work in contact with dirt), chemical industry, agriculture, mining, refineries, road works, etc.
- Cold protection down to -30° C
- With small rear spur for easier removal of the boot
- · Wide fitting enhanced comfort
- It combines efficient thermal insulation and impact protection
- Mud track sole, increased slip resistance SRC approved, better grip
- With the new shock-absorbing, ergonomic, antibacterial 2-layers footbed included (cushioning effect in the heel)

Code 570904 Colour green **Sizes** 38 – 47

Toe cap + layer steel - Weight 987 g (1 pc. size 42)

Pcs. x Box 5 Pairs Min. Ord. 1 Pair

Code 570905 Colour black

Sizes 37 – 48

Toe cap + layer in thermoplastic material Weight 877 g (1 pc. size 42)

AVAILABLE ON REQUEST











STEPLITE X THERMOPROTEC

S5 CI SRC

Polyurethane boot



Toe cap



20345:2011	
Upper	PU

- Metal-free composite layer
- Suggested for use in extreme cold termperatures, fisheries, cold stores, ski centres, winter works outside

composite material

- It combines the thermal properties of a winter boot with the wearing comfort of a summer boot
- Cold protection down to -40 ° C
- Weight approx. 1100 g (1 piece size 42)
- With small rear spur for easier removal of the boot
- · Lightweight, flexible, durable and warm
- Antistatic and anti-clogging sole, with increased slip resistance and better grip
- With the new shock-absorbing, ergonomic, antibacterial 2-layers footbed included (cushioning effect in the heel)
- Weight: 1060 g (1 pc. size 42)

AVAILABLE ON REQUEST

Code 570906 Colour green **Sizes** 37 – 48

Pcs. x Box 4 Pairs Min. Ord. 4 Pair

STEPLITE EASYGRIP

S5 CI SRC

Polyurethane boot



Upper	PU	
Toe cap	steel	

- Ideal for the agricultural sector (resistant to oil, grease, dung, etc.)
- Cold protection down to -20 $^{\rm o}$ C
- With small rear spur for easier removal of the boot
- Lightweight, flexible, durable, comfortable and warm, easy to clean
- Antistatic lug-sole, offers excellent grip even on slippery surfaces
- With the new insulating, moisture-absorbing, antibacterial 3-layers insole included, that keeps the feet warm and dry
- Weight: 877 (570907) / 659 (570908) g (1 Pc. size 42)

Code	Туре	Toe cap + layer steel
570907	S5 CI SRC	Yes
570908	04 CI SRC	No



LITEFIELD

Polyurethane boot

Not PPF*



Upper Toe cap PU

· Without toe-cap and layer

· Ideal for hunting and leisure time

• Cold protection down to -20 ° C

• Weight: approx. 660 g [1 piece size 42]

• Considerably lighter than classic boots made of rubber or PVC, is flexible, wear-resistant, 100% waterproof and easy to wear

Lug sole

· With the new insulating, moisture-absorbing, antibacterial 3-layers insole included, that keeps the feet warm and dry

• Weight: 735 g ca. (1 pc. size 42)

Code 570910

Colour green

Sizes 39 - 46

Pcs. x Box 5 Pairs Min. Ord. 1 Pair



Spare ergonomic insole

Not PPE*

- Ergonomic fit
- 2 layers
- · Keeps the foot cool and dry
- · With antimicrobial treatment
- · Wear resistance
- Shock absorbing with heel cushioning effect
- Washable at 30° C

AVAILABLE ON REQUEST

Code 555013

Sizes 36 - 49 Colour green

Pcs. x Box 5 Pairs Min. Ord. 5 Pair

BEKINA

Spare insole

Not PPE*

- · Classic fit
- 3 layers
- First layer in wear resistant fabric, with antimicrobial treatment - shock absorbing second layer, with cushioning effect, third layer slip resistant and odour resistant
- · Keeps the foot warm and dry
- Washable at 30° C

Code 555012

Colour green

Sizes 38 - 47













SOCKS

Wearing all-year round

Our line of technical socks for work and leisure, to be used all year round. Our models, in fact, come in different weights: light, medium and for the coldest season.

Made with raw materials and innovative technologies, they ensure breathability, resistance and a pleasant relaxing effect at your feet. Each model is equipped with reinforced toe and heel, for better protection and longer life. Antistatic and antibacterial properties complete the key features of our catalogue.

LIGHT



+15/+30 °C

MEDIUM



+5/+15 °C

HEAVY



-10/+10 °C



MONTREAL

Technical socks in 66% Thermolite®, 17% micropolypropylene, 15% polyamide, 2% Lycra®

Not PPF*



- · No-stress cuff
- · Breathable knitted fabric on the calf
- · Ankle and foot stabilizing elastic band
- Front protective reinforcement on the instep, back on the Achille's tendon and lateral on the ankle
- Medium-density reinforced toe, heel and shin
- · Breathable and ventilated foot bed
- · Differentiated structure for right and left foot
- Antibacterial, anti-odour, anti-static

Code 545052 Colour

Colour black/grey

Sizes 35/38, 38/42, 43/47, 47/49

Pcs. x Box 72 Pairs Min. Ord. 3 Pair





GOTEBORG

Technical socks in 32% micropoly-propylene, 23% wool, 23% acrylic, 18% polyamide, 4% Cordura®

Not PPE*



- No-stress cuff
- · Ankle and foot stabilizing elastic band
- Front protective reinforcement on the instep, back on the Achille's tendon and lateral on the ankle
- · Medium-density reinforced toe, heel and shin
- Breathable and ventilated foot bed
- Antibacterial, anti-odour, anti-static

Code 545050

Colour black/grey

Sizes 35/38, 38/42, 43/47, 47/49

Pcs. x Box 72 Pairs Min. Ord. 3 Pair





HOCKENHEIM

Technical socks in 50% Merinos wool low, 28% polyamide, 22% acrylic

Not PPE*



- No-stress cuff
- Ankle and foot stabilizing elastic band
- Back protection on the Achille's tendon
- Medium-density reinforced toe and heel
- Breathable and ventilated foot bed
- Antibacterial, anti-odour, anti-static

Code 545054 Colour grey/black Sizes 38/42, 43/47, 47/49

Pcs. x Box 120 Pairs

Min. Ord. 3 Pairs





SHOES TECHNICAL SOCKS



CALZA TECNICA

Wool/acrilyc sock

Not PPE*



- No-stress cuff
- Foot stabilizing elastic band
- · Medium-density reinforced toe and heel
- Supplied without blister

Code 545020 Colour blue

Sizes 10, 11, 12

Pcs. x Box 96 Pairs Min. Ord. 12 Pair





LONG BEACH

Technical socks in 70% combed cotton, 23% polyamide, 6% Cordura®, 1% elastane

Not PPE*



- · No-stress cuff
- · Ankle and foot stabilizing elastic band
- Front protective reinforcement on the instep, back on the Achille's tendon and lateral on the ankle
- Medium-density reinforced toe, heel and shin
- Breathable and ventilated foot bed
- Differentiated structure for right and left foot
- Antibacterial, anti-odour, anti-static

Code 545048

Colour grey/black

Sizes 35/38, 38/42, 43/47, 47/49

Pcs. x Box 120 Pairs

Min. Ord. 3 Pairs





MONTECARLO

Technical socks in 73% combed cotton, 26% polyamide, 1% Lycra®

Not PPE*



- · No-stress cuff
- Ankle and foot stabilizing elastic band
- Back protection on the Achille's tendon and lateral on the malleolus
- Medium-density reinforced toe and heel
- Breathable and ventilated foot bed
- Differentiated structure for right and left foot
- · Anti-bacterial, anti-odour, anti-static

Code 545042 Colour grey/black/yellow Sizes 35/38, 38/42, 43/47

Pcs. x Box 120 Pairs

Min. Ord. 3 Pairs



INTERLAGOS

Technical socks in 75% combed cotton, 26% polyamide, 1% elastane

Not PPE*



- · No-stress cuff
- Foot stabilizing elastic band
- Back protection on the Achille's tendon
- Medium-density reinforced toe and heel
- Breathable and ventilated foot bed
- · Antibacterial, anti-odour, anti-static

Code 545040

Colour black

Sizes 35/38, 38/42, 43/47, 47/49

Pcs. x Box 120 Pairs

Min. Ord. 3 Pairs



CALZEROTTI DIANA

100% cotton socks

Not PPE*

- Anatomical, anallergic, breathable
- Outer lining: 100% cotton
- Padding: breathable, expanded resin (latex-free)
- Protect from humidity, cold and fatigue
- To be used with heavy shoes and boots
- Machine-washable

Code 545011 Colour grey

Sizes 39 – 46







ACCESSORIES



FIRST AID

FIRST AID KIT

Contents meet minimum requirements of Annex 1 base of Italian Ministerial Decree 388 of 15/07/03

- 5 pairs of sterile disposable gloves
 1 splash-guard visor
 1 litre of cutaneous iodopovidone solution at 10% iodine pmc
 1500 ml of physiological solution (sodium chloride 0.9%)
 10 sterile gauze pads
- 10 sterile gauze pads 10 x 10 cm, individually packaged
- 2 sterile gauze pads
- 18 x 40 cm, individually packaged 2 disposable sterile cloths 2 pairs disposable sterile twee-
- zers 1 pack elasticated mesh, medium
- 1 pack hydrophilic cotton
 2 packs sticking plasters, various sizes
- 2 rolls of 2.5 cm cut-to-length plaster 1 pair of scissors

- 3 torniquets 2 packs of chemical ice 2 disposable medical waste disposal bags 1 thermometer
- 1 blood pressure measurement
- device Instructions on how to use the above equipment and provide first aid

MEDICATION PACK

Contents meet minimum requirements of Annex 2 base of Italian Ministerial Decree 388 of 15/07/03

- 2 pairs of sterile disposable gloves 125 ml of cutaneous iodopovi-done solution at 10% iodine 250 ml of physiological solution (sodium chloride 0.9%)
- 3 sterile gauze pads 10 x 10 cm, individually packaged

- 1 sterile gauze pad
 18 x 40 cm, individually packaged
 1 pair disposable sterile tweezers
 1 pack hydrophilic cotton
 1 pack sticking plasters, various
- 1 roll of 2.5 cm cut-to-length

- plaster
- 1 roll hemmed bandage h 10 cm

- 1 pair of scissors 1 torniquet 1 pack of chemical ice
- 1 disposable medical waste disposal bag Instructions on how to use the
- above equipment and provide first aid

Type of activity	Workers	INAIL acci- dent index	Group	CONTENTS	
Company or production unit with industrial activities classified as at risk of significant accidents, heat and power plants, nuclear plants and laboratories, mines and mining activities, underground workers, manufacturers of explosives, powders and munitions	I or more	Any	Α	First Aid Kit (Annex 1)	
Companies or production units in the agricultural sector	6 or more permanent	Any	A		
Companies or production units with different activities	6 or more	more than 4	A		
Companies or production units with different activities	6 or more	fewer than 4	В	First Aid Kit	
Companies or production units with different activities	3 - 5	Any	В	(Annex 1)	
Companies or production units with different activities	1-2	Any	С	Medication pack (Annex 2)	
Companies with workers who perform their activities in isolated locations, other than the company headquarters or production site	Any	Any		Medication Pack (Annex 2)	

COMPANY CLASSIFICATION

RESPIRATORY PROTECTION

EN 149 Filtering half masks
Minimum requirements for filtering half masks used as respiratory protective devices, specifically against particles.
A filtering half mask covers the nose, mouth and chin and can have one or more inhalation and/or exhalation valve.
It is designed to provide an adequate seal on the wearer's face

against the surrounding atmosphere.

The protection offered by a respirator depends, in addition to the face seal, on the granulometry and granulometric distribution of the harmful substance, as well as the construction characteris-

Marking of respirators according to EN 149 may include one or more of the following markings:

Class		Indicated uses:	Not suitable for:	
FFP1	low efficiency	iron, rust, concrete, stone, inert fillers	carcinogens, radio- active substances, micro-organisms (viruses, bacteria, fungi and spores), enzymes	
FFP2	medium efficiency	wood, steel, cement, varnish, spray paint, paint, rust preventa- tive, fibreglass and mineral fibres, welding fumes, zinc, pesticides in aqueous solution, flour, mould and spores, bacteria, soot		
FFP3	high efficiency	stainless steel, anti-fouling paints, asbestos, bacteria and viruses		

	DURATION OF USE
R	Reusable respirator
NR	Non-reusable respirator, only for use for a single work shift (maximum 8 hours)

	CLOGGING TEST
D	The respirator has passed the clogging test with dolomite dust (optional requirement)

EN 140 Half masks and quarter masks **EN 136 Full-face masks EN 405** Valved filtering half masks to protect against gases or gases and particles **EN 143** Particle filters

STANDARDS & INFO

FN 14387 Gas filters and combined filters

GAS AND/OR PARTICLE FILTERS

Filters are classified on the basis of absorption capacity, that is the quantity of contaminant that the filter is able to absorb:

ABSORPTION CAPACITY					
CLASS 1	CLASS 1 low capacity				
CLASS 2	medium capacity				
CLASS 3	high capacity				

These filters are used as components in unassisted respiratory protective devices, filter respirators such as half masks and full-face masks. They protect the respiratory system from air polluted by gases and vapours.

The air enters the gas or combined filter(s) and passes into the facepiece after the gases, vapours (and particles) have been removed. Correct selection of the type and class of filter in relation to the characteristics of harmful gases or vapours present. The filter respirators can be equipped with gas filter or particle filter (white).

Filter type	COLOUR	Protection from
A		Gases and vapours of organic compounds with boiling point > 65 °C
В		Inorganic gases and vapours
E		Sulphur dioxide and other acidic vapours and gases
К		Ammonia and organic ammonia derivatives
AX		Gases and vapours of organic compounds with boiling point ≤ 65 °C
sx		Gases and vapours specifically indicated by the manufacturer
HgP3	-	Mercury vapour
NOP3		Nitrogen oxides
Р		Particles

MULTIPLE GAS FILTERS

Combination of two or more of the gas filters listed above, excluding

type SX, which meet the requirements of each type separately. Protect from multiple gases or vapours simultaneously.

COMBINED FILTERS

Gas filters or multiple gas filters which include a particle filter according to EN 143

		Nominal protection factor (FPN)	factor	ned pro (FPA) i Europe	n the		
Standard	Class	FPN	FIN	D	1	S	UK
EN 149	FFP1	4	4	4	4	4	4
	FFP2	12	10	10	10	10	10
	FFP3	50	20	30	30	20	20
EN 405	FFGasXP1	4		4			4
	FFGasX	50		30			10
	FFGasXP2	12		10			10
	FFGasXP3	33		30			10
EN 140	P1	4	4	4	4	4	4
	P2	12	10	10	10	10	10
	P3	48		30	30		20
	GasX	50	20	30	30	20	10
EN 136	P1	5	4	4	4	4	4
	P2	16	15	15	15	15	10
	P3	1000	500	400	400	500	40
	GasX	2000	500	400	400	500	20

HEARING PROTECTION

EN 352-1 Earmuffs

EN 352-2 Earplugs

EN 352-3 Earmuffs attached to head protection and/or face protection devices

EN 352-4 Level-dependent earmuffs

EN 352-5 Active noise reduction earmuffs

EN 352-6 Earmuffs with safety-related audio input

EN 352-7 Level-dependent earplugs

Sound attenuation

This is the difference between the intensity of the noise that the operator is exposed to and that actually transmitted to the ear. The level of attenuation is expressed as follows:

HML

indicates the attenuation on the basis of the noise frequency: high (H), medium (M), low (L) frequency. The attenuation values are expressed via a number preceded by the letter of the frequency to which it refers.

	ATTENUATION ON THE BASIS OF FREQUENCY					
	H M L					
FREQUENCY	high	medium	low			

SNR

Expresses the attenuation level of the PPE in a single value. The higher the SNR, the greater the protection.

DAILY EXPOSURE LEVEL AND USE OF HEARING PROTECTION

> 80 dB	The employer shall make hearing protection PPE available
> 85 dB	The employer shall require workers to use the hearing protection PPE

Pursuant to article 193 of Italian

Legislative Decree 81/08.

The employer shall take into account the attenuation provided by the hearing PPE worn by the

worker in assessing the effectiveness of the PPE and compliance with the exposure limit [87 dB(A)]. Workers exposed to levels above 80 dB(A) shall receive appropriate training (article 195).



EYE/FACE PROTECTION

EN 166

Personal eye protection - Specifications

This standard specifies functional requirements for various types of personal eye-protectors and incorporates general considerations such as designation; classification; basic requirements applicable to all eye-protectors; various particular and optional requirements; allocation of requirements, testing and application; marking; information for users.

The frame and the ocular must be marked separately.

Ocular marking The technical information on the lenses of safety glasses is provided in the following order according to standard EN 166

- Type of filter (see table below) and shade
 Manufacturer's Identification
 Optical class (represents the refractive power, i.e. to distort the image, due to production tolerances).

Three classes are defined, from 1 to $\overline{3}$, of increasing distortion.

OPTICAL CLASS				
1	Continuous use			
2	Occasional use			
3	Use only for short periods			

- · Mechanical strength symbol (see table below)
- · Field of use symbol (see table below)
- · Optional requirements (where applicable)
- CE mark

glasses is provided in the following order according to standard EN 166: Frame marking The technical information on the frame of safety

- · Manufacturer's Identification
- · Reference standard
- Mechanical strength symbol (see table below)
 Field of use symbol (see table below)

APPLICABLE CHARACTERISTICS FOR PROTECTIVE EYEWEAR TYPE

FILT	FILTER TYPE				
	Welding (no marking symbol)				
2	UV filter (colour perception may be affected)				
2C	UV filter (colour perception is not affected)				
3	UV filter (good colour acuity)				
4	Infrared filter				
5	Solar glare filter				
6	Solar + infrared filter				

		EARPIECE GOGGLES	MASK GOGGLES	VISORS
MEC	HANICAL STRENGTH			
	Minimum robustness (no marking symbol)	•*	•*	•*+
S	Enhanced Robustness	•★	•*	• * •
F	Low-energy impact	•*	• *	• * •
В	Medium-energy impact		•*	• * •
Α	High-energy impact			• •
FIEL	D OF USE			
	Base use (no marking symbol)	•*	•*	•*•
3	Splashes of liquids			•
3	Droplets		•	
4	Large dust particles		•	
5	Gas and fine dust particles		•	
8	Short circuit electric arc			•
9	Molten metals and hot solids		•★	•*
Т	High-speed particles at extreme temperatures*	•	•	•
W	Dimensional stability on immersion in water			*
OPT	IONAL REQUIREMENTS			
К	Scratch resistance	•	•	•
N	Resistance to fogging	•	•	•
R	Enhanced infrared reflectance	•*		•*
0	Original ocular	•*		
7	Replacement ocular	•*		

- e to normal protective evewear 🖈 Applicable to protective evewear for welding
- ♦ Applicable to mesh visors
- * The symbol T is used alongside F, B or A to indicate that the protective eyew complies with the classification of resistance to high-speed particles at extr temperatures.

EN 169 Filters for welding and related techniques

This standard defines protection levels and transmittance requirements for lens filters intended to protect employees during welding, brazing, arc gouging and plasma cutting.

EN 170 Ultraviolet filters

This standard defines the protection levels and transmittance requirements for ultraviolet filters. Filters of code 2 can have a yellowish tone which can affect colour perception. The choice of correct UV filter depends on the level of glare.

Typical UV light sources are mercury vapour lights, which can be: low pressure (e.g. actinic and germicidal "black lights"), medium pressure (e.g. photochemical lights) and high or very-high pressure (e.g. lamps for solariums).

EN 171 Infrared filters

This standard specifies the protection levels and transmittance requirements for filters for protection against infrared radiation. When radiation levels are very high, filters with a reflective treatment are recommended for IR protection, as reflection of IR radiation causes less increase in the temperature of the filter.

EN 172 Sun glare filters for industrial use This standard describes shade numbers, transmittance factors and relative requirements for filters used to reduce sun glare in industrial use. Depending on the field of use, sun glare filters can be used as filters integrated in glasses, or as individual filters.

EN 175 Equipment for eye and face pro-

tection during welding and allied processes
This standard specifies safety requirements and test methods
for personal protective equipment used to protect the operator's eyes and face against harmful optical radiation and other specific risks or hazards in usual welding, cutting or similar operations. Laser protective equipment is not covered in this standard.

EN 379 Automatic welding filters
This standard specifies requirements for automatic welding filters which switch their luminous transmittance to a lower predetermined value when a welding arc is ignited (referred to as welding filters with switchable scale numbers). It lists in detail the requirements of the transmittance factor and other requirements for two-shade welding filters (light and dark) and opto-electronic filters which can be switched from one shade to another either manually or automatically.

EN 1731 Mesh eye and face

protectors

This standard specifies materials, design, performance requirements, test methods and marking requirements for mesh eye and face protectors. The standard applies to for mesh eye and face protectors used primarily in forestry and metalworking. The standard is not applicable to eye and face protectors for use against liquid splash (including molten metal), hot solid risks, electrical hazards, and infrared and ultraviolet radiation. It does not include mesh eye and face protectors for use in sports such as ice hockey and fencing.

STANDARDS & INFO

WELDING FILTERS						
SHADE	single	dual	variable			
MARKING	a number EN 169	two numbers, light and dark shade respec- tively, separat- ed by the "+" symbol EN 379	two numbers, light and dark shade respectively, separated by the "/" symbol. If the dark shade is manually adjustable, the attainable shade values are indicated, separated by "-". EN 379			
EXAMPLE	9	9+11	9/11-13			

RECOMMENDED USE OF THE DIFFERENT TYPES OF FILTERS **FOR ARC WELDING**

	FILTER SHADE						
Welding technique	8	9	10	11	12	13	14
Shielded metal arc welding (stick)	1.5-60	60-100	100-150	150-200	200-300	300-450	450-600
MAG	1.5-70	70-100	100-150	150-225	225-400	400-600	
TIG	10-30	30-70	70-125	125-200	200-300	300-350	
MIG with heavy metals		70-125	125-175	175-250	250-350	350-450	450-500
MIG with light alloys			125-175	175-225	225-300	300-400	400-500
Arc gouging			1.5-175	175-200	200-250	250-350	350-450
Plasma cutting		100-125	125-150	150-175	175-250	250-400	
Micro plasma arc welding	60-100	100-125	125-175	175-225	225-325		

^{*} The values given in the table are expressed in Amperes

	FILTER SHADE			
Technique	4	5	6	7
Brazing and oxy-fuel welding (q = acetylene flow rate in I/h)	q ≤ 70	70 < q ≤ 200	200 < q ≤ 800	> 800
Oxy-fuel cutting (q = oxygen flow rate in I/h)		900 ≤ q ≤ 2000	2000 < q ≤ 4000	4000 < q ≤ 8000

HEAD PROTECTION

EN 397 Industrial safety helmets

This standard specifies physical and performance requirements, methods of test and marking requirements for industrial safety helmets. Industrial safety helmets are intended primarily to provide protection to the wearer against falling objects and consequential brain injury and skull fracture. Each helmet must incorporate, at a minimum, a cap and a strap. It can incorporate other PPE, such as visor or hearing protection, thus providing protection of the ears and eyes as well. Helmets are designed to absorb the impact of a knock by either destroying or partially damaging the top of the helmet or the strap.

BASIC REQUIREMENTS:

- Absorption of vertical impacts
- Resistance to penetration (from sharp and pointed objects)
- Resistance to flame
- Chinstrap fastening: The chinstrap shall require a minimum force of 150 N and maximum force of 250 N to release



- Marking elements
 1 Manufacturer's Identification
- 2 Helmet type (manufacturer designation)
- 3 CE mark
- 4 Reference standard number
- 5 Optional requirements
- 6 Cap material acronym (e.g.: ABS, PC, HDPE etc.)
- 7 Size or range of sizes (in cm)
- 8 Year and quarter of manufacturer, at minimum

OPTIONAL REQUIREMENTS				
Marking	Description			
- 20°C or - 30°C	Impact of falling objects at very low temperatures			
+150°C	Impact of falling objects at very high temperatures			
440 V AC	Electrical insulation voltage			
LD	Lateral deformation (crushing)			
MM	Resistant to molten metal splashes			

EN 50365 Electrically insulating helmets for use on low voltage installations

Helmets for use in systems with voltages not exceeding 1000 V AC or 1500 V DC.

EN 812 Industrial bump caps

Industrial bump caps are intended to provide protection to the wearer against the effects of striking his head against hard, stationary objects with sufficient severity to cause laceration or other superficial injuries.

FN 443 Helmets for fire fighting in build-

ings and other structures

Helmets protecting the user's head from hazards arising when firefighting in buildings and other structures.

EN 14458 Personal eve-equipment

High-performance visors designed to be used with firefighter helmets conforming to EN 443 and high-performance industrial helmets conforming to EN 14052 for paramedics and emergency

FALL PROTECTION

PPE AGAINST FALLS FROM A HEIGHT

EN 341 Descender devices EN 353-1 Guided type fall arresters including a rigid anchor EN 353-2 Guided type fall arresters including a flexible anchor line **EN 354** Lanyards **EN 355 Energy absorbers EN 360** Retractable type fall arresters

EN 361 Full body harness EN 362 Connectors **EN 363** Personal fall protection equipment **EN 364 Test Methods EN 365** General requirements for instructions for use,

maintenance, periodic examination, repair, marking and packaging

EN 795 Anchor devices - Requirements and test methods **EN 1496** Rescue lifting devices

EN 12841 Rope access systems - Rope adjustment devices

PPE FOR WORK POSITIONING

EN 358 Belts and lanyards for work positioning or restraint

EN 813 Sit harnesses

Mountaineering equipment - Rope clamps

FIRST AID FOR COMPANIES

COMPANIES CLASSIFICATION



Undertakings or production units with industrial activities at major-accident risk, thermal power plants, nuclear plants and laboratories, mining and quarrying, underground work, manufacture of explosives, dust and ammunition.

Holdings or production units in the agricultural sector

Companies or production units with different activities. With 6 or more employees and INAIL index greater than 4

B Companies or production units with different activities. With 6 or more employees and INAIL index less than 4.

Companies or production units with different activities. From 3 to 5 employees.

C Companies or production units with different activities. With 1 or 2 employees.

The regulation on company first aid classifies the companies into 3 groups (A, B, C) according to the type of activities carried out, the number of workers and the hazard factors. Based on this classification the employer must guarantee some minimum equipment.

For companies of the groups A and B

[see table - p. 2 - at the beginning of the section for details]:

• every workplace must be equipped with a first aid box which must always be complete, updated and efficient and have at least what stated in Annex 1.

For companies of the group C

(see table - p. 2 - at the beginning section for details):

• Every workplace must be equipped with the first aid pack which must always be complete, updated and efficient and have what stated in the Annex 2.

For companies with employees performing activities in isolated places, different from the corporate headquarters:

• First aid pack which must always be complete, updated and efficient and have what stated in the Annex 2.

The basic first aid equipment is also needed on company vehicles. In this case the requirements those used for companies belonging to the group C (first aid pack containing what stated in the annex 2).

Neri supplies a wide range of products for company first aid: from the "basic" product for the trunk of the car to the complete first aid cabinet for bigger companies.



MED P4

ABS first-aid case

- Removable with wall support
- Dimensions: 41 x 31 x 10 cm
- Encl. 1 basic in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08

Code 111074 Colour orange

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



MED P5

ABS first-aid case

- · Removable with wall support
- Dimensions: 41 x 31 x 15 cm
- Encl. 1 up-rated in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08

Code 111049 Colour orange

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





MED P2

Polypropylene first-aid case

- Removable with wall support
- Dimensions: 32 x 23 x 9 cm
- Encl. 2 basic in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08

Code 111072 Colour orange

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





MED P3

ABS first-aid case

- Removable with wall support
- Dimensions: 31 x 21 x 12 cm
 Encl. 2 up-rated in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08

Code 111033 Colour orange

Pcs. x Box 6 Pcs. Min. Ord. 1 Pc.







ACCESSORIES

FIRST AID



CPS064

Medication bag

- 600D nylon bag with handle
- Ideal first aid kit for cars, trekking, camping, boy scouts etc.
- Dimensions: 25 x 18 x 9 cm

Code 111077 Colour red

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





MED F11

Metal first-aid wall-cabinet

- Dimensions: 50 x 30 x 12 cm
- Encl. 1 basic, in compliance with D.M 388 dd 15/07/03 D. Lgs. 81/08
- Three compartments, with key
- Weight: full 8200 g

Code 111020 Colour white

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





MED F10

Metal first-aid wall-cabinet

- Dimensions: 45 x 32 x 19 cm
- Encl. 1 up-rated, in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08
- Two-door, five compartments, with key
- Weight: full 9600 g

Code 111038 Colour white

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



MED F2

Polypropylene first-aid wall-cabinet

- Dimensions: 45 x 37 x 13 cm
- Encl. 1 basic, in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08

 • Two front doors, clutches and two shelves inside
- Weight: full 6900 g empty 2600 g

Code 111017 Colour white Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





MED F1

Polypropylene first-aid wall-cabinet

- Dimensions: 38 x 23 x 12 cm
- Encl. 2 basic, in compliance with D.M 388 dd 15/07/03 - D. Lgs. 81/08
- With clutches and one shelf inside
- Weight: full 2150 g empty 700 g

Code 111011 Colour white Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





CPS522

Metal first-aid cabinet

- Dimensions: 30 x 14 x 37 cm
- All. 2 according to D.M. 388 of 15/07/03 -D. Lgs. 81/08
- Two compartments and an internal shelf
- · Lock with key
- Weight: full 2150 g empty 700 g

Code 111078 Colour white Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

NEW







PACCO REINTEGRO

Refill pack for first-aid cabinets and cases

- · Pressure tester not included
- In compliance with D.M 388 dd 15/07/03 -D. Lgs. 81/08

Code 111080 Encl. 1

Code 111082 Encl. 2

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







Instant-ice bag (-4°C)

- · Nitrogen salts mix and water
- In compliance with needs of Reg. CE n. 1907/2006 e s.m.i.
- Epecially suitable when cryotherapy is necessary
- It's a Class II A, non-sterile medical device
- Disposable, for outside use only

Code 140030

 $\label{eq:pcs.xBox} \textbf{Pcs.} \ \ \textbf{Min.\,Ord.} \ 25 \ \text{Pcs.}$

INSTANT ICE SPRAY

Instant mint-scented spray-ice

- It's a Class II A, non-sterile medical device
- For outside use only
- Environmental friendly propeller (Butane-Propane)
- 200 ml-spray can in Aluminium

Code 140031

Pcs. x Box 24 Pcs. Min. Ord. 24 Pcs.





MED PO

Polypropylene first-aid case

- It contains the equipment for first-aid operations
- First aid kit for small flesh wounds or to be kept in private cars
- Dimensions: 26 x 17 x 7,5 cm

Code 111010 Colour green

Pcs. x Box 12 Pcs. Min. Ord. 1 Pc.



MED P1

Polypropylene first-aid case

- It contains the equipment for first-aid operations
- First aid kit for small flesh wounds or to be kept in private car
- Dimensions: 24 x 17 x 4 cm

Code 111071 Colour orange

Pcs. x Box 24 Pcs. Min. Ord. 1 Pc.





CPS685N

Car first-aid kit

- Tear resistant nylon bag
- Zipper closure
- Content according to DIN 13164
- Mandatory as equipment on vehicles in some European countries
- Dimensions: 21.5 x 15 x 8.5 cm

Code 111069 Colour red

Pcs. x Box 10 Pcs. **Min. Ord.** 1 Pc.





CPS674

Motorcycle first-aid kit

- Tear resistant nylon bag
- Zipper closure
- For little first-aid operations
- Useful complement for motorcycles, private cars, leisure activities and DIY
- Dimensions: 17 x 11 x 5 cm

Code 111068 Colour red

Pcs. x Box 40 Pcs. Min. Ord. 1 Pc.









CPS359

Polypropylene first aid case for burns

- Shockproof polypropylene case with support for wall mounting
- Closure with rotating clips
- The products defined medical devices that are contained in the kit comply with MDR 745/2017 of 05/04/2017
- Dimensions: 26 x 20,5 x 9 cm

Code 111095 Colour white

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.





KIT LAVAOCCHI

Polypropylene first-aid case in case of eyes injuries

• Dimensions: 26 x 17 x 8 cm

Code 111090 Colour green

Pcs. x Box 12 Pcs. Min. Ord. 1 Pc





TSS015

First-aid case in case of splinters and chips

- Shockproof polypropylene case with support for wall mounting
- Closure with rotating clips
- The products defined medical devices that are contained in the kit comply with MDR 745/2017 of 05/04/2017
- Dimensions: 26 x 20,5 x 9 cm

Code 111093 Colour green

Pcs. x Box 6 Pcs. Min. Ord. 1 Pc.



CER020

100 assorted patches 8 sizes

Included: 40 pcs, dim. 2x7 cm; 10 pcs, dim. 2,4x7 cm; 20 pcs, dim. 4x2 cm; 5 pcs, dim. 10x6 cm; 5 pcs, 4,8x7 cm; 6 pcs, dim. 3,8x3,8 cm; 5 pcs, H-shape; 9 pz, butterfly-shaped.

• Non-steriles

Code 111130 Colour green

Pcs. x Box 20 Co. Min. Ord. 1 Co.







CER021

100 patches 2x7 cm

- 100 patches dim. 2x7 cm included
- · Non-steriles

Code 111131 Colour beige

Pcs. x Box 20 Co. **Min. Ord.** 1 Co.







CER029

100 detectable patches 1,9x7,2 cm

- Each pack contains 100 blue detectable patches of 1.9x7.2 cm
- Suitable for contact with food and for the food industry
- Ideal for HACCP
- Detectable with metal detector
- Non-steriles

Code 111132 Colour blue
Pcs. x Box 20 Co. Min. Ord. 1 Co.

NEW





CER049

100 assorted detectable patches

- For each box: 20pcs, 9x7,2 cm; 40 pcs, 3x7,2 cm; 32 pcs, 5,5x1,8 cm; 4 pcs, 7,2x5 cm; 4 pcs butterfly-shaped
- Suitable for contact with food and for the food industry
- Ideal for HACCP
- Detectable with metal detector
- Steriles

Code 111133 Colour blue

Pcs. x Box 12 Co. Min. Ord. 1 Co.





FIRST AID



CEDERROTH



CEDERROTH



CEDERROTH



SALVEQUICK 4907

Plaster dispenser for immediate use

- Contains: 45 plastic plasters Art. 6036 (27 pcs 72 x 19 mm + 18 pcs 72 x 25 mm) and 40 textile plasters Art. 6444 (24 pcs 72 x 19 mm + 16 pcs 72 x 25 mm)
- Non-steriles

Code 111100 Colour green

Pcs. x Box 1 Co. Min. Ord. 1 Co.

6444

Pack: 6 Refill containing 40 textile plasters

- Each refill contains: 40 textile plasters [24 pcs 72 x 19 mm and 16 pcs 72 x 25 mm]
- Non-steriles

 Code 111105
 Colour beige

 Pcs. x Box 10 Co.
 Min. Ord. 1 Co.

51030126

Pack: 6 Refill containing 30 plasters

- Each refill contains: 30 plastic plasters (15 pcs 66 x 39 mm + 15 pcs 72 x 19 mm)
- Suitable for food contact
- Metal detector sensitive
- Non-steriles

 Code 111155
 Colour blue

 Pcs. x Box 10 Co.
 Min. Ord. 1 Co.

6036

Pack: 6 Refill containing 45 plasters

- Each refill contains: 45 plastic plasters (27 pcs 72 x 19 mm + 18 pcs 72 x 25 mm)
- Non-steriles

 Code 111101
 Colour beige

 Pcs. x Box 1 Co.
 Min. Ord. 1 Co.

CPS202

Eye-washing station

- Eye washing station with innovative design
- Consisting of two 500 ml disposable sterile saline bottles with eye cap for quick use
- Thermoformed support with transparent front part with dustproof closure
- With a mirror
- Applicable to wall (kit screws and dowels included)

 Code 125078
 Colour green

 Pcs. x Box 1 Co.
 Min. Ord. 1 Co.





ACQ414

Sterile saline bottles for eye washing

- 500 ml disposable bottle
- 0.9% sodium chloride sterile solution for emergency eye wash.
- Suitable as replacement for DROP eye wash station (CPS202)

Code 125081 Colour green

Pz. x Box 10 Co. **Min. Ord.** 1 Co.

NEW







380H

First-aid eye and face-washing shower

- Floor-mounted with dual control
- Antifreeze, galvanised, red shower and eye –
 face wash. NO valve. The shower is activated by
 pulling a rigid rod. The eye or facewashing basin
 has an automatic water pressure regulator with
 drain off valve. The basin is operated through
 an automatically-closing pedal at the foot of the
 shower. The shower head and the basin are in
 ABS.
- Dimensions: 232 x 79 cm.
- Weight: 17 kg

Code 125077 Colour red

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

300H

Eye-washing shower

- Wall mounted
- Two eye-washing brass faucets on top of an ABS basi. Resistant to corrosion
- Wall-mounted
- Antifreeze outer pipe
- The distributors spray both nebulized water and convergent water jets
- Weight: 3,5 kg

Code 125076 Colour red

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

250H

Portable first-aid eye and face-washing shower

- · Portable tank with removable shower
- Ideal in the absence of water sources
- 18-litre can in stainless steel
- Control manometer
- Easy to transfer to work place
- Safety valve against pressure overload
- Dimensions: 77 x 23 cm
- Weight: 8 kg

Code 125075 Colour steel/black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



ROADWORKS

Range of products for the use, marking and marking of a construction site. On a construction site the right equipiment is mandatory.

In this range, ideal solutions are proposed to optimally carry out their work on the construction site and achieve effective signalling.



SAFE OK

Knee pad in polyester/XPE



- With adjustable elastic and hook and loop closure
- · Soft and shaped
- For ground work
- One size

Code 140088 Colour grey/black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc. NEW





SAFE 1K

Knee pad in PVC/polyester/EVA



EN 14404 Liv.1

- Elastic top closure lace with adjustment buckle
- Elastic bottom lace with hook and loop closure
- Rigid cover for greater protection during contact with the surface
- · Internally shaped
- One size

Code 140089 Colour black

Pcs. x Box 1 Pc. Min. Ord. 1 Pz. **NEW**















SAFETY CUTTER

Ergonomic retractable utility knife

- · Ergonomic handle
- Security cap
- Blade holder with magnet
- Blade extender
- Smooth opening mechanisme
- Integrated spare blade storage (5 blades)
- Dimensions: 17 x 3,5 x 2,5 cm

Code 220200 Colour black/yellow

Pcs. x Box 6 Pcs. Min. Ord. 1 Pc.

Spare blades

- Spare blades for cutter
- Dimensions mm 19 x 61 x 0.5
- Package of 10 pieces

Code 220205 Art. SAFETY Pcs. x Box 10 Co.

Min. Ord. 10 Co.

LUX

Road LED indicator

- Photocell or manual activation
- Flashing light
- Weatherproof and antishock plastic
- Supplied without batteries
- About Ø 18 cm

 Code 145039
 Colore yellow

 Code 145038
 Colore red

 Pcs. x Box 12 Pcs.
 Min. Ord. 1 Pc.

6V batteries for flashlight LUX

Code 145040 Pcs. x Box 24 Pcs. Min. Ord. 1 Pc.
Art. Lux Batteria

MOPLEN

Continuous-injection plastic signalling chain

- No welds
- Resistant to bad weather
- Light, washable, floating
- Avaiable in 25 m bags

Code	Art.	Dimensions in mm	Weight in g/m	Pcs. x Box	Min.Ord.
120102	103	30 x 20 Ø 5	52	250 m	25 m
120104	104	39 x 24 Ø 6	70	200 m	25 m
120106	105	49 x 29 Ø 7,5	100	100 m	25 m



MOPLEN

Cone directional separator 100% Polyethylene

- Height cm 30
- Plastic base

Code	Height	Colour	Pcs. x Box	Min.Ord.
120160	30 cm	orange / white	20 Pcs.	1 Pc.
120161	50 cm	orange / white / black	10 Pcs.	1 Pc.

MOPLEN

Dismountable plastic delimitation column in

- Complete with concrete base coated with shock-proof plastic
- Height 90 cm

Code 165010	Colour white/ red
Pcs. x Box 16 Pcs.	Min. Ord. 4 Pcs.





4 GEMME

Plastic plate for overhanging loads

- Screen printed polionda panel
- 4 refractive cat's eyes
- Dimensions: 50 x 50 cm

Code 120012 Colour white / red

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.





CARICHI SPORGENTI ALU

Aluminium sign for overhanging loads

- Screen printed aluminium panel
- Certified according to the Traffic regulations
- Dimensions: 50 x 50 cm

Code 120014 Colour white / red

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







GO-LINE

Marker paint spray can

Contents 500 ml

Code 157099 Colour red fluo

Code 157100 Colour orange fluo

Pcs. x Box 12 Pcs. Min. Ord. 1 Pc.





HFLE

Signalling band in polyethylene

- Height 7 cm Length 200 m
- · Comes in a cardboard box

Code	Colour	Thickness	Pcs. x Box	(Min.Ord.
157015	white / red	0,027	36 Ro.	1Ro.
157017	yellow / black	0,027	36 Ro.	1 Ro.
157012 HELP HD	white / red	0,015	24 Ro.	1 Ro.

157010 white / red 0,027 18 Ro. 6 Ro. SUPER HELP





POLITENE

Polythene band for underground signalling

- Thickness app. 0,03 mm and one-side print
- Roll dimensions: 10 cm x 200 m

Code	Colour + Writing	Pcs. x Box	Min. Ord.
157020	yellow CAVO TELEFONICO	20 Ro.	1 Ro.
157022	light blue Attenzione tubo acqua	20 Ro.	1 Ro.
157024	yellow Attenzione tubo gas	12 Ro.	4 Ro.
157026	red Attenzione cavo elettrico	12 Ro.	4 Ro.
157028	white PERICOLO AMIANTO • Adhesive, one-side print • Roll dimensions: 0,06 mm • Roll dimensions: 5 cm x 66 m	72 Ro.	1 Ro.



NASTRO SCOTCHLITE

Self-adhesive refractive film with transversal lozenges

- It's the ideal solution for night traffic signs
- Roll dimensions: 5 cm x 25 m
- 2 roll pack (DX and SX)

Code 157072 Colour white/ red

Pcs. x Box 1 Co. Min. Ord. 1 Co.





GO TAPE

Self-adhesive refractive film DM 1300

• Roll dimensions: 5 cm x 10 m

Code	Model	Colour	Lozenges
156170	DM1300	white / red	horizontals with microprisms
156172	DM7209	white / red	trasversals

Pcs. x Box 20 Ro. Min. Ord. 1 Ro





Adhesive slip-proof tapes

• Roll dimensions: 5 cm x 10 m

Code 157036 Colour black









NASTRO ADESIVO IN PTFE

PTFE seal tape in rolls

- Thikness 0,75 mm app.
- Colour White

Code	Lenght	Large	Pcs. x Box	Min. Ord.
157050	10 m	12 mm	1200 Rt.	200 Rt.
157054	10 m	19 mm	600 Rt.	150 Rt.
157056	10 m	25 mm	600 Rt.	150 Rt.





FULL COVER

Multipurpose polythene tarpaulin

• Dimensions: 4 x 4 m

Code 187021 Colour transparent

Pcs. x Box 20 Pcs. Min. Ord. 20 Pcs.





TESSUTO TECNICO

Light technical fabric

- Tearproof
- Weight: 280 gsm
- Thickness: 0,275 mm
- 100 m rolls

Code 185007 Colour white
Code 185010 Colour green

Pcs. x Box 100 m **Min. Ord.** 100 m



RAFIA

Tarpaulin in tearproof polypropylene

- With rings
- Colour green / royal blue

187030 2 x 3 187031 3 x 4 187032 4 x 5 187033 4 x 6 187034 5 x 6 187035 6 x 8 187036 8 x 10 187050 2 x 3 187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 10 Pcs. 1 Pc. 4 Pcs. 1 Pc. 4 Pcs. 1 Pc. 9 Pcs. 1 Pc. 9 Pcs. 1 Pc. 9 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc. 2 Pcs. 1 Pc.	Code	Dim. in m	g/m²	Pcs. x Box	Min. Ord.
187032 4 x 5 187033 4 x 6 187034 5 x 6 187035 6 x 8 187036 8 x 10 187050 2 x 3 187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 10 Pcs. 1 Pc. 4 Pcs. 1 Pc. 2 Pcs. 1 Pc. 14 Pcs. 1 Pc. 9 Pcs. 1 Pc. 5 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc. 187055 6 x 8	187030	2 x 3		25 Pcs.	1 Pc.
187033 4 x 6 187034 5 x 6 187035 6 x 8 187036 8 x 10 187050 2 x 3 187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 130 6 Pcs. 1 Pc. 4 Pcs. 1 Pc. 12 Pcs. 1 Pc. 13 Pcs. 1 Pc. 14 Pcs. 1 Pc. 15 Pcs. 1 Pc. 18 Pcs. 1 Pc. <	187031	3 x 4		10 Pcs.	1 Pc.
187033 4 x 6 187034 5 x 6 187035 6 x 8 187036 8 x 10 187050 2 x 3 187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 4 Pcs. 1 Pc. 4 Pcs. 1 Pc. 5 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187032	4 x 5		10 Pcs.	1 Pc.
187034 5 x 6 187035 6 x 8 187036 8 x 10 187050 2 x 3 187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 4 Pcs. 1 Pc. 4 Pcs. 1 Pc. 5 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187033	4 x 6		6 Pcs.	1 Pc.
187036 8 x 10 2 Pcs. 1 Pc. 187050 2 x 3 30 Pcs. 1 Pc. 187051 3 x 4 14 Pcs. 1 Pc. 187052 4 x 5 9 Pcs. 1 Pc. 187053 4 x 6 3 pp. 9 Pcs. 1 Pc. 187054 5 x 6 5 Pcs. 1 Pc. 187055 6 x 8 4 Pcs. 1 Pc.	187034	5 x 6	арр.	4 Pcs.	1 Pc.
187050 2 x 3 187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 30 Pcs. 1 Pc. 9 Pcs. 1 Pc. 9 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187035	6 x 8	•	4 Pcs.	1 Pc.
187051 3 x 4 187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 14 Pcs. 1 Pc. 9 Pcs. 1 Pc. 9 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187036	8 x 10		2 Pcs.	1 Pc.
187052 4 x 5 187053 4 x 6 187054 5 x 6 187055 6 x 8 9 Pcs. 1 Pc. 9 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187050	2 x 3		30 Pcs.	1 Pc.
187053 4 x 6 187054 5 x 6 187055 6 x 8 75 9 Pcs. 1 Pc. 5 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187051	3 x 4		14 Pcs.	1 Pc.
187053 4 x 6 187054 5 x 6 187055 6 x 8 4 Pcs. 1 Pc. 4 Pcs. 1 Pc.	187052	4 x 5	75	9 Pcs.	1 Pc.
187054 5 x 6 5 Pcs. 1 Pc. 187055 6 x 8 4 Pcs. 1 Pc.	187053	4 x 6		9 Pcs.	1 Pc.
	187054	5 x 6		5 Pcs.	1 Pc.
187056 8 x 10 2 Pcs. 1 Pc.	187055	6 x 8		4 Pcs.	1 Pc.
	187056	8 x 10		2 Pcs.	1 Pc.

Bands for Rafia tarpaulin

- With plastic hook
- Lenght: 28 cm4 pc bags

Code 187057 Pcs. x Box 200 Co. Min. Ord. 1 Co. Art. ELASTICI





DIEL

Dielectric para rubbersheet

- Height: 1 m
- Length: 10 m
- Thickness: 4 mm
- Sold by square meter
- Resistance: 50.000 V

Code 145021 Colour grey

Pcs. x Box 10 m² Min. Ord. 10 m²







RESPIRATORY PROTECTION

CHOICE OF **CORRECT RESPIRATORY**

The use of respiratory protective devices is essential when the work environment does not offer suitable protection for the health of workers.

The main equipment designed for this purpose are filtering devices (single-use masks, reusable masks and half-masks, fitted with appropriate filters), or self-contained breathing apparatus or powered respirator systems (escape hoods, self-contained breathing apparatus with air cylinder, hoods with integrated filter etc.) fed from an external uncontaminated air/oxygen source. Before choosing PPE, it is always necessary to assess the type of risk you will be exposed to, e.g. oxygen level present, types and forms of contamination, levels of contamination and legal limits thereof, as well as other factors, such as the risk of formation of an explosive atmosphere.

TYPES OF PROTECTION



DUST / PARTICULATE MATTER visible risks

Solid or liquid particles of variable dimensions suspended in the air, originating from crushing or abrasion of solid materials (e.g. concrete, wood, soot), painting and welding.





CHOICE OF CLASS

LOW EFFICIENCY

MEDIUM EFFICIENCY

HIGH EFFICIENCY FFP3

FFP2

REUSABLE



CHOICE OF FILTER CLASS

IOW EFFICIENCY MEDIUM EFFICIENCY

P2

HIGH EFFICIENCY

700 SERIES

Threshold Limit Value LIMIT VALUE

This is the acceptable limit of the average concentration of a harmful substance in the air in the workplace, in relation to a given period of time.

DUST/ **PARTICULATE RISK**

Concentration of contaminant **below 50 x** TLV: mask or half-mask

Concentration of contaminant above 50 x TLV: recommended to use full-face

GAS/VAPOUR RISK

Concentration of contaminant **below 10 x** TLV: recommended to use half-mask

above 10 x TLV: recommended to use full-face mask



GAS / VAPOUR invisible risks

Substances in the gaseous phase (e.g. solvents from paint, ammonia, chlorine) which mix homogeneously with the air.









CHOICE OF FILTER TYPE











ABSORPTION CAPACITY





3 LARGE





Medical Masks



Commonly used by healthcare professionals during surgery or other healthcare activities to prevent the spread of pathogens, such as bacteria or viruses.

- Filtering capacity: 95% outward and about 20% inward
- Reduce the risk of spreading infections, especially in epidemic and pandemic situations
- Also suitable for preventing inhalation of dust particles caused by air pollution



FFP1

(4 x TLV)



for nontoxic and non-fibrous powder<u>s</u>

FFP1 Masks



- Protects against non-toxic and non-fibrous dust, the inhalation of which does not cause the
 development of diseases, but can still irritate the respiratory tract and represent a pollution from
 odors
- Total inward loss can be maximum 25%
- Exceedance of occupational exposure limit value (TLV) may not exceed 4 times

Suitable for: use in the presence of rust, concrete, stone, fillers, coal, sulfur or other materials that release dust and fine particles, such as glass wool, graphite, wood and ferrous metals.

Restrictions: not suitable for filtering carcinogenic particles and radioactive substances, microorganisms (viruses, bacteria, fungi and spores) and enzymes.

710 / 740

Non-woven fabric folding mask



FFP1

- Protection against non-toxic solid and liquid aerosols in concentrations up to 4 x TLV
- · Semirigid structure, soft seal on the nose
- · Colour white

Code	Exhalation valve	Weight	Pcs. x Box	Min. Ord.
151120 710	_	12 g	240 Pcs	20 Pcs
151131 740	yes	14 g	120 Pcs	10 Pcs





712 / 713

Non-woven fabric mask with active carbons



- Protection against non-toxic solid and liquid aerosols in concentrations up to 4 x TLV
- Semirigid structure, soft seal on the nose
- · Colour grey

Code	Exhalation valve	Weight	Pcs. x Box	Min. Ord.
151121 712	_	18 g	240 Pcs	20 Pcs
151122 713	yes	22 g	120 Pcs	10 Pcs





MASKS



FFP2

(12 x TLV)

FFP2 Masks



- They also intercept fibrogenic particles, which in the short term cause respiratory tract irritation and in the long term lead to a reduction in the elasticity of lung tissue
- Total inward loss can be up to 11%
- Exceeding the occupational exposure limit value (TLV) may not exceed 12 times

Restrictions: not suitable for filtering carcinogenic particles, radioactive particles, biological agents of risk 3 and enzymes dispersed in the air.



MFFP2

Non-woven fabric folding mask



FFP2

- Single use
- Made in Italy
- Invisible internal nose clip
- Mask and elastic headbands ultrasonic welded
- Prevents inhalation of odours
- Not washable
- · Very comfortable
- Individually packed
- Weight: 10 g approx.

Code 151148	Colour white
Code 151138	Colour black
Pcs. x Box 750 Pcs.	Min. Ord. 50 Pcs.



720 / 721

Non-woven fabric mask



- Protection from solid or liquid aerosols without specific toxicity and low toxicity, in concentrations up to 12 x TLV
- Soft seal on the nose and nose external clip
- · Colour white

Code	Exhalation valve	Weight	Pcs. x Box	Min. Ord.
151123 720	-	11 g	240 Pcs	20 Pcs
151124 721	yes	17 g	120 Pcs	10 Pcs





723

Non-woven fabric mask with active carbons

EN 149:2001 +A1:2009 Cat. III FFP2 NR D

FFP2

- Protection from solid or liquid aerosols without specific toxicity and low toxicity, in concentrations up to 12 x TLV
- With innovative exhalation valve
- With active carbons to prevent inhalation of strong odours
- Soft seal on the nose
- Weight: 22 g app.

Code 151127	Colour grey
Pcs. x Box 120 Pcs.	Min. Ord. 10 Pcs.





5211

Non-woven fabric folding mask



FFP2

- Protection from solid or liquid aerosols without specific toxicity and low toxicity, in concentrations up to 12 x TLV
- Soft seal on the nose
- With exhalation valve
- Weight 15 g ca.

Code 151056	Colour white
Pcs. x Box 200 Pcs.	Min. Ord. 20 Pcs.



Honeywell

8810 / 8822

Non-woven fabric mask

EN 149:2001 +A1:2009 Cat. III FFP2 NR D

- Protection from solid or liquid aerosols without specific toxicity and low toxicity, in concentrations up to 10 x TLV
- Colour white

Code	Exhalation valve	Weight	Pcs. x Box	Min. Ord.
151013 8810	-	8 g	240 Pcs	20 Pcs
151029 8822	yes	13 g	120 Pcs	10 Pcs











3M





789

Non-woven fabric folding mask



FFP2

- Protection against non-toxic and low-to-average toxicity solid and liquid aerosols in concentration up to 12 x TLV
- Equipped with new exhalation valve Newtec®
- Soft seal on the nose
- Weight: approx. 17 g
- Individually packaged in customized bags

Code 151132	Colour white
Pcs. x Box 240 Pcs.	Min. Ord. 20 Pcs.

9320+

3M Aura non-woven fabric folding mask



FFP2

- Protection from solid or liquid aerosols without specific toxicity and low toxicity, in concentration up to 10 x exposure limit
- Soft seal on the nose and integrated aluminium string
- Tabs, top and bottom, for easy wearing and positioning
- Braided elastics to improve fitting and breaking strength
- Weight: 10 g approx.
- Colour: white

Code	Exhalation valve	Weight	Pcs. x Box	Min. Ord.
150993 9320	-	11 g	240 Pcs	20 Pcs

9322+

3M Aura non-woven fabric folding mask



- Protection from solid or liquid aerosols without specific toxicity and low toxicity, in concentration up to 10 x exposure limit
- Soft seal on the nose and integrated aluminium string
- Tabs, top and bottom, for easy wearing and positioning
- Braided elastics to improve fitting and breaking strength
- Version with new 3M Cool Flow exhalation valve.
 Comfort™, for even more comfortable breathing
- Weight: 12 g approx.
- Colour: white

Code	Exhalation valve	Weight	Pcs. x Box	Min. Ord.
150991 9322	yes	15 g	120 Pcs	10 Pcs

Mascherine **FFP3**



- They offer maximum protection from breathing air pollution
- Filters carcinogenic and radioactive pollutants and pathogenic micro-organisms such as viruses, bacteria and fungal spores
- The total inward loss can be up to 5%
- Exceeding the occupational exposure limit value (TLV) may not exceed 30 times
- Unlike the FFPI and FFP2 models, they must be equipped with an exhalation valve

FFP3

(50 x TLV)

up to 5% airway involuntary

exhalation valve promotes exhalation and reduces fogging of glasses



for toxic dusts, aerosols and fumes; solid and liquid aerosol filters with high retention capacity

706

Non-woven fabric folding mask

EN 149:2001 +A1:2009 Cat. III FFP3 NR

FFP3

- Protection against non toxic, low-to-average toxicity and high - toxicity solid and liquid aerosols in concentrations up to 50 x TLV
- Equipped with new exhalation valve Newtec®
- Invisible soft seal on the nose
- Anallergic, latex-free straps
- Weight: approx. 16 g
- Individually packaged in transparent bags

Code 151119	Colour yellow
Pcs. x Box 240 Pcs.	Min. Ord. 20 Pcs.





730

Non-woven fabric mask



- Protection against non toxic, low to average toxicity and high - toxicity solid and liquid aerosols in concentrations up to 50 x TLV
- Equipped with exhalation valve
- Soft seal protection along the inner edge of the face
- Soft nose protection
- Weight: approx. 22 g

Code 151126	Colour white
Pcs. x Box 60 Pcs.	Min. Ord. 5 Pcs.











Honeywell



779

Non-woven fabric folding mask



FFP3

- Protection against high-toxicity powders, including water based aerosol in concentrations up to 50 x TLV
- Equipped with new exhalation valve
- · Soft seal on the nose
- · Weight: approx. 20 g
- Individually packaged in customized bags

Code 151133	Colour white		
Pcs. x Box 240 Pcs.	Min. Ord. 20 Pcs.		

2311

Non-woven fabric folding mask



FFP3

- Protection against high-toxicity powders, including water based aerosol in concentration up to 50 x exposure limit
- Disposable, hypoallergenic, latex/PVC/silicon free
- Hypoallergenic, soft nose seal
- Preformed nose clip for better fit on the face
- Extremely soft interior lining for optimal comfort
- Waterproof external shell that protects against splashing
- Valve cover and butterfly exhalation valve for a rapid escape of air
- Individually packed in a sealed bag
- Weight: 13 g

Code 151071	Colour white		
Pcs. x Box 320 Pcs.	Min. Ord. 20 Pcs.		

9332+

3M Aura non-woven fabric folding mask



- Protection against high-toxicity powders, including water based aerosol in concentration up to 30 x TLV
- Soft seal protection along inner edge of the face
- Ergonomic design, perfect adherence to the face, excellent view
- With new 3M Cool Flow $^{\!\scriptscriptstyle\mathsf{TM}}$ Comfort exhalation valve
- Weight: 15 g approx.

Code 150990	Colour white
Pcs. x Box 120 Pcs.	Min. Ord. 10 Pcs.



EXAMPLES OF USE

Main uses	Risk	Pro	tect	ion	
		P1	P2	Р3	
CUTTING/MACHINING WOOD					
Cutting	Fine particles, sawdust		~		
Sanding (presence of paint)	Fine particles, sawdust, paint			~	
Gluing	Glue fumes		V		
Painting / Finishing (water-based, spray/roller/ brush applied)	Fine paint, aerosol vapour particles		~	~	
CONSTRUCTION					
Cementitious products, pla- ster, tiles, coverings	Cement/plaster/ tile/brick dust		~		
Masonry: cutting, drilling, demolition	Dust		~		
Asbestos	Fibres			✓	
External wall/roof insulation: mineral and glass fibre	Dust and fibre		~		
WELDING					
Welding of stainless steel and aluminium	Metal and alumi- na fumes			√	
Brazing (not stainless steel)	Fumes		~		-
METALWORKING			-015151	15	P
Metal: drilling, grinding, milling	Metal dust		✓		Э
High-alloy steels/stainless steel: drilling, grinding, milling	Metal dust			~	h
WASTE DISPOSAL/CLEANIN	IG WORK	1		- 3	V
Sorting and disposal of waste	Dust and mould		~		È
Disposal of medical waste	Bacteria, spores		✓	✓	
Floor cleaning	Dust/powder (non-toxic)	v			
Radioactive contaminated dust/ powder	Particles			~	
AGRICULTURE					
Treatment and care of sick animals	Bacteria, viruses		~	~	
Mould treatment	Spores		✓	✓	
Handling hay, grain, flour	Dust	L	✓	L	
MEDICINE/HEALTHCARE				A	
Allergies, pollen, house dust, animal hides	Dust, particles, spores		✓		
Bacteria, viruses, biological risk	Bacteria, viruses		√	~	

WARNING: This scheme is provided by way of example and should not be used as the sole reference for choosing a respirator.

Never use a filtering facepiece without powered respirator/external air supply with oxygen concentration below 17%.



PROTECTION FROM **GAS + VAPOUR**

FILTER COLOUR CODES

Meaning and correct use
Respiratory protection is only safe and effective if the correct type of filter for the corresponding contaminant is chosen. The European colour code according to standard EN 14387 provides a guide.

CONTAMINANT SUBSTANCE

COLOUR

Gases and vapours of organic compounds with boiling point > 65 $^{\circ}\text{C}$

Inorganic gases and vapours Sulphur dioxide and other acidic

vapours and gases

Ammonia and organic ammonia derivatives

Gases and vapours of organic compounds with boiling point ≤ 65 °C

Gases and vapours specifically indicated by the manufacturer SX

HgP3 Mercury vapour

NOP3 Nitrogen oxides

Particles

CAPACITY & EFFICIENCY

Filters are divided into classes, depending on their absorption capacity (gas filter: 1 small, 2 medium, 3 large) or their filtration efficiency (particle filter: P1 low, P2 medium, P3 high).

EXAMPLES OF **USE**

MAIN USES	RISK	TYPE OF FILTER
AGRICULTURE	Pesticides, insecticides	AP
	Liquid fertiliser	ABEK
CONSTRUCTION	Tarring	AP
	Sealing	AP
	Spray-foam insulation	AP
CARPENTRY	Catalysts, spray glue	AP
GLUING	Solvent-based adhesives	Α
FINISHING WORK	Spray glue, foam, paint, adhesives	AP
WASTE DISPO- SAL	Bacteria, spores and odours	AP
WELDING	Polyurethane coatings	ABEP
	Stainless steel	P
ACIDIC SOLU-	Organic solvents / Dichloroethane	AX
TIONS	Ammonia paint stripper	ABEK
CONTACT	Sulphur dioxide	ABE
WITH:	Hydrochloric acid	ABE
	Ammonia and	К
	Petroleum distillate	Α
	Transport/storage of hazardous substances	ABEKP

WARNING: This scheme is provided by way of example and should not be used as the sole reference for choosing a respirator.




HALFMASK 1 filter 30 x TLV - Gas **Ergonomic and** Facepiece in TPE adjustable or rubber soft and anti-allergenic strap excellent fit to the face **Bayonet filter** connection guided connection, quick and easy to open and close **Exhalation valve** reduces accumulated heat. helps exhalation

Easy maintenance, lightweight, economical, practical, comfortable and reusable

HALFMASK 2 filters 30 x TLV - Gas Facepiece in TPE **Ergonomic** or rubber and soft and anti-allergenic adjustable strap **Exhalation** excellent fit on valve the face reduces accumulated heat, helps exhalation Lower resistanto breathing thanks to the dual filter **Bayonet** filter connection guided connection, quick and easy to open and close

Covers only the mouth and nose, leaving the rest of the face uncovered. The most common and widespread design for numerous different uses



Covers the face completely, also protecting the eyes.

Generally used to protect those working with chemical substances or toxic products which are hazardous to health.

SELF-CONTAINED BREATHING APPARATUS


Self-contained breathing apparatus supplies air from an external source, which can either be a cylinder or a system which supplies air via a compressor. They are particularly suitable for maintenance in chemical systems, in confined spaces and atmospheres which are toxic or lacking oxygen.

Self-contained breathing apparatus allows the operator to be completely isolated from the surrounding environment, therefore guaranteeing a very high level of protection.

There is also a slight positive pressure inside

There is also a slight positive pressure inside the mask which further helps prevent against the potential ingress of polluted air from the outside.

We can divide these systems into different categories: self-contained breathing apparatus with cylinder, supplied-air respirators fed by a compressed air line, and escape hoods for evacuation.



MASKS& HALF-MASKS

Professional respiratory protection

The range of products offered has been selected to guarantee the user maximum protection, efficiency and comfort, all products are suitable for multiple professional environments, activities and applications. Reusable masks and half-masks purify the inhaled air by means of a filter, while self-rescuers obtain uncontaminated air from an external source.







Half-mask in hypoallergenic rubber (TPE)

Cat. III EN 140:1999

- Softer and more comfortable material
- Resistant to heat and humidity
- Comfortable double head and neck-strap system + Front strap adjustment
- With exhalation valve
- Parabolic design for less interior condensation
- Optimal adjustment to all types of faces
- Can be combined with safety spectacles, earmuff, etc.
- 1 bayonet filter connection for quicker and easier opening and closing
- Weight: approx. 98 g
- Filter not included

Code 151192

Pcs. x Box 3 Pcs. Min. Ord. 1 Pc.



Filters for Art. NEW MASK I

Cat. III +A1:2008

Code	Filter type	EN	Pcs. x Box	Min. Ord.
151189	ABEK1	14387	8 Pcs.	8 Pcs.
151198	A1	14387	8 Pcs.	8 Pcs.
151195	B1	14387	8 Pcs.	8 Pcs.
151199	P2R	143	8 Pcs.	8 Pcs.



NEW MASK II

Half-mask in hypoallergenic rubber (TPE)

Cat. III EN 140:1998

- Softer and more comfortable material
- · Resistant to heat and humidity
- Comfortable double head and neck-strap system + Front strap adjustment
- With exhalation valve
- Parabolic design for less interior condensation
- · Optimal adjustment to all types of faces
- Can be combined with safety spectacles, earmuff, etc.
- 2 bayonet filter connections for quicker and easier opening and closing
- Weight: approx. 113 g
- · Filters not included

Code 151200

Pcs. x Box 3 Pcs. Min. Ord. 1 Pc.





MASKIII

Half mask in hypoallergenic silicone rubber

Cat. III EN 140:1998

- Extremely comfortable and flexible
- Faster adjustment automatic harness and double head and neck-strap system and front strap adjustment
- With exhalation valve and two filters
- It can be used in combination with other equipment
- 2 filters attach with a bayonet fitting, providing longer duration and lower respiratory resistance
- Weight: 147 g approx (without filters)
- Filters not included

Code 151178

Pcs. x Box 1Pc. Min. Ord. 1Pc.





94

Filters for Art. NEW MASK II / MASK III



Code	Filter type	EN	Pcs. x Box	Min. Ord.
151201	A1	14387	8 Pcs.	8 Pcs.
151202	B1	14387	8 Pcs.	8 Pcs.
151203	E1	14387	8 Pcs.	8 Pcs.
151204	K1	14387	8 Pcs.	8 Pcs.
151205	A1 P2R PAD	14387	8 Pcs.	8 Pcs.
151206	P2 R D PAD	143	8 Pcs.	8 Pcs.
151207	ABEK1 P3 R	14387	6 Pcs.	6 Pcs.







DUO

Semi-mask in composite plastic material

Cat. III EN 140:1998

- Very comfortableErgonomic and adjustable rim
- 2 filter connections
- · Filters not included

Code 151330

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

<u>apasciani</u>



DUETTA

Semi-mask in composite plastic material (TPE)



- Very comfortable
 Ergonomic and adjustable rim
 Double filter
 Officers
- 2 filter connections
- Weight: approx. 80 g

Code 151332

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

<u> Spasciani</u>



Filters for DUO and DUETTA



Code	Filter type	EN	
151335 Art. 2030	LD P3 R	143	
151337 Art. 2030	A1 B1	14387	
151339 Art. 2030	A1 B1 E1 K1	14387	
151341 Art. 2030	A2	14387	

TR 82

Whole-face natural rubber mask

Cat. III EN 136:1998

- Panoramic high-visibility screen in polycarbonate
- With joint compliant with EN 148-1
- Size: one fits all

Code 151221

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



<u>apasciani</u>

Filters for TR 82 mask

EN 14387:2004 +A1:2008

Filter type	Pcs. x Box	Min. Ord.
A2	4 Pcs.	1Pc.
B2	4 Pcs.	1 Pc.
K2	4 Pcs.	1 Pc.
A2 B2 E2 K2 Hg P3 CO 20 NO NR D	1 Pcs.	1 Pc.
A2 B2 E2 K2 P3 R D	4 Pcs.	1Pc.
	A2 B2 K2 A2 B2 E2 K2 Hg P3 C0 20 NO NR D	A2 4 Pcs. B2 4 Pcs. K2 4 Pcs. A2 B2 E2 K2 Hg P3 1 Pcs.



<u> apasciani</u>

SET ACS 951

Respirator with mask and hood (for blasting operations)



- Isolating, constant flow, compressed air line respirator provided with mask with hood
- It is an ideal device for sand blasting operations, it protects the breathing pathways and the parts of the body more likely to be exposed to the mechanical action of the abrasive blast
- It is made of a mask with hood and protective frontal mantel, a corrugated hose, a filter silencer that reduces the noise to a minimum, a flow regulator and two exhalation valves
- It is equipped with a low flow alarm
- Light weight: 1,6 kg approx.
- Pack dimensions: 470 x 265 x 165 mm

Code 151288





3M



3M



Serie 4000+

Reusable filtering half mask



- Soft face-protection with new larger exhalation valve, for a greater outflow of hot air and reduction of breathing resistance
- For gases, vapors and particulates
- Filters included

Code	Filter type	Pcs. x Box	Min. Ord.	
151022 Art. 4251+	FFA1 P2 R D	10 Pcs.	1Pc.	
151008 Art. 4277+	FFABE1 P3 R D	10 Pcs.	1Pc.	

Prefilter for respirator 4251+ and 4277+

Not PP

- Extends the life of the particulate filters
- · Keeps the filters clean

Code 151027	Pcs. x Box 10 Pcs	Min. Ord. 10 Pcs.
Art. 400+		

7503

2 filters rubber half-mask

Cat. III EN 140:1998

- Soft face-protection with elastic support
- Wide valve with low respiratory resistance, reduces heat and moisture build-up
- Long-lasting and easy to clean
- Series 7500 is used with the same filters as series 6000
- Size: large
- 2 filter connections
- Filters not included

Code 151024

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.

6300

Half-mask with hypoallergenic nose



- Central exhalation valve
- Size: large
- 2 filter connections
- Filters not included

Code 150975

6800

Whole-face mask

C E EN 136:1998 Classe 1

- With wide visual field
- Support with 4 attachment points
- Very comfortable phonic diaphragm
- Weight: 400 g
- Size: medium

Code 150976

Pcs. x Box 4 Pz. Min. Ord. 1 Pc.



Prefilter for series 6000 and 7000



Cod.		CE	Pz. x Box	Min. Ord.
150984 Art. 5911	Prefiltro P1	EN 143	30 Pz.	2 Pz.
150995 Art. 5935	Prefiltro P3	EN 143	20 Pz.	2 Pz.

Locking screw

Not PPE*

• To be used combining series 5000 filters with 6000 filters

Code 150996 Pcs. x Box 10 Pcs Min. Ord. 2 Pcs. Art. 501



Filters for Series 6000 and 7500

Cat. III +A1:2008

Cat. III				
Code	Filter type	EN	Pcs. x Box	Min. Ord
150980 Art. 6051	A1	14387	8 Pcs.	2 Pcs.
150981 Art. 6054	K1	14387	8 Pcs.	2 Pcs.
150982 Art. 6059	A1 B1 E1 K1	14387	8 Pcs.	2 Pcs.
150994 Art. 6055	A2	14387	64 Pcs.	2 Pcs.
just for Co	de 150976:			
150983 Art. 6099	A2 B2 E2 K2 Hg P3 R + formaldehyde	14387	4 Pcs.	2 Pcs.

Cat. III EN 143:2000

••••				
150985 Art. 2125	P2 R	143	20 Pcs.	2 Pcs.
(s. fig.)				
150986				
Art. 2135	P3 R	143	20 Pcs.	2 Pcs.
(s. fig.)				







HEARING OCHOOSING THE CORRESPROTECTION

REGULATION

Pursuant to new EU regulations on workplace noise, employers must supply hearing protection whenever the noise level exceeds 80 dB.

Above 85 dB, wearing hearing protection is mandatory in areas where there is a risk of hearing damage due to noise.

THE EMPLOYER MUST **PROVIDE HEARING PRO-**TECTION



>85 dB

MANDATORY USE **OF HEARING PROTEC-TION PPE**



indicates the attenuation on the basis of the noise frequency:

H HIGH FREQUENCY M MEDIUM FREQUENCY L LOW FREQUENCY

The attenuation values are expressed via a number preceded by the letter of the frequency to which it refers.

indicates the average attenuation value of hearing protection at the various frequencies. An SNR of 35 dB, for example, attenuates noise of 100 dB, reducing it to 65 dB.

THE CORRECT **PROTECTION**

IN ORDER TO CORRECTLY SELECT YOUR HEARING PROTECTION PPE, YOU WILL NEED TO TAKE CERTAIN FACTORS INTO AC-COUNT:

Exposure to noise: every environment is different, and workers can be exposed to different sound pressure levels during the day and in different areas of the same system. Other risk factors can also be present simultaneously (e.g. ototoxic substances and vibrations) which can increase the possibility of hearing loss.

The human factor: every person's ear canals are different shapes and sizes, and everyone has a different sensitivity to noise. There is therefore no hearing protection which is suitable for everyone.

In any case, choosing a device which is comfortable for the worker who has to wear it is one of the goals which must be met in order to ensure its use.



EARMUFFS OR EARPLUGS?

Earmuffs or earplugs can offer the same level of protection. But over and above the type of noise, there are other aspects to take into consideration in order to choose the right hearing protection for your requirements:



Tough Reusable and washable Simple and quick to put on



Easy to transport Disposable and hygienic Lightweight (barely perceptible weight)

EARMUFFS ARE MORE SUITABLE:

- for short but repeated exposure, with the frequent need to take the hearing protection off and put it back on again (earplugs with headband are also suitable)
- when earplugs are not well tolerated due to narrow ear canals

Earmuffs impede locating the source of noise and so are **not** recommended if safety requirements impose the need for good directional hearing.

EARPLUGS ARE MORE SUITABLE:


- for workplaces with continuous and constant noise exposure
- for those who sweat profusely with earmuffs
- for wearing alongside other PPE (face shields, masks, helmets ...)

If incorrectly inserted, there is a reduction in their attenuation effectiveness.

WHEN IS HEARING PROTECTION NECESSARY?


NOISE INTENSITY AND HAZARD LEVELS

Repeated exposure to loud noise, above 85 dB, can cause permanent hearing loss and tinnitus. Other health effects related to noise can include stress, anxiety, hypertension, sleep disturbances and tiredness.



Directive 2003/10/EC confirms that, whenever noise levels exceed 80 dB, employers must provide hearing protection to workers, as well as information on the damaging effects of noise. With the use of the hearing protection PPE, workers' daily exposure must be kept below 80 dB in order to protect their hearing.

A table of noise levels is provided below, purely by way of example, which workers are exposed to during some of the most common professional activities.





DISPOSABLE **EARPLUGS**

The right choice for your ears

levels in the working environment, namely the exposure limit values [87 dB(A)] and the attenuation values (H, M and L) of the personal noise protection device.



Indicates the attenuation of acoustic protection according to the frequency of noise: high, medium, low. Simple and reliable method.



a unique value, the level of attenuation





Disposable earplugs in polyurethane foam

C € EN 352-2:2002

- · Anatomical shape
- · Smooth surface for improved comfort and hygiene
- 1 pair/bag
- 200 pair box

Code 186401	Colour yellow				
Pcs. x Box 20 Co. Min. Ord. 1 Co.					
Frequency in Hz		Н	М	L	SNR
Attenuation in d	В	33	31	28	34



Disposable earplugs in polyurethane foam



- · Soft, anathomical shape
- Smooth surface for greater hygiene and easier fitting
- · Perfect adaptability to most ear canals
- 1 pair/bag
- · 200 pairs/box
- · Colour: orange

Box		Pcs	x Box	Min. Ord	
200 pairs/box		10 Co.		1 Co.	
10 pairs/blister		40 Co.		40 Co.	
7	н	М	1	SNR	
			L	34	
	•	10 pairs/blister	10 pairs/blister 40 C	10 pairs/blister 40 Co.	









T3

Reusable thermoplastic elastomer earplugs

Cat. III EN 352-2:2002

- Soft, premolded, with thriple-flange design, smooth surface for a greater hygiene and comfort
- Easy and fast to use
- Washable and reusable
- Suitable for prolonged use
- Their special shape ensures the highest level of comfort and perfect adaptability to most ear canals
- 1 pair/bag
- 200 pairs/box

Code 186411	Colour red / yellow				
Pcs. x Box 10 Co.	Min. Ord. 1	Co.			
Frequency in Hz		Н	М	L	SNR
Attenuation in dE	3	29	27	24	29

303L

Disposable earplugs in polyurethane foam



- Anatomical shape
- Smooth surface for improved comfort and hygiene
- 200 pair box

Code 186126	Colour yellow / white				
Pcs. x Box 10 Co.	Min. Ord. 10	Co.			
Frequency in Hz		Н	М	L	SNR
Attenuation in de	3	32	29	29	33







Honeywell HOWARD LEIGHT

LASER LITE

Disposable earplugs in polyurethane foam



- T-shaped for easy insertion
- Smooth surface for improved comfort and hygiene
- Perfect adaptability to the shape of the auditory canal
- 200 pair/box

Code 186310	Colour fuc:	sia / yell	.0W		
Pcs. x Box 10 Co.	Min. Ord. 1 Co.				
Frequency in Hz		Н	М	L	SNR
Attenuation in d	В	34	32	31	35





3M



3M





3M

1100

Disposable earplugs in polyurethane foam



- Soft and hypoallergenic
- Great comfort

Attenuation in dB

• Confezione da 200 paia

Code 186070	Colour orange					
Pcs. x Box 5 Co.	Min. Ord. 10	Co.				
Frequency in Hz		Н	М	L	SNR	

37 34

EARSOFT

Disposable earplugs in foamed polyurethane



- · Soft, anatomical shape
- Smooth surface for greater hygiene
- Perfect adaptability to the shape of the auditory canal
- 250 pairs/box

Code 186001	Colour yellow fluo					
Pcs. x Box 4 Co.	. Min. Ord. 1 Co.					
Frequency in Hz		Н	М	1	SNR	
Attenuation in dB		34	34	31	36	
— Attendation in t		04	J- 1	J1	30	
Code 186256	500 pairs EARSOFT charge (Yellow Neon) (SNR 36) - for Dispenser code 186250					
Pcs. x Box 1Co.	Min. Ord. 1C	0.				

EAR CLASSIC

Disposable earplugs in foamed soft PVC



- Special closed-cell structure for perfect adaptability to the dimensions and the shapes of any auditory canal
- 250 pairs/box
- · Colour yellow

Code	Box		Pcs. x	Box	Min	. Ord.	
186011 Art. EAR CLASSIC	250 pair	S	4 Co.		1 C c).	
186012 Art. EAR CLASSIC 5	5 pairs		50 Co.		1 Co.		
Code 186252		500 pairs EAR CLASSIC charge (SNR 28) - for Dispenser code 186250					
Frequency in Hz Attenuation in dB		H 30	M 24	L 22	2	SNR 28	

T2 CORD

Disposable corded earplugs in polyurethane foam

Cat III EN 352-2:2002

- Soft, anathomical shape
- Smooth surface for greater hygiene and easier fitting
- Perfect adaptability to the ear canal
- Superior comfort
- · With cord
- 1 pair/bag
- 200 pairs/box

Code 186409	Colour orange / blue					
Pcs. x Box 10 Co.	Min. Ord. 1 Co.					
Frequency in Hz		Н	М	L	SNR	
Attenuation in d	В	33	31	30	34	





EAR CABOCORD

Disposable earplugs in foamed soft PVC

Cat III EN 352-2:2002

- Same features art. Classic but with a flexible blue vinyl cord
- 200 pair box

200 pail box							
Code 186025	Colour yellow / blue						
Pcs. x Box 10 Co. Min. Ord. 1 Co.							
Frequency in Hz		Н	М	L	SNR		
Attenuation in d	В	30	26	23	29		





EAR TRACERS

Reusable thermoplastic elastomer earplugs

Cat. III EN 352-2:2002

- Anatomical shape with flanges
- Smooth surface for improved comfort and hygiene
- Suitable for prolonged use
- Suitable for food industry
- Metal detector sensitive

Code 186018	Colour blue	

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	33	28	25	32







EAR ULTRAFIT

Reusable thermoplastic elastomer earplugs

C E EN 352-2:2002

- Anatomical shape with flanges
- · Smooth surface for improved comfort and hygiene
- Suitable for prolonged use

Code 186020

Colour yellow / blue

Pcs. x Box 200 Pcs. Min. Ord. 50 Pcs.

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	33	28	25	32





INSERTI A1

Earplugs with bow

C € EN 352-2:2002

- Polyethylene bow
- · Extremely soft polyurethane plugs which lean on the ear canal without penetrating inside
- Weight: 11 g

Code 186403

Colour yellow / blue

Pcs. x Box 400 Pcs. Min. Ord. 40 Pcs.

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	25	15	13	20





Banded hearing protectors

C € EN 352-2:2002

- Foldable polyethylene band
- Lightweight and easy to wear, it folds easily in your pocket
- Soft and comfortable polyurethane foam plugs with a special shape to ensure optimum comfort
- Ideal for frequent insertion and removal
- Weight: 15 g

Code 186413

Colour yellow / black

Pcs. x Box 400 Pcs. Min. Ord. 40 Pcs.

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	25	20	19	24





EARCAPS

Earplugs with bow

Cat III EN 352-2:200

- Polyethylene bow
- Extremely soft polyurethane plugs which lean on the ear canal without penetrating inside
- Weight: 11 g

Code 186403 Colour yellow / blue						
Pcs. x Box 400 Pcs.	Min. Ord. 40) Pcs.				
Frequency in Hz		Н	М	L	SNR	
Attenuation in dB		27	19	17	23	

Spare inserts for art. EARCAPS

Code 186022	Art. RICAMBI	Box 10 pairs	
Pcs. x Box 50 Co.	Min. Ord. 1 Co.		

1310

Earplugs with bow



- Innovative flexible bow
- Plugs in polyurethane foam
- The particular flexibility of the bow guarantees minimal and constant pressure whatever the head size
- 10 pieces box

Code 186075	Colour orange / blue				
Pcs. x Box 5 Co.	Min. Ord. 10	Co.			
Frequency in Hz		Н	М	L	SNR
Attenuation in d	В	30	22	19	26

Spare inserts for art. 1310

	Code 186076	Art. 1311	Box 20 pairs	
--	-------------	------------------	--------------	--

Pcs. x Box 5 Co. Min. Ord. 1 Co.









EAR-DEFENDER

Effective hearing protection

The headphones differ in material, design, levels of attenuation, levels of noise perception and type of use: bow, folding, for helmet, with fixed or rotatable headband, etc. Many different solutions, which allow the worker to wear other PPE simultaneously such as visors, face masks, welding masks, etc.

In order to ensure total acoustic protection, it is essential that the headphone is worn properly, so it is important to choose the type of headphone that suits your needs.



Strong Reusable and washable Easy and quick to wear





Protective ear-defender

C E EN 352-1:2001

- Temporal harness
- Head bow with soft padding for increased comfort
- Fast and stable height adjustment
- Adjustable ABS cups with soft padded cushions
- Can be used with eye shields and masks
- Weight: 268 g

Code 122507 Colour black / silver

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	33	30	23	32



C3

Foldable ear-defender

Cat. III EN 352-1:2002

- Head bow with anatomic padded
- Height trigger adjustment
- Adjustable ABS cups with soft padded cushions that guarantee even distribution of the pressure and more comfort
 • Weight 243 g

Code 122503 Colour black / yellow					
Pcs. x Box 20 Pcs. Min. Or	d. 1 Pc.				
Frequency in Hz	Н	М	L	SNR	
Attenuation in dB	34	26	18	29	





Protective ear defender



EN 352-1

- ABS bow, turning in three positions
- Cushions in sponge + PVC, easy cleaning
 Height trigger adjustment
- Can be used with helmets, eye shields and masks
- Weight: 145 g

Code 122505 Co	Colour orange				
Pcs. x Box 20 Pcs. Mi	n. Ord. 1 i	°C.			
Frequency in Hz		Н	М	L	SNR
Attenuation in dB		30	25	18	27





Protective ear-defender

Cat. III EN 352-1:2002

- ABS bow, turning in 3 positions
- Height trigger adjustment
- Usable with helmets, eye shields and masks
- Weight 189 g

Holghe 107 g						
Code 122501	Colour silver					
Pcs. x Box 20 Pcs. Min. Ord. 1 Pc.						
Frequency in Hz		Н	М	L	SNR	
Attenuation in o	IB	29	23	17	26	







Honeywell HOWARD LEIGHT



3M



QM24+

Light ear-defender

Cat. III EN 352-1:1993

- Rotatable headband behind the head or under the chin
- Head bow: POM
- Polypropylene cups
- Padded cups: polyurethane
- Can be used with protective helmets
- Dielectric, metal-free
- Width mm 40
- Lenght mm 65
- Weight g 300

Attenuation in dB

Code 122058	Colour red					
Pcs. x Box 20 Pcs.	Min. Ord. 1 F	Pc.				
Frequency in Hz		Н	М	1	SNR	

29 23 15 **26**

OPTIME III H540A

Protective ear-defender

CE EN 352-1:2002

- Temporal band with low profile for greater versatility. Suitable for high level of noise with low frequencies (mines, quarries, paper industry, turbines, etc..)
- Special attachment of the bow on the cups that guarantees even distribution of the pressure
- Springs in stainless steel
- Extremely comfortable for extended periods of use
- Height trigger adjustment
- Weight 285 g

Code 122354	Colour black / red
Pcs. x Box 20 Pcs.	Min. Ord. 1 Pc.

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	40	32	23	35

LINEA LITE-COM

Intercommunicating anti-noise headphone

C E EN 352-1:2002

- Available in various models to choose from according to your needs
- Compatible with radio, CD players and mobile phones (with the right adapter)

Available on request

Code 122270	Colour blue
Pre v Rov 1 Pr	Min Ord 1Pc



OPTIME I H510A

Protective ear-defender

Cat. III EN 352-1:2002

- Temporal band and low profile for greater comfort and fit
- Ideal to protect from most of the harmful noises in the workplace
- Special attachment of the bow on the cups that guarantees even distribution of the pressure
- Spring in stainless steel
- Extremely comfortable for extended periods of use
- · Height adjustment
- Weight 180 g

Code 122340	Colour yellow				
Pcs. x Box 20 Pcs.	Min. Ord. 1	Pz.			
Frequency in Hz		Н	М	L	SNR
Attenuation in d	В	32	25	15	27



3M

OPTIME I H510B

Protective ear-defender

Cat. III EN 352-1:2002

- Same features art. H510 A
- Rear bow for use with helmets, visors, etc.
- Weight: 165 g

Code 122342	Colour yellow				
Pcs. x Box 10 Pcs.	Min. Ord. 1 F	Pc.			
Frequency in Hz		Н	М	L	SNR
Attenuation in dB	3	30	24	15	26



3M

OPTIME I H510F

Foldable ear-defender

Cat. III EN 352-1:2002

- Same features art. H510 A
- Flexible
- Weight: 200 g

Code 122345	Colour yellow
Pcs. x Box 10 Pcs.	Min. Ord. 1 Pc.

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	32	25	16	28





OPTIME I H510P3E

Protective ear-defender

Cat. III EN 352-1:2002

- Same features art. H510 A
- For helmets
- Weight: 205 g

Code 122344 Colour yellow

Pcs. x Box 20 Pcs. Min. Ord. 1 Pc.

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	32	23	15	26

3M



OPTIME II H520A

Protective ear-defender

C € EN 352-1:2002

- Temporal band and low profile for greater comfort and fit
- Ideal for very noisy workplaces with low to medium frequencies (building sites, airports, etc..)
- Special attachment of the bow on the cups that guarantees even distribution of the pressure
- Spring in stainless steel

Pcs. x Box 20 Pcs. Min. Ord. 1 Pc.

- Extremely comfortable for extended periods of use
- · Height adjustment
- Weight: 210 g

Code 122346 Colour green

Frequency in Hz H M L SNR Attenuation in dB 34 29 20 31

3M



OPTIME II H520B

Protective ear-defender

Cat. III EN 352-1:2002

- Same features art. H520 A
- Rear bow for use with helmets, visors etc.
- Weight: 195g

Code 122348 Colour green

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.

 Frequency in Hz
 H
 M
 L
 SNR

 Attenuation in dB
 34
 29
 20
 31

OPTIME II H520F

Foldable ear-defender

Cat. III EN 352-1:2002

• Same features art. H520 A

• Flexible

• Weight: 230 g

Code 122350 Colour green

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.

Frequency in Hz H M L SNI Attenuation in dB 34 28 20 31



3M

OPTIME II H520P3E

Protective ear-defender

Cat. III EN 352-1:2002

• Same features art. H520 A

For helmets

• Weight 235 g

Code 122352 Colour green

Frequency in Hz	Н	М	L	SNR
Attenuation in dB	34	28	19	30





FACE/EYE PROTECTION

THE MOST COMMON CAUSES OF EYE INJURIES

MECHANICAL HAZARDS

shards of metal and glass, wood chips, concrete chips, dust and other foreign bodies, impacts from work tools

CHEMICAL HAZARDS caustic vapours and sprays

caustic vapours and sprays and gases

PATHOGENIC AGENT HA-ZARDS

infectious bacteria or viruses from blood, body fluids or other liquids

RADIATION HAZARDS

daylight, UV rays, heat or infrared and laser radiation

ELECTRICAL HAZARDS electrical arc





ADJUSTABLE INCLINATION

optimised position for maximum protection



ADJUSTABLE LENGTH

allows customised fit, for any face physiognomy



INTERCHANGEABLE EARPIECE /

ELASTIC

quickly turns goggles with earpieces into mask goggles, and back again



SOFT, NON-SLIP TIP

INSERTS

reduce pressure on the face and ensure perfect fit



SOFT NOSE PADS

adapt perfectly to the nose, ensuring an excellent fit



WRAP-AROUND FRAME

provides a wide field of vision, without blind spots

MARKING

Each frame and lens has individual marking.

Each of these markings corresponds to a specific application. Identifies the certification and level of protection of the eyewear.



SAFETY GLASSES

Design and protection for your eyes

Optical class:

is the optical quality of the device and has 3 classes: 1, 2, 3 (1 is the recommended class for prolonged use, 3 is the recommended class only for short uses)

Mechanical protection:

3 levels of impact energy (low, medium, high), each represented by a

Welding:

to choose the right level of protection of the filters (DIN graduation) you need to know the welding process (see normative page at the beginning of chapter for details).





OSB 4

Safety glasses

C € EN 166:2001 EN 170:2002

- Polycarbonate frame: FT
- · Shock resistant transparent lenses, with scratch-resistant and anti-fog treatment: 1FT
- · Panoramic view
- · Adjustable side arms inclination with anti slip coloured inserts
- · Anti slip soft rubber nose piece and foreharm protection
- · Color: green, black

Code 162057 Lens filter EN 170 2C - 1.2

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.



OSB 3

Safety glasses





- Polycarbonate black coloured frame: FT
- · No-mist and anti-scratch lenses: 1 FT
- Panoramic wrap-around structure · Temples with non-slip pads
- Silicone rubber nose pad
- · Lenses: transparent

· Color: black

Code 162042 Lens filter EN 170 2C - 1.2





OSM3

Safety glasses



- Polycarbonate frame with soft padding on the
- Shock resistant transparent single lens, with scratch-resistant and anti-fog treatment: IFT
- Enveloping design
- · Panoramic view
- · Adjustable side arms inclination with protections
- · Color: green, grey

Code 162047 Lens filter EN 170 2C - 1.2

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





0SM4

Safety glasses



- Polycarbonate frame with soft padding on the
- Shock resistant transparent single lens, with scratch-resistant and anti-fog treatment: IFT
- Enveloping design
- Adjustable side arms inclination
- · Color: black

Code 162049 Lens filter EN 170 2C - 1.2

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





ET 86

Safety glasses



- Frame: FT
- No-mist and anti-scratch one-piece lens: 1 FT
- Panoramic wrap-around structure
- Temples with adjustable length
- Silicone rubber nose pad
- Color: black

Code 162002 Lens filter EN 170 2C - 1.2








ET 81BS

Safety glasses

C € EN 166:2001 EN 170:2002

- Polycarbonate black/orange coloured frame: FT
 No-mist and anti-scratch lenses: 1 FT
- Panoramic wrap-around structure
- Temples with silicone rubber pads

Code	Lens colour	Lens filter
162003	clear	EN 170 2C - 1.2
162004	yellow	EN 170 2 - 1.2



162005	grey	EN 172 5 - 2	

Pcs. x Box 12 Co. Min. Ord. 12 Co.





Safety glasses



- Transparent polycarbonate frame: FT
 - No-mist and anti-scratch lenses: 1 FT
- Panoramic wrap-around structure
- Side protections
- · Color: transparent

Code 162007 Lens filter EN 170 2C - 1.2

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





ET 80

Safety glasses



- Polycarbonate frame: FT
- No-mist and anti-scratch lenses: 1 FT
- Struttura panoramica avvolgente
- Panoramic wrap-around structure
- Temples with silicone rubber pads and adjustable inclination
- · Color: orange, black

Code 162016 Lens filter EN 170 2C - 1.2



ET 90

Safety glasses

C € EN 166:2001 EN 170:2002

- Polycarbonate frame: FT
- Shock resistant transparent single lens, with scratch-resistant and anti-fog treatment: 1FT
- Enveloping panoramic design with side protections
- Adjustable side arms inclination and lenght
- Colour: black/green

Code 162059 Lens filter EN 170 2C - 1.2

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





ET 91

Safety glasses

C € EN 166:2001 EN 170:2002

- Polycarbonate blue coloured frame: FT
- No-mist and anti-scratch lenses: 1 FT
- · Side protections
- Panoramic wrap-around structure
- Temples with adjustable length and inclination
- Silicone rubber nose pad
- Color: blue

Code 162001 Lens filter EN 170 2C - 1.2

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





ET 46

Safety glasses



- Polycarbonate blue colour frame: FT
- No-mist and anti-scratch lenses: 1 FT
- Panoramic wrap-around structure
- Temples with adjustable length
- · Color: blue

Code 162013 Lens filter EN 170 2C - 1.2







ET 30

Safety glasses



- Polycarbonate frame: FTSingle lens: 1 FT
- · Side protections
- It can be worn on top of spectacles

Code Lens colour	Lens filter
162010 clear	EN 170 2C - 1.2

Pcs.xBox 12 Co. Min. Ord. 12 Co.





OSMW

Welding safety glasses



- Polycarbonate frame with soft forehead padding on the inside: FT
- Shock resistant dark single lens DIN 5, with scratch-resistant and anti-fog treatment: 1 FT
- Enveloping design with side protections
- Adjustable bicoloured side arm inclination
- Color: green, black

Code 162063 Lens filter EN 169 5

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





317

Safety glasses



- Black coloured frame
- · Side protections
- Adjustable earpieces

Code	Lens colour	Lens filter
161086	clear, tempered mineral glass: 1S	-
161095	adiactinic green, mineral glass: 2	EN 169 5

Pcs. x Box 10 Co. Min. Ord. 10 Co.

Replacement lenses

Code	Lens colour	Lens filter
161094	clear, tempered mineral glass: 1S	-
161097	adiactinic green, mineral glass: 2	EN 169 5

Pcs. x Box 25 Co. Min. Ord. 25 Co.



505UP - CLEAR 2

Safety glasses


C € EN 166:2001 EN 170:2002

- Frame in polycarbonate: FT
- Adjustable hake
- Transparent anti-scratch and anti-fog lens, UV380
- · Impact resistant to low energy

Code	Lens colour	Lens filter
162104	clear	EN 170 2C - 1.2

Pcs. x Box 10 Co. Min. Ord. 1 Co.

NEW



505UP - SOLAR SMOKE 2

Safety glasses



C 6 EN 166:2001 EN 170:2002 EN 172:1992+A1:2000+A2:2001

- Frame in polycarbonate: FT
- Adjustable hake
- Anti-scratch and anti-fog lens, UV380
- · Impact resistant to low energy

Code	Lens colour	Lens filter
162100	smoke	EN 170 2C - 3 EN 172 5 - 3.1

Pcs. x Box 10 Co. Min. Ord. 1 Co.

NEW





5X9 - CLEAR 2

Safety glasses



- Anti-scratch and anti-fog lenses, UV380
- Rods adjustable in length and inclination
- Terminal with movement to the receiver
- SoftPad
- Can be used even in low light
- · Color: black, green

Code	Lens colour	Lens filter
162102	clear	EN 170 2C - 1.2

Pcs. x Box 10 Co. Min. Ord. 1 Co.

5X9 - FLIP - Welding 5

- Flip-up suitable for welding activities
- Compatible with cod. 162102 5X9 Clear 2

Code	Lens colour	Lens filter	
162103	green	EN 169 5	

Pcs. x Box 15 Co. Min. Ord. 1 Co.

NEW







NEW



5X8 - CLEAR PLUS

Safety glasses



- Lenti antigraffio e antiappannamento, UV400
- Aste regolabili in lunghezza e inclinazione
- Terminale con movimento a bascula in gomma
- Utilizzabili anche con scarsa luminosità
- Colore montatura nero/verde

Code	Lens colour	Lens filter	
162101	clear	EN 170 2C - 1.2	

Pcs. x Box 10 Co. Min. Ord. 1 Co.





102-1

Plastic panoramic goggles



- Frame: S
- Plastic one-piece lens: 1 S
- Side aeration holes
- Elastic band
- · Inexpensive model
- · Color: transparent

Code 161052 One-piece lens $1\,\mathrm{S}$

Pcs. x Box 20 Pcs. Min. Ord. 20 Pcs.





102-3

Plastic panoramic goggles



- Plastic one-piece lens: 1 S
- Side aeration holes
- Elastic band
- Inexpensive model
- · Color: transparent

Code 161054 One-piece lens 1S



G04

PVC panoramic goggles

C € EN 166:2001

- Frame: 3 4 9 BT
- No-mist and anti-scratch one-piece lens: 1 BT 9
- Indirect ventilation
- Adjustable elastic band
- Color: transparent

Code 162020 One-piece lens 1BT9

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.





ET 49

PVC panoramic goggles

C € EN 166:2001

- Frame: 3 4 9 BT
- No-mist and anti-scratch one-piece polycarbonate lens: 1 BT 9
- 4 aeration valves
- Adjustable elastic band
- · Color: transparent

Code 162017 One-piece lens 1BT9

Pcs. x Box 1 Pcs. Min. Ord. 1 Pc.





WELDING 5 GLASS

PVC panoramic goggles



- PVC frame
- Folding glass lenses
- Transparent lens 2 mm thickness: 1 FT
- Dark lens 3 mm thickness: 1
- Dark lens filter: EN 169 5
- 4 ventilation valves
- Elastic band

Code 161044

Pcs. x Box 12 Pcs. Min. Ord. 12 Pcs.

NEW





NEW



VUNIVET

6X1 CLEAR PLUS

Polycarbonate panoramic goggles

C € EN 166:2001 EN 170:2002

- Rods adjustable in length and inclination
- Rubber terminal with receiver movement
- Can also be used in low light
- Anti-scratch and anti-fog lenses, UV380
- Quick change rod system with adjustable elastic band (included)
- Color: dark gray, green

Code	Lens colour	Lens filter
161120	clear	EN 170 2C - 1.2

Pcs. x Box 5 Co. Min. Ord. 1 Co.



6X3 CLEAR ULTRA

Polycarbonate panoramic goggles



- · Can be used as over glasses
- Interchangeable lens
- Can also be used in low light
- Anti-scratch and anti-fog lenses, UV380

Code	Lens colour	Lens filter	
161122	clear	EN 170 2C - 1.2	

Pcs. x Box 5 Co. Min. Ord. 1 Co.





619 CLEAR 1 INDIRECT

Occhiale a mascherina in policarbonato



- · Can be used as over glasses
- Can also be used in low light
- Anti-scratch and anti-fog lenses, UV380

Code	Lens colour	Lens filter	
161121	clear	EN 170 2C - 1.2	

Pcs. x Box 5 Co. Min. Ord. 1 Co.

551

Welding mask in thermoplastic material



- Inclined handle for a better adhesion to the face
- · Quick lock handle
- Inner reinforcement removable
- Glass holder 75 x 98 mm

Code 151271 Colour grey

Pcs. x Box 10 Pcs. Min. Ord. 1 Pcs.





501

Schermo a mano in materiale termoplastico



- Quick lock handle
- · Protection type: S
- Glass holder 75 x 98 mm

Code 151272 Colour grey

Pcs. x Box 25 Pcs. Min. Ord. 1 Pc.





S/800

Maschera a casco rialzabile in materiale termoplastico

C € EN 166:2001 EN 175:1997

- Self-extinguish
- Adjustable inclination
- Glass holder 75 x 98 mm
- · With headrest

Code 151273 Colour bordeaux

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.





GLASS

Transparent glasses for welding mask



• Dimensions: 75 x 98 mm

Code 196010

Pcs. x Box 500 Pcs. Min. Ord. 100 Pcs.

INATTINICI

Dark glasses for welding mask

C € EN 166:2004 EN 169:2003

• Dimensions: 75 x 98 mm

Code 196025	DIN 10	
Code 196026	DIN 11	
Code 196027	DIN 12	







VISORS AND FACE SHIELDS

Complete eye and face protection

against various types of risks present at the workplace:

MECHANICAL RISKS

Powders, chips, splinters, sparks, high-speed particles

OPTICAL RISKS

UV and IR rays, lasers, very intense lights etc.

CHEMICAL RISKS

Aerosols, vapours, fumes, chemical splashes, etc.

THERMAL RISKS

Cold or heat, which can cause tearing, inflammation, burns.











ABS face shield

CE

- · Ratchet adjustment
- Liftable
- · Screen sold separately

Code 197030 Colour yellow

Pcs. x Box 35 Pcs. Min. Ord. 1 Pc.

Face shield suitable for Art. B1

C € EN ISO 16321-1:2021

Code	Dim. cm	EN + Materials	Pcs. x Box	Min. Ord.
197032 Art. FC 25	20 x 30	CE EN 166 Clear polycarbonate: 1B	50 Pcs.	1Pc.
197034 Art. FC 45	20 x 40	CE EN 166 Clear polycarbonate: 1B	35 Pcs.	1Pc.



■ EN ISO 16321-3:2021

197036 Art. FC 49	20 x 40	CE EN 1731 Metal mesh: S	35 Pcs.	1 Pc.



P-CSP

Face shield with polycarbonate liftable visor

C € EN 166:2001

- · Ratchet adjustment
- Dimensions 23 x 30 cm
- Polycarbonate transparent screen: 1 B

Code 197072 Colour yellow

Pcs. x Box 10 Pcs. Min. Ord. 10 Pcs.





P-CSR

Face shield with wired gauze liftable visor

C € EN 1731:2006

- Ratchet adjustment
- Metal mesh screen: S
- Head support: S
- Dimensions 23 x 30 cm

Code 197073 Colour yellow

Pcs. x Box 10 Pcs. Min. Ord. 10 Pcs.





SB600

Face shield in polycarbonate

C € EN 166:2001

- With complete front protection
- Nape support adjustable through a rack with blocking system of the screen inclination
- Ergonomical head-protection, adjustable in height
- Resistance to impact B level
- Screen sold separately

 Code 197082
 Colour silver

 Pcs. x Box 1 Pc.
 Min. Ord. 1 Pc.

Face shield suitable for Art. SB600, SA660, SA66

Code 197087 Clear polycarbonate shield: 1 B 3 9 **Art. SV9PC**





3M











H8

ABS face shield



- · Ratchet adjustment
- Liftable
- · Screen sold separately

 Code 197025
 Colour silver

 Pcs. x Box 10 Pcs.
 Min. Ord. 1 Pc.

Face shield suitable for Art. SB600

Code 197028 Clear shockproof polycarbonate shield: Art. WP 96 2C - 1.2 AOS 1B9

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.

LOOK SAFE

Protective visor with transparent polycarbonate screen



- · Applicable to all helmets with groove
- Shield: 1 F
- Thickness: 1 mm
- Dimensions: 35 x 20 cm

 Code 197019
 Colour clear

 Pz. x Box 50 Pz.
 Min. Ord. 1 Pz.

Replacement shield for Art. LOOK SAFE

Code 197017

Art. RICAMBIO Clear polycarbonate shield: 1 F

LOOK SAFE

Pcs. x Box 25 Pcs. Min. Ord. 1 Pc.

SA660

Helmet support in plastic material

C € EN 166:2001

- With elastic band, easy to fasten to the most common type of helmets
- Resistance up to 125°C and to the aggression of solvents, acids, alkalis
- Impact resistance level B
- Screen sold separately

 Code 197078
 Colour grey

 Pcs. x Box 1 Pc.
 Min. Ord. 1 Pc.

Face shield suitable for Art. SA660, SB600, SA66

Code 197087 Clear polycarbonate shield: 1 B 3 9 **Art. SV9PC**

V4F

Visor with colourless polycarbonate screen



- Screen: 1 F
- · Suitable for forestry
- To be combined with all helmet headphones of the OPTIME line or directly with addition of art. P3BV/2

Code 197255 Colour black / clear

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.

Universal helmet attachment

Code 197261 Art. P3E

- Blade connection
- Sold as kit (1 Dx + 1 Sx)

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





V4G

Visor with metal net screen



- Mechanical resistance: S
- Suitable for forestry
- · Diameter of holes: 1.8 mm
- · To be combined with all helmet ear-defender of the OPTIME line or directly with addition of art. P3B V/2

Code 197257 Colour black

Pcs. x Box 10 Pcs. Min. Ord. 1 Pc.







WSB10000232

Polycarbonate Visor Gold DIN 5



- · Golden and mirrored polycarbonate
- Weight: 100 g
- · Ideal for continuous use and use in foundries or steelworks

Code 197089 Colour gold

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

Attacco universale per elmetto

Non DPI*

- Aluminium helmet adapter
- Weight: 125 g
- · Folding system
- Adaptable to a wide range of helmets

Code 197077 Art. WSB10000230 Pcs. x Box 1 Pc

Min. Ord. 1 Pc.







HEAD PROTECTION

MARKING



MARKING ELEMENTS

- 1 Manufacturer's Identification
- Helmet type (manufacturer designation)
- CE mark
- Reference standard number (EN 397) Optional requirements
- Cap material acronym
 (e.g. ABS, PC, HDPE etc.)
 Size or range of sizes (in centimetres)
- Year and quarter of manufacturer, at minimum

OPTIONAL REQUIREMENTS


MARKING DESCRIPTION Impact of falling objects at very low tem-- 20°C or - 30°C peratures Impact of falling objects at very high tem-+150°C peratures 440 V AC Electrical insulation voltage Lateral deformation (crushing)

Resistant to molten metal splashes









INDUSTRIAL PROTECTION

×						U	V			
		SAFETY CAP	SC1	SATURNO DIEL.	ADAMELLO	Н5	E1	APOLLO	SATURNO	TERANO
	Colours	•	•	•	• • •	•	• • • •	• • • •	• • •	• • •
	Protection against front, rear and side impacts			~	~	~	~	~	~	~
	Protection from collision against hard, immobile objects	~	>	~	~	✓	~	~	~	~
	Protection against electrical hazards			1000 V	440 V					
	Suitable for working at height					V	V			
	Ventilation holes	V	\			\	V	~	V	V
	Sweat band			V	~	~	V	~	~	V
ğ	4-point strap							~	V	V
	6-point strap			~	~	>	~			
	Chinstrap				/	~	V	V	~	~
	Peak	~	>	~	~		~	~	~	~
ì	Neck protection									~
	Provision for accessories			~	~		~	~	~	~

PROTECTIVE HELMETS IMPACT PROTECTION AND FOR WORK AT HEIGHT

Generally molded in polyethylene or ABS (lighter thermoplastic polymer), they are made with quality materials, highly resistant and durable, and comfort during use.







ABS helmet

C € EN 397:2012+A1.2012

- Nylon straps, with rear quick adjustment
- Sweat band
- · Breathable, absorbent textile padding
- Polyamide adjustable, padded chin strap with quick release
- High lateral rigidity (LD)
- Weight: 460 g approx.
- Size: 53 61 cm

Code 131110	Colour white
Pcs. x Box 1 Pc.	Min. Ord. 1 Pc.



ABS helmet

C € EN 397:2012+A1.2012

- Quick adjustment nylon strap
- Sweat band
- Padded adjustable chin strap with quick release
- Suitable for work at height

Code 131064	Colour red	NEW
Code 131068	Colour blue	
Code 131069	Colour green	
Code 131070	Colour yellow	
Code 131071	Colour orange	
Code 131072	Colour white	
Pcs. x Box 25 Pcs.	Min. Ord. 1Pc.	

Code	Art.	Pcs. x Box Min. Ord.	
131074	FASCIA ANTISUDORE	500 Pcs. 10 Pcs.	
131073	SOTTOGOLA	500 Pcs. 10 Pcs.	







ADAMELLO

Polyethylene helmet

C € EN 397:2013

- Adjustable straps with 6 fastening points
- Electric insulation up to 440 V
- Sweat band
- Weight: 380 g

Colour yellow
Colour white
Colour orange
Colour blue

Pcs. x Box 20 Pcs. Min. Ord. 1 Pc.

Code	Art.	Pcs. x Box Min. Ord	
131126	FASCIA ANTISUDORE	60 Pcs. 1 Pc.	_
131127	SOTTOGOLA	10 Pcs. 10 Pcs.	_







APOLLO

Polyethylene helmet

C € EN 397:2012+A1.2012

- Adjustable straps with 4 fastening point
- Sweat band, ventilation holes
- Resistance to impact up to -30 $^{\circ}\text{C}$
- Weight: 310 g ca. dielectric 325 g ca.

Code 131035	Colour white
Code 131037	Colour yellow
Pcs. x Box 24 Pcs.	Min. Ord. 1 Pc.

Code	Art.	Pcs. x Box	Min. Ord.
131005	FASCIA ANTISUDORE	60 Pcs.	1Pc.
131013	SOTTOGOLA	30 Pcs.	1 Pc.
131006	CALOTTA	1 Pc.	1 Pc.







SATURNO

Polyethylene helmet

C € EN 397:2012+A1.2012

- Adjustable straps with 4 fastening point
- Sweat band and ventilation holes
- Resistance to impact up to -30 °C
- Ratchet adjustment
- Weight: 310 g

Code 131140	Colour yellow
Code 131141	Colour white
Pcs. x Box 16 Pcs.	Min. Ord. 1 Pc.

Code	Art.	Pcs. x Box	Min. Ord.
131005	FASCIA ANTISUDORE	60 Pcs.	1 Pc.
131013	SOTTOGOLA	30 Pcs.	1 Pc.
131006	CALOTTA	1 Pc.	1 Pc.
131019	CALOTTA C/CRICCHETTO	1 Pc	1 Pc








ACCESSORIES PROTECTIVE HELMETS





Dielectric polyethylene helmet



- Adjustable straps with 6 fastening points
- Electric insulation up to 1000v approx.
- Sweat band
- Shock resistant up to -30 °C
- Weight: 325 g

Code 131146 Colour yellow fluo

Pcs. x Box 24 Pcs. Min. Ord. 1 Pc.











Lockweiler

TERANO

ABS ultralight helmet



C € EN 397:2012+A1.2012

- Adjustable straps with 4 fastening point
- Very good shock absorption
- Resistance to impact up to -30 °C
- Comfortable and suitable for prolonged use
- Ventilation holes
- Weight 285 g approx.

Code 131075	Colour yellow
Code 131077	Colour white
Code 131078	Colour blue
Code 131080	Colour red - 6 fastening points

Pcs. x Box 24 Pcs. Min. Ord. 1 Pc.

Code	Art.	Pcs. x Box Min. Ord.	
131005	FASCIA ANTISUDORE	60 Pcs. 1 Pc.	
131013	SOTTOGOLA	30 Pcs. 1 Pc.	
131006	CALOTTA	1Pc. 1Pc.	
		110.	



BOSCAIOLO

Forestry polythene helmet



EN 397:2012+A1.2012 EN 1731:2006 EN 352-3:20002

- Adjustable ear-defender H31P3E
- Metal mesh forestry movable visor V4G
- Helmet Adamello orange
- Adjustable inner straps

Code 131025 Colour orange Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

KIT PELTOR

Lumberjack set

C E EN 397:2012+A1.2012 EN 1731:2006 EN 352-3:20002

Forestry kit consist in:

- ABS helmet G3000N with ratchet adjustment
- Ear defender H31P3K
- Steel mesh visor V5C
- Rainproof neck protection GR3C

Code 131032 Colour orange Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





SC₁

Protective cap in 100% cotton



- Internal protective shell in polypropylene
- · Adjustable width with velcro
- Ventilation holes in the shell
- Weight: 150 g

Code 131165 Colour blue Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







SAFETY CAP

Protective cap in 100% cotton



C € EN 812:2012-04

- Internal protective shell in polypropylene
- · Adjustable width with velcro
- Weight: 160 g

Code 131160 Colour black



FALL PROTECTION

WORKING AT HEIGHT

"Working at height" is considered to be activities which expose the worker to the risk of falling from a height greater than 2 metres from a

When the distance exceeds 2 metres, the workers must protect themselves against falling through the use of category III fall protection PPE. This must be chosen on the basis of the type of work at height performed. Examples of working at height include: roofing, construction, fragile roofs, pylons, scaffolding, metal structures, antennas, repeaters, tree surgery, ladders, mobile elevating work platforms, near excavations, wells, confined spaces etc.

FALL PROTECTION
Fall protection is the set of elements and procedures to be used to prevent or limit a fall from height, preventing the operative from colliding with the ground or any objects present in their trajectory, and to minimise the impact of the arrest transmitted to the body of the falling operative


In order to safely arrest a fall, certain elements must be taken into consideration:

- Arrest force transmitted to the body (< 6 kN)
- Structural anchor point (> 10 kN)
- Adequate clearance
- Any pendulum effect

CRITERIA FOR USE OF EQUIPMENT

ARREST FORCE

During a fall, the operative should never be subjected to an arrest force greater than 6 kN, corresponding to the breaking strain of male vertebrae. The fall-arrest system, as well as a fall-arrest harness (EN361), should always incorporate an energy absorber and allow for sufficient free-fall space (clearan-ce) to allow it to function properly. The most commonly used fall-arrest components to commonly used fall-arrest components to minimise the arrest distance are retractable fall-arrest devices and those guided on a flexible anchor line (rope). In the event of a strong impact, there is the risk of serious injury without the use of an absorber. The energy absorber is able to damp the impact on the body transmitted by the arrest force in a fall from height; the kinetic energy produced during the fall is dissipated through the friction developed during the unrolling of the friction developed during the unrolling of the absorber itself.





FALL FACTOR AND CHOICE OF ANCHORING POINT

Whenever performing a job at height, it is necessary to assess the potential risk of an accidental fall from height in order to choose the correct equipment to use. The use, for example, of a safety rope to protect from falls can be very dangerous if not combined with an energy absorber, as without one it would stop the fall very abruptly and the body could be subjected to arrest forces of up to 10 kN.

The fall risk is measured via the fall factor. This can have a value of between 0 and 2, and is given by the ratio between the height of fall and the length of the rope used (including the connectors). The higher this ratio, the greater the force that the falling body will be subjected to. Moreover, the greater the length of the rope, the more space which will be required to retard the fall.

The maximum possible FALL FACTOR is 2, in other words given by a fall twice the distance of the length of the rope.

It is very important to evaluate the position of the structural anchor point. In order to minimise the arrest force, this must be positioned as high as possible compared to the support surface for the operative's feet.

Anchor point located at operative foot level:

the fall height is great and the arrest force can reach high values. Risk of lateral impacts (pendulum effect). Very problematic working condition, to be avoided if possible. Use of fall-arrest device with energy absorber mandatory.


Anchor point located at operative chest height:

the fall height is great (but less than in the previous case). Very common working condition. Use fall-arrest equipment with energy absorber.

Anchor point located above operative and rope close to taut:

the fall height is limited. Ideal working condition.

A simple positioning rope can also be used.



Max length of rope including connectors (per standardl **MINIMUM CLEARANCE 6.25 m** +1.75m Maximum extension of the absorber 1.75m (per standard) +1.50m Distance between back attachment point and feet of the . operator (conventional calculation) Minimum safety distance required between operator

feet and ground


PENDULUM EFFECT

In the event of a fall, to prevent the operative from striking nearby structures or other obstructions, it is necessary to carefully choose the position of the anchor point. If possible, this should be in a vertical line above the working position.

MINIMUM CLEARANCE

In order to choose the correct fall-arrest device to use, it is very important to evaluate the clearance, in other words the safe free-fall space available below the fall-arrest system, required to prevent collision of the operative with the ground or any obstacles between them and the ground as they fall. This minimum space will also vary on the basis of the fall-arrest system used. The use of energy absorbers, for example, must be taken into consideration when calculating the clearance: as they work by unravelling, the minimum free space below will increase further. The following precautions must be taken into consideration for the use of fall-protection systems:

- →The maximum length of the rope, including the absorber and the connectors, must be no greater than 2 m
- →Try to minimise the **fall factor** (where possible ensuring that a value of 2 is not reached)
- →The arrest distance must be minimised, and must never exceed 5.75 m
- → Calculate the clearance (minimum free fall space below the operative) so that it is > 6 m; this will vary depending on the type of fall-protection device used: Clearance = arrest distance + 2.5 m.





NT06

Body harness with dorsal and sternal anchor point

C € EN 361:2002

- Elastic suspenders for increased comfort, with adjustable buckles and leg straps
- Adjustable chest connecting strap
- Opening and adjustable chest strap
- Leg strap
- · Extensor for dorsal anchor point
- Equipped with lightweight metal alloy connector CML04S
- Weight: 1000 g

Code 121034 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



Lightweight metal alloy connector CML04S



Elastic suspenders





NT07

Body harness with dorsal and sternal anchorage points + work positioning belt

Cat. III EN 361:2002 EN 358:2018

- Elastic shoulder straps for increased comfort, with adjustable buckles
- Automatic alu buckles to adjust leg straps and positioning belt
- Chest connecting strap
- Leg straps
- Rotating work positioning belt with 2 side anchorage points, tool-holder rings, and anatomical, padded back support, coated with water-repellent material
- Equipped with lightweight metal alloy connector CML04S
- Weight: 1880 g

Code 121036 Colour yellow / black



Elastic suspenders



Automatic alu buckles



Rotating position belt





ACCESSORIES FALL PROTECTION





Reinforced positioning belt better support

BASIC 1

Positioning belt



- 2 lateral anchor rings
- · Adjustable buckle
- Padded back support
- Weight: 460 g

Code 121090 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







Adjustable aluminium buckle

BASIC 2

Body harness with dorsal anchor point



- Cat. III EN 361:2002
- Adjustable buckle for legs Adjustable chest connecting strap
- Weight: 650 g

Code 121091 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







Adjustable buckle for legs

BASIC 3

Body harness with dorsal and sternal anchor point



- Adjustable buckle for legs
- Adjustable chest connecting strap
- Weight: 690 g

Code 121092 Colour yellow / black



BASIC 4

Body harness with dorsal anchor point + work positioning belt



- · Adjustable buckle for legs
- Positioning waist belt with 2 lateral anchor rings and padded back support + adjustable buckle
- Adjustable chest connecting strap
- Weight: 1080 g

Code 121093 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



Adjustable chest connecting strap



Positioning waist belt





BASIC 5

Body harness with dorsal and sternal anchorage points + work positioning belt



- Adjustable buckle for legs
- Positioning waist belt with 2 lateral anchor rings and padded back support + adjustable buckle
- · Adjustable chest connecting strap
- Weight: 1120 g

Code 121095 Colour yellow / black



Adjustable chest connecting strap



Positioning waist belt comfort









Padded shoulder straps



New quick release buckle



Bag for transport

EAGLE 3

Body harness with dorsal and sternal anchor points



- Lightweight metal alloy, adjustable buckle with quick release for legs and chest
- Lightweight metal alloy, adjustable buckle for shoulder straps
- Adjustable chest belt
- Leg straps
- · 2 tool-holder rings on the chest
- Warning tags
- Anatomical, padded back support
- Anatomical, padded leg straps
- Weight: 1315 g
- Supplied with bag for transport

Code 121140 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







Back



Anatomical, padded back support



Bag for the transport

EAGLE 5

Body harness with dorsal and sternal anchor points + positioning belt

Cat. III EN 361:2002 EN 358:2018

- Lightweight metal alloy, adjustable buckle with quick release for legs
- Lightweight metal alloy, adjustable buckle for shoulder straps
- Anatomical, padded positioning waist belt with 2 lateral anchor rings
- Lightweight metal alloy, adjustable belt buckle with quick release
- Adjustable chest belt that can be opened with lightweight metal alloy buckle and quick release
- Leg straps
- 2 tool-holder rings on the chest
- Warning tags
- Anatomical, padded back support
- Anatomical, padded leg straps
- Weight: 1650 g
- Supplied with bag for transport

Code 121142 Colour yellow / black



EAGLE 6

Body harness with dorsal, sternal, and abdomen anchor points, positioning belt and leg straps



- Frontal anchor point with Twist-Lock snap hook
- Lightweight metal alloy, adjustable buckle for shoulder and leg straps
- Positioning waist belt with 2 lateral anchor rings and a frontal one + lightweight metal alloy, adjustable buckle
- Anatomical, padded positioning waist belt and leg straps and tool-holder rings
- Warning tags
- Weight: 1660 g
- Supplied with bag for transport

Code 121144 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



Back



Frontal anchor point Twist-Lock snap hook



Bag for the transport





EAGLE FLEX

All-purpose anti-fall body harness with 1 dorsal and 2 frontal anchor points + positioning belt with leg straps

EN 361:2002 EN 358:2018 Cat. III EN 813:2008

- Elastic suspenders for increased comfort
- Positioning waist belt with 2 lateral anchor rings and lightweight metal alloy buckle with quick release
- Frontal anchor point
- Lightweight metal alloy adjustable buckles for suspenders
- Lightweight metal alloy adjustable buckles for legs with quick release
- · Adjustable chest connecting strap
- Positioning waist belt with anatomical back support and padded leg straps and tool-holder rings
- Warning tags
- Weight: 1780 g
- Comes with bag for transport

Code 121146 Colour yellow / black



Back



Back with a atomical padded back support



Bag for the transport







SAFE 1

Safety lanyard with energy absorber



- "Kernmantel" polyamide safety lanyard \emptyset 10,5
- Length max: 2 m (connectors included)
- · Connectors not included
- Weight: 345 g

Code 121044

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





SAFE 2

Safety lanyard with energy absorber



- "Kernmantel" polyamide safety lanyard Ø 12 mm
- Length max: 2 m (connectors included)
- Wide opening connector (60 mm) with safety
- Lightweight metal alloy connector with Twist-Lock (Ø 20 mm)

Code 121130	Max. lenght 200 cm	Weight 925 g	
Code 121131	Max. lenght 150 cm	x. lenght 150 cm Weight 880 g	

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



GECO PLUS

Adjustable safety lanyard with energy absorber



- "Kernmantel" polyamide safety lanyard Ø 12 mm
 Length max: 2 m (connectors included)
- With adjustable buckle
- Wide opening connectors (60 mm) with safety lock
- Lightweight metal alloy connector with Twist-Lock (Ø 20 mm)
- Weight: 1010 g

Code 121097



SAFE BI-1

Safety lanyard with energy absorber with 2 anchorage points

C € EN 355:2002

- "Kernmantel" polyamide safety lanyard Ø 10,5 mm
- Length max: 2 m (connectors included)
- 2 Wide opening connectors (60 mm) with safety lock
- Lightweight metal alloy connector with Twist-Lock (Ø 20 mm)

Code 121132	Max. lenght 200 cm	Weight 1490 g
Code 121133	Max. lenght 150 cm	Weight 1435 g

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





SAFE FLEX

Elastic safety lanyard with energy absorber



- Length max: 2 m (connectors included)
- Wide opening connector (60 mm) with safety lock
- Lightweight metal alloy connector with Twist-Lock (Ø 20 mm)
- Weight: 870 g

Code 121134

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





SAFE BI-FLEX

Elastic safety lanyard with energy absorber and 2 anchorage points



- Length max: 2 m (connectors included)
- 2 wide opening connectors (60 mm) with safety lock
- Lightweight metal alloy connector with Twist-Lock (Ø 20 mm)
- Weight: 1465 g

Code 121136





FALL PROTECTION



GECO₁

Adjustable safety lanyard



- "Kernmantel" polyamide safety lanyard \emptyset 12 mm
- Length max: 2 m (connectors included)
- · With adjustable buckle
- · Lightweight metal alloy connector with Twist-Lock (Ø 25 mm)
- Weight: 420 g

Code 121050

Pcs. x Box 4 Pc. Min. Ord. 1 Pc.





GECO₂

Adjustable safety lanyard



- "Kernmantel" polyamide safety lanyard Ø 12 mm
- Length max: 2 m (connectors included)
- · With adjustable buckle
- Zinc galvanized steel connector (Ø 18 mm) with safety lock
- Weight: 545 g

Code 121094

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





AF 130-02

Adjustable positioning lanyard

C € EN 358:2018

- "Kernmantel" polyamide safety lanyard ∅ 14 mm with regulator
- Max length: 2 m (connectors included)
- Zinc galvanized steel connector with screw lock (Ø 18 mm)
- Zinc galvanized steel connector (Ø 18 mm) with safety lock
- Weight: 980 g

Code 121053

FETTUCCIA

Webbing sling in sewn textile

EN 354:2010 EN 566:2006 Cat. III EN 795:2012 Class B

• Lenght: 2 cm

Code 121004 Lenght 80 cm

Code 121049 Lenght 120 cm

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





FASCIA

Safety strap



- Lenght: 1,4 m
- Widht: 45 mm
- Material: polyamide/polyester with synthetic rubber pad sewn on the inside
- 2 metal rings
- Zinc galvanized steel connector with screw lock included

Code 121155

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



PROTEKT

AZ410

Connecting lanyard



- Steel lanyard ø 6,3 mm
- Lenght: 1 m
- Galvanized steel rope with plastic coating
- With self-closing galvanized steel connector

Code 121156

















PINZA 2

Stainless inox steel connector



- Length: 39 cm
- · Opening: 112 mm
- Breaking load F ≥ 20 kN

Code 121240

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

CM03

Self-closing connector



- Zinc galvanized steel
- Opening: 18 mm
- Weight: 180 g
- Breaking load: F ≥ 25 kN

Code 121066 Colour aluminium

Pcs. x Box 5 Pcs. Min. Ord. 5 Pcs.

CML03

Self-closing connector



- Anodised lightweight alloy
- Opening: 18 mm
- Locking with automatic ring
- Weight: 80 g
- Breaking load: F ≥ 25 kN

Code 121060 Colour purple

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

CML03S

Oval self-closing connector



- Anodised lightweight aluminium allay
- Opening: 18 mm
- Twist-Lock closure
- Weight: 80 g
- Breaking load: F ≥ 25 kN

Code 121062 Colour purple



CML120S

Self-closing connector

Cat. III EN 362:2004 Class B

- Anodised lightweight alloy
- Opening: 21 mm
- Twist-Lock closure
- Weight: 82 g
- Breaking load: F ≥ 22 kN

Code 121064 Colour purple

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





CML04S

Self-closing connector



- Anodised lightweight alloy
- Opening: 20 mm
- · Twist-Lock closure
- Weight: 80 g
- Breaking load: F ≥ 25 kN

Code 121068 Colour grey

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





CML05S

Self-closing connector

€ EN 362:2004 Class B

- Anodised lightweight alloy
- Opening: 25 mm
- Twist-Lock closure
- Weight: 100 g
- Breaking load: F ≥ 20 kN

Code 121069 Colour grey

Pcs. x Box 1Pc. Min. Ord. 1Pc.





AZ 090

Ring connector



- Inox steel
- Quick link for long-term or permanent connections, and component of PRIM and SKC systems
- Weight: 140 g
- Breaking load: F ≥ 25 kN
- · Available on request

Code 121211 Colour grey



FALL PROTECTION











STOP CR

Retractable fall arrester

C E EN 360:2002

- Plastic case
- Galvanized steel cable Ø 4 mm
- Swivel aluminium connector (Ø 24 mm) with safety lock and fall indicator
- Dimensions: 270 x 90 x 260 mm
- Colour: black

Code 121178 Art. STOP CR-10	Cable lenght 10 m	Weight 4,2 kg
Code 121179 Art. STOP CR-15	Cable lenght 15 m	Weight 4,9 kg
Prs x Rox 1 Pr	Min Ord 1Pc	

STOP PS

Retractable fall arrester



- Plastic case
- Galvanized steel cable Ø 4 mm
- Swivel aluminium connector (Ø 24 mm) with safety lock and fall indicator
- Dimensions: 260 x 120 x 340 mm
- Colour: black

Code 121185	Cable lenght 20 m	Weight 11,25 kg
Code 121186	Cable lenght 28 m	Weight 11,65 kg
Pcs. x Box 1 Pc	Min. Ord. 1 Pc	

STOP MS

Retractable fall arrester



- Metal case
- Galvanized steel cable Ø 4 mm
- Swivel aluminium connector (Ø 24 mm) with safety lock and fall indicator
- Dimensions: 208 x 85 x 280 mm
- Colour: black

Code 121188	Cable lenght 10 m Weight 5,5 kg	
Code 121189	Cable lenght 15 m	Weight 6,5 kg



MINI STOP

Retractable fall arrester

C € EN 360:2002

- Plastic case
- Polyester/kevlar band 17 mm
- Swivel aluminium connector (Ø 24 mm) with safety lock and fall indicator
- · Pivoting anchorage ring
- Webbing length: 6 m
- Weight: with connector 1,8 kg
- Dimensions: 160 x 70 x 230 mm

Code 121180	Band lenght 6 m	Weight 1,8 kg	
Pcs x Rox 1 Pc	Min Ord 1Pc		



Retractable fall arrester



- Plastic case
- Polyester/kevlar webbing 17 mm
- Swivel aluminium connector (Ø 24 mm) with safety lock and fall indicator
- Wide opening connectors (50 mm) with safety lock
- Length: max. 2,55 m (with fully extended webbing, connectors included)
- Working load: 140 kg
- Weight: 850 g (without connectors)

Code 121181

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

ARROTOLATORE STOP

Band roller with energy absorber

C € EN 360:2002

- Textile band width 47 mm
- Thermoplastic/metal case
- Upper connector with anodised steel ferrule (\emptyset 22 mm)
- Aluminium swivel (ø 24mm) with safety lock
- Total length (self-closing connectors included) 2,25 m
- Weight: approx. 1180 g approx.
- Dimensions: 96 x 98 x 320 mm

Code 121059













PROTEKT







CRW 300

Retractable fall arrester with integrated winch



- Metal case (aluminium alloy)
- Galvanized steel cable Ø 4,7 mm
- Cable lenght: 25 m
- Swivel aluminium connector (Ø 24 mm) with safety lock and fall indicator
- With intergrated manual winch for lifting and lowering
- Can be used alone or with TM9, as universal connection between the rescue lifting device and the self-braking device, mounted on the tripod leg using the ATI7I handle
- Working load: 140 kg
- Dimensions: 385 x 267 x 132 mm
- Weight: 15 kg approx.

 Code 121175
 Cable lenght 25 m
 Weight 15 kg

 Pcs. x Box 1 Pc.
 Min. Ord. 1 Pc.

FALLSTOP

Guided type fall arrester on a flexible anchor line



- Kernmantel" polyamide safety lanyard Ø 12 mm
- Stainless steel sliding fall arrest device
- Polyamide energy absorber
- Lightweight metal alloy connector with Twist-Lock (Ø 20 mm)

 Code 121054
 Cable lenght 15 m

 Code 121055
 Cable lenght 25 m

 Pcs. x Box 1 Pc.
 Min. Ord. 1 Pc.

EASYSTOP

Sliding fall arrest device that can be opened



- Stainless steel
- To be used with art. FUNE ø 11 mm
- Weight: 375 g
- Dimensions max: 10,5 x 9 x 3 cm

Code 121149



EVOSTOP

Removable guided type fall arrester on a flexible anchorage line

C € EN 353-2:2002 EN 358:2018 Cat. III EN 12841:2006 Type A

- Made of forged aluminium alloy
- To be used with Art. FUNE Ø 12 mm, esasy to set up and remove
- Can be used as adjustable positioning device, as adjusting device of the safety line, and as guided type fall arrester on anchorage line
- Equipped with locking level for manual positioning of the rope
- Weight: approx. 194 g
 Dimensions: max 11.9 x 6.7 x 2.3 cm

Code 121154	Colour yellow
Prs v Rnv 1 Pr	Min Ord 1Pc





FUNE

"Kernmantel" polyamide safety lanyard



- To be used with Art. EASYSTOP or SPARROW
- Colour: white/black

Code 121157	Cable lenght 10 m
Code 121158	Cable lenght 20 m
B B 1 D.	Min Ond 1D

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





FUNE

"Kernmantel" polyamide safety lanyard Ø 12 mm



- To be used with art. EVOSTOP
- · Colour: red/yellow

Code 121150	Cable lenght 10 m
Code 121151	Cable lenght 20 m
Code 121152	Cable lenght 40 m
Pcs. x Box 1 Pc.	Min. Ord. 1 Pc.







PROTEKT



PROTEKT



CD 211 / CD 212

Handled ascender

C € EN 567:2013

- Made of lightweight aluminium alloy
- For use with ropes ø from 9 to 13 mm
- · Wide, ergonomic molded handle
- · Rope clip with groove
- Toothed cam with self-cleaning slot optimizes performance under any conditions (e.g. frozen or dirty ropes)
- Upper hole through which a carabiner attaches the device to the rope
- Weight: 280 g approx., Dim. max: 20,7x10 x2,8 cm

Code 121401	Art. CD 211	Type left	Colour red
Code 121400	Art. CD 212	Type right	Colour blue

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

CD 201 / CD 202

Chest rope clamp



- Made of lightweight aluminium alloy
- For use with ropes ø from 9 to 13 mm
- Toothed cam with self-cleaning slot optimizes performance under any conditions
- Upper hole through which a carabiner attaches the device to the rope
- Bottom hole to connect a lanyard
- Weight: 220 g approx.
- Dimensions max: 13,4 x 9 x 2,8 cm

Code 121407	Art. CD 201	Type left	Colour red
Code 121405	Art. CD 202	Type right	Colour blue

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

LVT01 (1095)

Horizontal temporary lifeline



Composed of:

- Strong polyester webbing 35 mm
- Adjustable length from 5 to 18 m with ratchet
- Steel webbing tensioner
- Max 2 workers at the same time
- With 2 anchorage rings and 2 steel connector (EN 362)
- Bag included

Code 121320



BA100

Bench for suspension works

Not PPE*

- 2 external anchor points
- Adjustable straps
- Padded bench
- Tool-holder rings
- · Connector included

Code 121170 Colour yellow / black

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



ZAINO

50 L backpack

Not PPE*

- Made of PVC
- · Rear reflective strap for hanging connectors
- External badge holder
- Quick release lock and internal coulisse

Code 121350 Colour black
Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







BORSONE

120 L bag

Not PPE*

- Made of PVC
- Rear reflective strap for hanging connectors
- 1 external pocket
- Zipper closure

 Code 121351
 Colour black

 Pcs. x Box 1 Pc.
 Min. Ord. 1 Pc.









ST010

Anchor trolley for T beam



- Adjustable width: from 65 to 120 mm
- Weight: 5,2 kg
- In painted galvanized steel
- To be used for an individual worker

Code 121193 Colour red

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

PROTEKT



AT060

Adjustable anchor beam for windows



- With 2 anchorage eye bolts
- Adjustable width: from 350 to 1240 mm
- Dimensions: 1415 x 150 x 100 mm
- Weight: 6,9 kg
- In painted galvanized steel
- To be used for two workers

• Bag for transport included

Code 121160 Colour steel

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

PROTEKT

AT150

Permanent anchor point



- Dimensions: 135 x 60 x 60 mm
- Weight: 315 g
- In lightweight alloy
- To be used for an individual worker

Code 121191 Colour red





TM-9


Aluminium alloy safety tripod

Cat. III Class B

- Powder coated aluminum alloy head with 3 anchor points +1 central for pulley + adjustable telescopic legs in duralumin
- Certificate for use with RUP502 or CRW 300 + AT 171
- · For one user only
- Adjustable height: 147 / 229 cm max
- Opening diameter: Ø 140 / 213 cm max
- Working load: 500 kg max
- Breaking load: 22 kN
- Fixing legs with textile band or metal chain (both provided)
- Weight: 14 kg c/band 17 kg c/chain

Code 121162

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



PROTEKT

TM-13

Aluminium alloy safety tripod

Cat. III EN 795:2012 Class B

- Steel head with 4 attaching points
- Telescopic adjustable duraluminium legs
- Chain or webbing for legs fixing
- To be used only with RUP503
- Adjustable height: 179 / 289 cm max
- Opening diameter: Ø 173 / 271 cm max
 Workload limit: 1000 kg max
- Breaking force: 20 kN
- Weight: 37 kg

Code 121165

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







Extra brackets for use to completely extend legs

PROTEKT

AT 171

Bracket to be used with TM-9

Not PPE*

- To be used only with retractable fall arrester with integrated winch CRW 300, to mount it to the tripod leg
- Made of galvanized steel
- Weight: 2,9 kg

Code 121176

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.







PROTEKT







PROTEKT





PL 101

Pulley

Not PPF*

- Pulley to be used with RUP 502 or CRW 300 on tripod TM-9
- Made with galvanized steel and polyamide
- With connector AZ 090 for connection to the anchor point
- The pulley is used to guide the cable on tripods with central anchor point
- Dimensions: 133 x 56 x 128 mm
- Workload limit: 500 kg max
- Breaking load: 30 kN
- Weight: 450 g

Code 121177

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

RUP 502

Rescue lifting device for tripod



- Galvanized steel cable Ø 6,3 mm
- Automatic brake
- To be used only with art. TM-9
 Pulley included PL 101
- Workload limit: 140 kg max
- Braking force: 1400 kg
- To be used for an individual worker
- Cable lenght 25 m (20m available on request)
- Weight: 14 kg

Code 121167

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

RUP 503

Rescue lifting device for tripod

EN 1496:2017 Class B

- Galvanized steel cable ∅ 6,3 mm
- Automatic brake
- To be used only with TM-13 Workload limit: 200 kg max
- Braking force: 1600 kg
- Hand force required: 10 kg
- To be used for maximum two workers
- Cable lenght 45 m
- (25 / 35 / 50 m available on request)
- Weight: 25,5 kg (45 m)

Code 121168

HL 202

Intermediate anchor point for foot post

- · Stainless steel
- Breaking load: Fp ≥ 10 kN
- Weight: 590 g
- Anchor point to be inserted in the cable with a 15 m max distance between 2 supports
- Keeps cable in place and parallel to the surface
- Allows the connector through without having to remove it

Available on request

Code 121220

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.



HL 101

2-point end anchor point

- · Stainless steel
- Breaking load: Fk ≥ 35 kN
- Weight: 680 g
- Anchor point to be placed at the end of an horizontal lifeline
- To be used on steel structures

Available on request

Code 121222

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





HL 130

Wall turn roll - internal set

- Stainless steel
- Polyamide washer
- Breaking load: F≥ 34 kN
- Weight: 2200 g

Available on request

Code 121224

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.





PIASTRA

Rotating end plate (set)

- Stainless steel/brass
- The plate rotates aroung the cylinder and constitutes both an end plate of horizontal lifeline and a fixed anchorage point

Available on request

Code	Lens To be used with		Weight	
121226 Art. HL 721+722	F≥ 35 kN	HL 701/702	150 g	
121227 Art. HL 734+722	F≥ 34 kN	HL 703	200 g	





FALL PROTECTION

















Security cable with lead end

- Stainless steel Ø 8 mm
- Breaking load: F ≥ 40 kN
- Weight: 260 g/m
- Comes in 10 m rolls
- One lead end with inox thimble and copper sleeve and the other secured with 3 wire grips and a sleeve to keep in place the cords which form the cable

Available on request

Code 121230

Pcs. x Box 1 Rt. Min. Ord. 1 Rt.

HL 401

Rope stretcher with tension indicator

- Stainless steel
- Breaking load: F ≥ 35 kN
- Weight: 1,7 kg
- · With cone shaped terminal and locking bolts
- Lenght range: 150 mm
- Tighten the cable of a fall arrest system

Available on request

Code 121238

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

HL 801

PVC label plate

- Dimensions: 110 x 170 x 1 mm
- The EN365 legislation provides that at any access point to horizontal lifeline a label plate be installed with data of the lifeline, installation date and next inspection date

Available on request

Code 121231

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

HL703

Squared anchor point

- Hot deep galvanized steel Weight: 13,3 kg
- Pole with central foot
- Breaking load: Fk ≥ 35 kN
- Dimensions: 335 x 200 x 500 (h) mm
- Standard foot post used with systems that do not require special applications. It can be used as both end and intermediate post in accordance with the application of Fk force (for further information read the datasheet)

Code 121237



HL 506

Perforated clamp for rope

- · Stainless steel
- Weight: 70 g
- To anchor the unsealed rope end

Available on request

Code 121239

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

HL 300

Assorbitore d'energia rivestito con guaina di protezione termoretraibile

- · Stainless steel
- Breaking load: F ≥ 35 kN
- Weight: 1580 g
- In caso of strong tension of the cable (over 2,5kN) due to fall, this absorber deforms inelastically absorbing part of the kinetic energy and reducing it to bearable levels
- Always replace after use (fall of a person)

Available on request

Code 121234

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

HL 701

Squared base central anchor point

- Hot deep galvanized steel
- Base 230 x 230 mm
- · Pole with central foot
- The pole can be used ad end or intermediate support in a horizontal lifeline EN 795-C Class
- If used alone in proximity of drainpipes can reduce swinging effect (for further information see datasheet)

Available on request

Code 121235

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

Height	Breaking load	Weight	
200 mm	Fk ≥ 34 kN	5,3 kg	
300 mm	Fk ≥ 34 kN	5,5 kg	
400 mm	Fk ≥ 26 kN	5,8 kg	

HL702

Anchor point for foot post

- Hot deep galvanized steel
- Pole with side foot
- Breaking load: Fk ≥ 35 kN (con He = 500 mm)
- Weight: 15,7 kg
- Plate and machine plate lenght 300 mm
- It can be used when it is not possible to drill the main structure, the post can be used as end or intermediate support in a horizontal lifeline EN 795-C Class

Code 121236



















SKC - GUIDED FALL-ARRESTER WITH RIGID ANCHOR LINE

Provides individual protection for safe access to a work station at height via vertical paths (e.g. access and descent by ladder, with operator harnessed and hooked by the fall arrester that moves without ever detaching from the anchor line).

It consists of a rope with clamps, to be fixed to the structure by connectors, and is equipped with a removable locking device, cable guide and tensioner for rope.

Built with selected materials, it was born with the concept of durability and easy maintenance. It shall be periodically inspected and maintained according to the deadlines set out in the user manual. Only to be used vertically.



AC 351

Sliding fall arrest device that can be removed

- · Stainless steel
- · With energy absorber and EN 362 connector
- to be use only with Ø 8 mm ropes

Available on request

Code 121212

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

AC 922

Guidacavo per fune

- · Stainless steel
- · Rubber wire holder

Available on request

Code 121213

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

AC 850

Security cable set

- · Stainless steel
- Gauge Ø 8 mm
- Breaking load: F ≥ 40 kN
- Comes in 10 m rolls
- Weight: 260 g/metro
 Available on request

Code 121216

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

HL 504

Wire grip

- · Stainless steel
- Weight: 70 g
- Clamps the non-lead end of the cable

Code 121232

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

AC 401

Rope tensioner

- · Stainless steel
- Breaking load: F ≥ 35 kN
- Weight: 1460 g
- Tensiones the rope of a fall arrest system

Code 121217

Pcs. x Box 1 Pc. Min. Ord. 1 Pc.

AZ 090

Connector

- Stainless steel, weight 140 g
- Breaking load: F ≥ 25 kN
- For permanent or long term anchorage
- It can be used both in PRIM and SRKC system (for SKC you need 2)

Code 121211


































NERI S.P.A.

via 8 Marzo, 6 42025 Corte Tegge di Cavriago Reggio Emilia - Italy tel. +39 0522 948111 e-mail sales@nerispa.com

Online on www.nerispa.com







